

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN041521\
 Data File : BN014291.D
 Acq On : 15 Apr 2021 19:13
 Operator : CG/JU
 Sample : M2031-08
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 BG538

Quant Time: Apr 16 01:51:05 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SFAM-EPA-BN041521.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Apr 15 15:18:04 2021
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.70	152	142062	20.00	ng/ul	0.00
20) Naphthalene-d8	10.47	136	566922	20.00	ng/ul	0.00
38) Acenaphthene-d10	14.33	164	331147	20.00	ng/ul	0.00
64) Phenanthrene-d10	17.08	188	675442	20.00	ng/ul	0.00
79) Chrysene-d12	21.27	240	704531	20.00	ng/ul	0.00
88) Perylene-d12	23.50	264	733279	20.00	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.22	96	16522	4.43	ng/uL	0.00
4) Pyridine-d5	0.00	84	0d	0.00	ng/ul	0.00
7) Phenol-d5	6.86	99	77142	6.50	ng/ul	0.00
9) Bis-(2-Chloroethyl)ether-d	7.03	67	192846	27.12	ng/ul	0.00
11) 2-Chlorophenol-d4	7.23	132	225709	24.16	ng/ul	0.00
15) 4-Methylphenol-d8	8.39	113	136028	15.11	ng/ul	0.00
21) Nitrobenzene-d5	8.85	128	113848	27.79	ng/ul	0.00
24) 2-Nitrophenol-d4	9.56	143	115569	28.81	ng/ul	0.00
28) 2,4-Dichlorophenol-d3	10.10	165	234244	27.10	ng/ul	0.00
31) 4-Chloroaniline-d4	10.61	131	13121	1.02	ng/ul	0.00
46) Dimethylphthalate-d6	13.75	166	799013	33.31	ng/ul	0.00
49) Acenaphthylene-d8	14.02	160	963275	33.38	ng/ul	0.00
54) 4-Nitrophenol-d4	14.52	143	23444	5.04	ng/ul	0.00
60) Fluorene-d10	15.33	176	718123	33.86	ng/ul	0.00
65) 4,6-Dinitro-2-methylphenol	15.44	200	92948	25.71	ng/ul	0.00
73) Anthracene-d10	17.17	188	1193766	37.87	ng/ul	0.00
81) Pyrene-d10	19.47	212	1432143	41.87	ng/ul	0.00
92) Benzo(a)pyrene-d12	23.36	264	1554019	39.95	ng/ul	0.00
Target Compounds						
47) Dimethylphthalate	13.79	163	76110	3.056	ng/ul	Ovalue 100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN041521\
Data File : BN014291.D
Acq On : 15 Apr 2021 19:13
Operator : CG/JU
Sample : M2031-08
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
BG538

Quant Time: Apr 16 01:51:05 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SFAM-EPA-BN041521.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Apr 15 15:18:04 2021
Response via : Initial Calibration






#47
 Dimethylphthalate
 Concen: 3.056 ng/ul
 RT: 13.79 min Scan# 1820
 Delta R.T. -0.00 min
 Lab File: BN014291.D
 Acq: 15 Apr 2021 19:13

Instrument :
 BNA_N
 ClientSampleId :
 BG538

Tot Ion	Ratio	Lower	Upper
163	100		
194	4.3	3.3	4.9
164	9.8	7.8	11.8



Abundance

Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

