

Data Path : Z:\HPCHEM1\BNA N\DATA\BN042418\
 Data File : BN000857.D
 Acq On : 24 Apr 2018 19:07
 Operator : JU/SJ
 Sample : J2444-07
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 DARS6

Manual Integrations
 APPROVED

Sohil
 4/25/2018 4:36:21 PM

Quant Time: Apr 25 08:01:03 2018
 Quant Method : Z:\HPCHEM1\BNA N\METHODS\SOM-EPA-BN042418MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Apr 25 07:49:48 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.62	152	166360	20.00	ng/ul	0.00
2) Naphthalene-d8	10.39	136	745650	20.00	ng/ul	0.00
6) Acenaphthene-d10	14.25	164	395724	20.00	ng/ul	0.00
12) Phenanthrene-d10	17.00	188	802140	20.00	ng/ul	0.00
17) Chrysene-d12	21.21	240	621975	20.00	ng/ul	0.00
22) Perylene-d12	23.40	264	566782	20.00	ng/ul	0.00
System Monitoring Compounds						
7) Acenaphthylene-d8	13.94	160	1173523	30.88	ng/ul	0.00
10) Fluorene-d10	15.25	176	830035	32.72	ng/ul	0.00
14) Anthracene-d10	17.10	188	1158101	31.57	ng/ul	0.00
18) Pyrene-d10	19.40	212	1172021	36.78	ng/ul	0.00
25) Benzo(a)pyrene-d12	23.26	264	959983	35.86	ng/ul	0.00
Target Compounds						
19) Pyrene	19.43	202	40199	1.006	ng/ul#	89
23) Benzo(b)fluoranthene	22.75	252	32263m	1.002	ng/ul	

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\HPCHEM1\BNA N\DATA\BN042418\
Data File : BN000857.D
Acq On : 24 Apr 2018 19:07
Operator : JU/SJ
Sample : J2444-07
Misc :
ALS Vial : 17 Sample Multiplier: 1


Instrument :
BNA_N
ClientSampled :
DARS6

Quant Time: Apr 25 08:01:03 2018
Quant Method : Z:\HPCHEM1\BNA N\METHODS\SOM-EPA-BN042418MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Apr 25 07:49:48 2018
Response via : Initial Calibration

Manual Integrations
APPROVED

Sohil
4/25/2018 4:36:21 PM





#19

Pvrene

Concen: 1.006 ng/ul

RT: 19.43 min Scan# 2795

Delta R.T. -0.00 min

Lab File: BN000857.D

Acq: 24 Apr 2018 19:07

Instrument :

BNA_N





ClientSampleId :

DARS6

Tot Ion:	202	Resp:	40199
Ion Ratio	Lower	Upper	
202	100		
101	17.0	11.0	16.4#
100	15.5	8.1	12.1#

Manual Integrations
APPROVED

Sohil
4/25/2018 4:36:21 PM



#23

Benzo(b)fluoranthene

Concen: 1.002 ng/ul m

RT: 22.75 min Scan# 3360

Delta R.T. -0.00 min

Lab File: BN000857.D

Acq: 24 Apr 2018 19:07

Tgt Ion:	252	Resp:	32263
Ion Ratio	Lower	Upper	
252	100		
253	22.5	18.0	27.0
125	15.8	8.0	12.0#

