

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN042524\
 Data File : BN031236.D
 Acq On : 26 Apr 2024 00:59
 Operator : MA/JU
 Sample : P2265-03
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 RMW-02B-14-042424

Quant Time: Apr 26 01:38:15 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN041524.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Apr 25 18:00:27 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.624	152	7768	0.400	ng	0.00
7) Naphthalene-d8	10.400	136	23293	0.400	ng	#-0.01
13) Acenaphthene-d10	14.274	164	13741	0.400	ng	0.00
19) Phenanthrene-d10	17.016	188	30566	0.400	ng	#-0.01
29) Chrysene-d12	21.220	240	22047	0.400	ng	#-0.02
35) Perylene-d12	23.437	264	21005	0.400	ng	-0.02
System Monitoring Compounds						
4) 2-Fluorophenol	5.227	112	2394	0.138	ng	0.00
5) Phenol-d6	6.808	99	1613	0.077	ng	0.00
8) Nitrobenzene-d5	8.777	82	5037	0.312	ng	0.00
11) 2-Methylnaphthalene-d10	11.998	152	10864	0.303	ng	0.00
14) 2,4,6-Tribromophenol	15.775	330	1963	0.368	ng	0.00
15) 2-Fluorobiphenyl	12.884	172	15928	0.345	ng	-0.01
27) Fluoranthene-d10	19.058	212	26399	0.321	ng	0.00
31) Terphenyl-d14	19.667	244	19597	0.383	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.175	88	51860	5.430	ng	# 94
34) Bis(2-ethylhexyl)phtha...	21.139	149	2272	0.065	ng	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN042524\
Data File : BN031236.D
Acq On : 26 Apr 2024 00:59
Operator : MA/JU
Sample : P2265-03
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
RMW-02B-14-042424


Quant Time: Apr 26 01:38:15 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN041524.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Apr 25 18:00:27 2024
Response via : Initial Calibration








#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 7.624 min Scan# 64
 Delta R.T. 0.000 min
 Lab File: BN031236.D
 Acq: 26 Apr 2024 00:59


Instrument :
 BNA_N
 ClientSampleId :
 RMW-02B-14-042424





Tgt Ion:152 Resp: 7768
 Ion Ratio Lower Upper
 152 100
 150 156.9 121.7 182.5
 115 62.3 47.8 71.8




#2
 1,4-Dioxane
 Concen: 5.430 ng
 RT: 3.175 min Scan# 27
 Delta R.T. -0.000 min
 Lab File: BN031236.D
 Acq: 26 Apr 2024 00:59



Tgt Ion: 88 Resp: 51860
 Ion Ratio Lower Upper
 88 100
 43 39.5 23.7 35.5#
 58 68.5 55.7 83.5









#4
2-Fluorophenol
Concen: 0.138 ng
RT: 5.227 min Scan# 314
Delta R.T. -0.000 min
Lab File: BN031236.D
Acq: 26 Apr 2024 00:59




Instrument :
BNA_N
ClientSampleId :
RMW-02B-14-042424


Tgt Ion:112 Resp: 2394
Ion Ratio Lower Upper
112 100
64 53.7 43.4 65.2
63 28.5 22.2 33.2



#5
Phenol-d6
Concen: 0.077 ng
RT: 6.808 min Scan# 530
Delta R.T. -0.000 min
Lab File: BN031236.D
Acq: 26 Apr 2024 00:59

Tgt Ion: 99 Resp: 1613
Ion Ratio Lower Upper
99 100
42 18.4 16.4 24.6
71 41.4 26.3 39.5#









#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.400 min Scan# 91
Delta R.T. -0.011 min
Lab File: BN031236.D
Acq: 26 Apr 2024 00:59




Instrument :
BNA_N
ClientSampleId :
RMW-02B-14-042424


Tgt Ion:	136	Resp:	23293
Ion	Ratio	Lower	Upper
136	100		
137	11.4	9.4	14.0
54	8.7	5.3	7.9#
68	7.4	4.7	7.1#



#8
Nitrobenzene-d5
Concen: 0.312 ng
RT: 8.777 min Scan# 782
Delta R.T. -0.000 min
Lab File: BN031236.D
Acq: 26 Apr 2024 00:59

Tgt Ion:	82	Resp:	5037
Ion	Ratio	Lower	Upper
82	100		
128	43.1	33.7	50.5
54	51.6	43.7	65.5









#11
2-Methylnaphthalene-d10
Concen: 0.303 ng
RT: 11.998 min Scan# 1167
Delta R.T. -0.004 min
Lab File: BN031236.D
Acq: 26 Apr 2024 00:59




Instrument :
BNA_N
ClientSampleId :
RMW-02B-14-042424


Tgt Ion:152 Resp: 10864
Ion Ratio Lower Upper
152 100
151 20.7 16.7 25.1



#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.274 min Scan# 1484
Delta R.T. -0.000 min
Lab File: BN031236.D
Acq: 26 Apr 2024 00:59

Tgt Ion:164 Resp: 13741
Ion Ratio Lower Upper
164 100
162 100.3 80.6 121.0
160 46.5 40.7 61.1









#14
2,4,6-Tribromophenol
Concen: 0.368 ng
RT: 15.775 min Scan# 1
Delta R.T. -0.000 min
Lab File: BN031236.D
Acq: 26 Apr 2024 00:59




Instrument :
BNA_N
ClientSampleId :
RMW-02B-14-042424


Tgt Ion:330 Resp: 1963
Ion Ratio Lower Upper
330 100
332 99.2 74.2 111.2
141 47.8 37.2 55.8



#15
2-Fluorobiphenyl
Concen: 0.345 ng
RT: 12.884 min Scan# 1354
Delta R.T. -0.011 min
Lab File: BN031236.D
Acq: 26 Apr 2024 00:59

Tgt Ion:172 Resp: 15928
Ion Ratio Lower Upper
172 100
171 34.7 28.3 42.5
170 24.0 19.8 29.8





#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 17.016 min Scan# 11

Delta R.T. -0.013 min

Lab File: BN031236.D

Acq: 26 Apr 2024 00:59

Instrument :





BNA_N

ClientSampleId :

RMW-02B-14-042424

Tgt Ion:188 Resp: 30566

Ion	Ratio	Lower	Upper
188	100		
94	0.0	0.0	0.0
80	12.8	7.4	11.2



#27

Fluoranthene-d10

Concen: 0.321 ng

RT: 19.058 min Scan# 1960




Delta R.T. -0.009 min


Lab File: BN031236.D

Acq: 26 Apr 2024 00:59

Tgt Ion:212 Resp: 26399

Ion	Ratio	Lower	Upper
212	100		
106	15.0	12.0	18.0
104	8.4	6.7	10.1









#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.220 min Scan# 2455
Delta R.T. -0.018 min
Lab File: BN031236.D
Acq: 26 Apr 2024 00:59




Instrument :
BNA_N
ClientSampleId :
RMW-02B-14-042424


Tgt Ion:240 Resp: 22047
Ion Ratio Lower Upper
240 100
120 17.5 11.0 16.4#
236 28.6 22.3 33.5



#31
Terphenyl-d14
Concen: 0.383 ng
RT: 19.667 min Scan# 2091
Delta R.T. -0.005 min
Lab File: BN031236.D
Acq: 26 Apr 2024 00:59

Tgt Ion:244 Resp: 19597
Ion Ratio Lower Upper
244 100
212 8.3 7.2 10.8
122 14.4 12.7 19.1









#34
 Bis(2-ethylhexyl)phthalate
 Concen: 0.065 ng
 RT: 21.139 min Scan# 2111
 Delta R.T. -0.009 min
 Lab File: BN031236.D
 Acq: 26 Apr 2024 00:59

Instrument :
 BNA_N
 ClientSampleId :
 RMW-02B-14-042424

Tgt Ion:149 Resp: 2272
 Ion Ratio Lower Upper
 149 100
 167 22.6 21.0 31.4
 279 4.3 2.9 4.3



#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.437 min Scan# 2887
 Delta R.T. -0.018 min
 Lab File: BN031236.D
 Acq: 26 Apr 2024 00:59

Tgt Ion:264 Resp: 21005
 Ion Ratio Lower Upper
 264 100
 260 25.7 20.6 31.0
 265 56.0 53.3 79.9

