

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN042619\
 Data File : BN005325.D
 Acq On : 26 Apr 2019 20:29
 Operator : JU/SJ
 Sample : K2497-04
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 GAHY0

Quant Time: Apr 26 23:32:30 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN041919MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Apr 26 23:25:31 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.59	152	427500	20.00	ng/ul	0.00
18) Naphthalene-d8	10.35	136	1807217	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.23	164	1121915	20.00	ng/ul	0.00
61) Phenanthrene-d10	16.98	188	2679302	20.00	ng/ul	0.00
77) Chrysene-d12	21.21	240	2432940	20.00	ng/ul	0.00
85) Perylene-d12	23.41	264	2264016	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.22	96	43045	4.86	ng/uL	0.00
5) Phenol-d5	6.78	99	944350	28.13	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.94	67	573376	27.38	ng/ul	0.00
9) 2-Chlorophenol-d4	7.13	132	741700	28.86	ng/ul	0.00
13) 4-Methylphenol-d8	8.29	113	782154	29.80	ng/ul	0.00
19) Nitrobenzene-d5	8.73	128	391036	35.16	ng/ul	0.00
22) 2-Nitrophenol-d4	9.45	143	437287	38.78	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.98	165	782616	30.28	ng/ul	0.00
29) 4-Chloroaniline-d4	10.49	131	1071850	40.21	ng/ul	0.00
43) Dimethylphthalate-d6	13.65	166	2589710	31.80	ng/ul	0.00
46) Acenaphthylene-d8	13.92	160	3102236	31.01	ng/ul	0.00
51) 4-Nitrophenol-d4	14.43	143	419180	32.60	ng/ul	0.00
57) Fluorene-d10	15.23	176	2192667	32.08	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.35	200	360682	29.93	ng/ul	0.00
70) Anthracene-d10	17.08	188	3545236	31.56	ng/ul	0.00
78) Pyrene-d10	19.39	212	3932571	31.60	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.27	264	3115169	31.48	ng/ul	0.00


Target Compounds					Ovalue
44) Dimethylphthalate	13.69	163	629322	7.755	ng/ul 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN042619\
Data File : BN005325.D
Acq On : 26 Apr 2019 20:29
Operator : JU/SJ
Sample : K2497-04
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
GAHY0

Quant Time: Apr 26 23:32:30 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN041919MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Apr 26 23:25:31 2019
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 7.755 ng/ul

RT: 13.69 min Scan# 1820

Delta R.T. 0.00 min

Lab File: BN005325.D

Acq: 26 Apr 2019 20:29

Instrument :

BNA_N

ClientSampleId :

GAHY0


Tot Ion:163 Resp: 629322

Ion Ratio Lower Upper

163 100

194 4.6 3.4 5.0

164 10.0 8.1 12.1



Abundance

Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

