

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN042921\
 Data File : BN014496.D
 Acq On : 29 Apr 2021 18:56
 Operator : CG/JU
 Sample : M2208-05
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 BP-VPB-RW8-GW-418-420

Quant Time: Apr 30 02:34:31 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN042921.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Apr 29 15:11:14 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.668	152	8321	0.40	ng	0.00
7) Naphthalene-d8	10.442	136	31181	0.40	ng	0.00
13) Acenaphthene-d10	14.296	164	16707	0.40	ng	0.00
19) Phenanthrene-d10	17.043	188	34708	0.40	ng	0.00
29) Chrysene-d12	21.250	240	32829	0.40	ng	0.00
35) Perylene-d12	23.469	264	27638	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.276	112	2769	0.19	ng	0.00
5) Phenol-d6	6.839	99	2252	0.12	ng	0.00
8) Nitrobenzene-d5	8.807	82	4264	0.27	ng	0.00
11) 2-Methylnaphthalene-d10	12.035	152	11978	0.19	ng	0.00
14) 2,4,6-Tribromophenol	15.793	330	1481	0.35	ng	0.00
15) 2-Fluorobiphenyl	12.925	172	19262	0.29	ng	0.00
27) Fluoranthene-d10	19.084	212	29871	0.25	ng	0.00
31) Terphenyl-d14	19.690	244	35335	0.47	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.239	88	684	0.07	ng	Qvalue # 69
34) Bis(2-ethylhexyl)phtha...	21.176	149	26913	1.13	ng	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN042921\
Data File : BN014496.D
Acq On : 29 Apr 2021 18:56
Operator : CG/JU
Sample : M2208-05
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
BP-VPB-RW8-GW-418-420

Quant Time: Apr 30 02:34:31 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN042921.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Apr 29 15:11:14 2021
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 0.40 ng
 RT: 7.668 min Scan# 607
 Delta R.T. 0.000 min
 Lab File: BN014496.D
 Acq: 29 Apr 2021 18:56




Instrument :
 BNA_N
 ClientSampleId :
 BP-VPB-RW8-GW-418-420


Tgt Ion:152 Resp: 8321
 Ion Ratio Lower Upper
 152 100
 150 156.1 126.6 189.8
 115 59.0 47.7 71.5



#2
 1,4-Dioxane
 Concen: 0.07 ng
 RT: 3.239 min Scan# 57
 Delta R.T. 0.008 min
 Lab File: BN014496.D
 Acq: 29 Apr 2021 18:56

Tgt Ion: 88 Resp: 684
 Ion Ratio Lower Upper
 88 100
 58 87.9 55.4 83.0#
 43 0.0 21.6 32.4#









#4
2-Fluorophenol
Concen: 0.19 ng
RT: 5.276 min Scan# 310
Delta R.T. 0.000 min
Lab File: BN014496.D
Acq: 29 Apr 2021 18:56




Instrument :
BNA_N
ClientSampleId :
BP-VPB-RW8-GW-418-420


Tgt Ion:	112	Resp:	2769
Ion	Ratio	Lower	Upper
112	100		
64	53.5	42.4	63.6
63	26.6	22.2	33.4



#5
Phenol-d6
Concen: 0.12 ng
RT: 6.839 min Scan# 504
Delta R.T. 0.000 min
Lab File: BN014496.D
Acq: 29 Apr 2021 18:56

Tgt Ion:	99	Resp:	2252
Ion	Ratio	Lower	Upper
99	100		
42	24.1	13.8	20.8
71	38.4	26.0	39.0









#7
Naphthalene-d8
Concen: 0.40 ng
RT: 10.442 min Scan# 855
Delta R.T. 0.000 min
Lab File: BN014496.D
Acq: 29 Apr 2021 18:56




Instrument :
BNA_N
ClientSampleId :
BP-VPB-RW8-GW-418-420


Tgt Ion:	136	Resp:	31181
Ion Ratio	Lower	Upper	
136	100		
137	11.1	9.0	13.6
54	6.1	4.8	7.2
68	5.7	4.6	6.8



#8
Nitrobenzene-d5
Concen: 0.27 ng
RT: 8.807 min Scan# 726
Delta R.T. 0.000 min
Lab File: BN014496.D
Acq: 29 Apr 2021 18:56

Tgt Ion:	82	Resp:	4264
Ion Ratio	Lower	Upper	
82	100		
128	33.6	26.0	39.0
54	50.7	39.5	59.3









#11
2-Methylnaphthalene-d10
Concen: 0.19 ng
RT: 12.035 min Scan# 1058
Delta R.T. 0.000 min
Lab File: BN014496.D
Acq: 29 Apr 2021 18:56




Instrument :
BNA_N
ClientSampleId :
BP-VPB-RW8-GW-418-420


Tgt Ion:152 Resp: 11978
Ion Ratio Lower Upper
152 100
151 20.3 16.3 24.5



#13
Acenaphthene-d10
Concen: 0.40 ng
RT: 14.296 min Scan# 1305
Delta R.T. 0.000 min
Lab File: BN014496.D
Acq: 29 Apr 2021 18:56

Tgt Ion:164 Resp: 16707
Ion Ratio Lower Upper
164 100
162 103.1 82.4 123.6
160 49.2 40.5 60.7









#14
2,4,6-Tribromophenol
Concen: 0.35 ng
RT: 15.793 min Scan# 1423
Delta R.T. 0.000 min
Lab File: BN014496.D
Acq: 29 Apr 2021 18:56




Instrument :
BNA_N
ClientSampleId :
BP-VPB-RW8-GW-418-420


Tgt Ion: 330 Resp: 1481
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 36.1 28.5 42.7



#15
2-Fluorobiphenyl
Concen: 0.29 ng
RT: 12.925 min Scan# 1197
Delta R.T. 0.000 min
Lab File: BN014496.D
Acq: 29 Apr 2021 18:56

Tgt Ion: 172 Resp: 19262
Ion Ratio Lower Upper
172 100
171 34.1 26.6 40.0
170 22.3 18.2 27.2









#19
Phenanthrene-d10
Concen: 0.40 ng
RT: 17.043 min Scan# 1525
Delta R.T. 0.000 min
Lab File: BN014496.D
Acq: 29 Apr 2021 18:56




Instrument :
BNA_N
ClientSampleId :
BP-VPB-RW8-GW-418-420


Tgt Ion:188 Resp: 34708
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 11.5 8.8 13.2



#27
Fluoranthene-d10
Concen: 0.25 ng
RT: 19.084 min Scan# 1820
Delta R.T. 0.000 min
Lab File: BN014496.D
Acq: 29 Apr 2021 18:56

Tgt Ion:212 Resp: 29871
Ion Ratio Lower Upper
212 100
106 12.4 10.2 15.4
104 7.0 5.6 8.4









#29
Chrysene-d12
Concen: 0.40 ng
RT: 21.250 min Scan# 2123
Delta R.T. 0.000 min
Lab File: BN014496.D
Acq: 29 Apr 2021 18:56




Instrument :
BNA_N
ClientSampleId :
BP-VPB-RW8-GW-418-420


Tgt Ion:240 Resp: 32829
Ion Ratio Lower Upper
240 100
120 7.4 6.3 9.5
236 25.7 20.9 31.3



#31
Terphenyl-d14
Concen: 0.47 ng
RT: 19.690 min Scan# 1942
Delta R.T. 0.000 min
Lab File: BN014496.D
Acq: 29 Apr 2021 18:56

Tgt Ion:244 Resp: 35335
Ion Ratio Lower Upper
244 100
212 7.5 6.3 9.5
122 12.0 10.6 16.0









#34
Bis(2-ethylhexyl)phthalate
Concen: 1.13 ng
RT: 21.176 min Scan# 2116
Delta R.T. 0.000 min
Lab File: BN014496.D
Acq: 29 Apr 2021 18:56

Instrument :
BNA_N
ClientSampleId :
BP-VPB-RW8-GW-418-420

Tgt Ion:149 Resp: 26913
Ion Ratio Lower Upper
149 100
167 26.9 21.4 32.2
279 3.7 3.3 4.9



#35
Perylene-d12
Concen: 0.40 ng
RT: 23.469 min Scan# 2542
Delta R.T. 0.004 min
Lab File: BN014496.D
Acq: 29 Apr 2021 18:56

Tgt Ion:264 Resp: 27638
Ion Ratio Lower Upper
264 100
260 24.8 19.6 29.4
265 38.5 35.5 53.3

