

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN050624\
 Data File : BN031414.D
 Acq On : 07 May 2024 00:35
 Operator : MA/JU
 Sample : P2368-21
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 A43M9

Manual Integrations
 APPROVED

Reviewed By :Jagrut Upadhyay 05/07/2024
 Supervised By :mohammad ahmed 05/08/2024

Quant Time: May 07 01:11:17 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-BN050324.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri May 03 14:17:04 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.593	152	207314	20.000	ng/u1	0.00
20) Naphthalene-d8	10.375	136	853067	20.000	ng/u1	# 0.00
38) Acenaphthene-d10	14.245	164	484890	20.000	ng/u1	0.00
64) Phenanthrene-d10	16.998	188	1102251	20.000	ng/u1	# 0.00
79) Chrysene-d12	21.233	240	768864	20.000	ng/u1	# 0.00
88) Perylene-d12	24.110	264	730443	20.000	ng/u1	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.117	96	16745	3.496	ng/uL	0.00
4) Pyridine-d5	3.522	84	234530	18.837	ng/u1	0.00
7) Phenol-d5	6.775	99	308833	19.537	ng/u1	0.00
9) Bis-(2-Chloroethyl)eth...	6.940	67	193241	21.648	ng/u1	0.00
11) 2-Chlorophenol-d4	7.128	132	262619	19.921	ng/u1	0.00
15) 4-Methylphenol-d8	8.304	113	246278	18.789	ng/u1	0.00
21) Nitrobenzene-d5	8.752	128	127691	19.867	ng/u1	0.00
24) 2-Nitrophenol-d4	9.469	143	132730	18.687	ng/u1	0.00
28) 2,4-Dichlorophenol-d3	9.998	165	245745	19.250	ng/u1	0.00
31) 4-Chloroaniline-d4	10.522	131	382937	21.544	ng/u1	0.00
46) Dimethylphthalate-d6	13.663	166	704699	20.198	ng/u1	0.00
49) Acenaphthylene-d8	13.934	160	843098	21.957	ng/u1	0.00
54) 4-Nitrophenol-d4	14.463	143	84028	13.547	ng/u1	0.00
60) Fluorene-d10	15.245	176	597479	20.953	ng/u1	0.00
65) 4,6-Dinitro-2-methylph...	15.369	200	63908	9.479	ng/u1	0.00
73) Anthracene-d10	17.098	188	1030703m	21.472	ng/u1	0.00
81) Pyrene-d10	19.404	212	1074559	24.612	ng/u1	0.00
92) Benzo(a)pyrene-d12	23.915	264	764675	21.946	ng/u1	0.00
Target Compounds						
71) Pentachlorophenol	16.651	266	27332	3.243	ng/u1	Qvalue 95

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN050624\
Data File : BN031414.D
Acq On : 07 May 2024 00:35
Operator : MA/JU
Sample : P2368-21
Misc :
ALS Vial : 22 Sample Multiplier: 1


Instrument :
BNA_N
ClientSampleId :
A43M9

Quant Time: May 07 01:11:17 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-BN050324.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri May 03 14:17:04 2024
Response via : Initial Calibration

Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 05/07/2024
Supervised By :mohammad ahmed 05/08/2024





#71
 Pentachlorophenol
 Concen: 3.243 ng/ul
 RT: 16.651 min Scan# 21
 Delta R.T. -0.000 min
 Lab File: BN031414.D
 Acq: 07 May 2024 00:35

Instrument :
 BNA_N
 ClientSampleId :
 A43M9



Tgt Ion:266 Resp: 2733
 Ion Ratio Lower Upper
 266 100
 264 57.7 49.6 74.4
 268 62.5 47.8 71.6

Manual Integrations
 APPROVED

Reviewed By :Jagrut Upadhyay 05/07/2024
 Supervised By :mohammad ahmed 05/08/2024

