

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN051122\
 Data File : BN019726.D
 Acq On : 11 May 2022 17:28
 Operator : CG/JU
 Sample : N2451-02
 Misc :
 ALS Vial : 7 Sample Multiplier: 50

Instrument :
 BNA_N
 ClientSampleId :
 SB-7085

Quant Time: May 12 05:52:06 2022
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN050922.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue May 10 01:35:26 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.862	152	231157	20.000	ng	0.00
7) Naphthalene-d8	10.648	136	734084	20.000	ng	0.00
13) Acenaphthene-d10	14.474	164	442862	20.000	ng	0.00
19) Phenanthrene-d10	17.215	188	942335	20.000	ng	0.00
29) Chrysene-d12	21.404	240	867382	20.000	ng	# 0.00
35) Perylene-d12	23.752	264	853763	20.000	ng	# 0.01
System Monitoring Compounds						
4) 2-Fluorophenol	5.442	112	1819353	173.963	ng	0.00
5) Phenol-d6	7.024	99	2358494	179.096	ng	0.00
8) Nitrobenzene-d5	9.003	82	1208946	98.544	ng	0.00
11) 2-Methylnaphthalene-d10	12.227	152	4	0.000	ng	0.00
14) 2,4,6-Tribromophenol	15.964	330	584435	181.711	ng	0.00
15) 2-Fluorobiphenyl	13.105	172	2805249	70.200	ng	0.00
27) Fluoranthene-d10	19.244	212	9	0.000	ng	0.00
31) Terphenyl-d14	19.851	244	2551509	63.282	ng	0.00
Target Compounds						
34) Bis(2-ethylhexyl)phtha...	21.333	149	3186	0.113	ng	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN051122\
Data File : BN019726.D
Acq On : 11 May 2022 17:28
Operator : CG/JU
Sample : N2451-02
Misc :
ALS Vial : 7 Sample Multiplier: 50

Instrument :
BNA_N
ClientSampleId :
SB-7085

Quant Time: May 12 05:52:06 2022
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN050922.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue May 10 01:35:26 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.862 min Scan# 662
Delta R.T. -0.000 min
Lab File: BN019726.D
Acq: 11 May 2022 17:28




Instrument :
BNA_N
ClientSampleId :
SB-7085


Tgt Ion:152 Resp: 231157
Ion Ratio Lower Upper
152 100
150 153.6 125.0 187.4
115 58.9 50.6 76.0



#4
2-Fluorophenol
Concen: 173.963 ng
RT: 5.442 min Scan# 327
Delta R.T. -0.000 min
Lab File: BN019726.D
Acq: 11 May 2022 17:28

Tgt Ion:112 Resp: 1819353
Ion Ratio Lower Upper
112 100
64 62.0 49.1 73.7
63 32.8 26.4 39.6









#5
Phenol-d6
Concen: 179.096 ng
RT: 7.024 min Scan# 546
Delta R.T. -0.000 min
Lab File: BN019726.D
Acq: 11 May 2022 17:28

Instrument :
BNA_N
ClientSampleId :
SB-7085

Tgt Ion: 99 Resp: 2358494




Ion	Ratio	Lower	Upper
99	100		
42	22.4	19.6	29.4
71	34.9	27.3	40.9




#7
Naphthalene-d8
Concen: 20.000 ng
RT: 10.648 min Scan# 943
Delta R.T. -0.000 min
Lab File: BN019726.D
Acq: 11 May 2022 17:28

Tgt Ion:136 Resp: 734084

Ion	Ratio	Lower	Upper
136	100		
137	11.0	9.1	13.7
54	9.1	8.2	12.4
68	5.9	5.5	8.3









#8
Nitrobenzene-d5
Concen: 98.544 ng
RT: 9.003 min Scan# 789
Delta R.T. -0.000 min
Lab File: BN019726.D
Acq: 11 May 2022 17:28




Instrument :
BNA_N
ClientSampleId :
SB-7085


Tgt Ion: 82 Resp: 1208946
Ion Ratio Lower Upper
82 100
128 41.2 32.4 48.6
54 60.7 50.7 76.1



#11
2-Methylnaphthalene-d10
Concen: 0.000 ng
RT: 12.227 min Scan# 1213
Delta R.T. -0.008 min
Lab File: BN019726.D
Acq: 11 May 2022 17:28

Tgt Ion:152 Resp: 4
Ion Ratio Lower Upper
152 100
151 50.0 16.4 24.6#









#13
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.474 min Scan# 1471
Delta R.T. -0.000 min
Lab File: BN019726.D
Acq: 11 May 2022 17:28




Instrument :
BNA_N
ClientSampleId :
SB-7085


Tgt Ion:164 Resp: 442862
Ion Ratio Lower Upper
164 100
162 103.3 84.0 126.0
160 47.6 41.1 61.7



#14
2,4,6-Tribromophenol
Concen: 181.711 ng
RT: 15.964 min Scan# 1611
Delta R.T. -0.000 min
Lab File: BN019726.D
Acq: 11 May 2022 17:28

Tgt Ion:330 Resp: 584435
Ion Ratio Lower Upper
330 100
332 95.7 75.7 113.5
141 51.2 40.2 60.2









#15
2-Fluorobiphenyl
Concen: 70.200 ng
RT: 13.105 min Scan# 1343
Delta R.T. -0.000 min
Lab File: BN019726.D
Acq: 11 May 2022 17:28




Instrument :
BNA_N
ClientSampleId :
SB-7085


Tgt Ion:172 Resp: 2805249
Ion Ratio Lower Upper
172 100
171 34.7 28.5 42.7
170 23.3 19.4 29.2



#19
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.215 min Scan# 1733
Delta R.T. -0.000 min
Lab File: BN019726.D
Acq: 11 May 2022 17:28

Tgt Ion:188 Resp: 942335
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 10.8 9.6 14.4









#27
Fluoranthene-d10
Concen: 0.000 ng
RT: 19.244 min Scan# 2104
Delta R.T. -0.004 min
Lab File: BN019726.D
Acq: 11 May 2022 17:28




Instrument :
BNA_N
ClientSampleId :
SB-7085


Tgt Ion:212 Resp: 9
Ion Ratio Lower Upper
212 100
106 100.0 13.0 19.4#
104 0.0 7.3 10.9#



#29
Chrysene-d12
Concen: 20.000 ng
RT: 21.404 min Scan# 2441
Delta R.T. -0.000 min
Lab File: BN019726.D
Acq: 11 May 2022 17:28

Tgt Ion:240 Resp: 867382
Ion Ratio Lower Upper
240 100
120 16.6 9.0 13.6#
236 27.8 22.0 33.0









#31
Terphenyl-d14
Concen: 63.282 ng
RT: 19.851 min Scan# 21
Delta R.T. 0.004 min
Lab File: BN019726.D
Acq: 11 May 2022 17:28




Instrument :
BNA_N
ClientSampleId :
SB-7085




Tgt Ion:244 Resp: 2551509
Ion Ratio Lower Upper
244 100
212 9.8 7.0 10.6
122 0.0 0.0 0.0



#34
Bis(2-ethylhexyl)phthalate
Concen: 0.113 ng
RT: 21.333 min Scan# 2433
Delta R.T. 0.009 min
Lab File: BN019726.D
Acq: 11 May 2022 17:28

Tgt Ion:149 Resp: 3186
Ion Ratio Lower Upper
149 100
167 25.4 21.0 31.6
279 3.2 2.2 3.2





#35
Perylene-d12
Concen: 20.000 ng
RT: 23.752 min Scan# 30
Delta R.T. 0.012 min
Lab File: BN019726.D
Acq: 11 May 2022 17:28

Instrument :
BNA_N
ClientSampleId :
SB-7085

Tgt Ion:264 Resp: 853763
Ion Ratio Lower Upper
264 100
260 25.4 20.8 31.2
265 21.3 35.6 53.4#

