

Data Path : Z:\svoasrv\HPCHEM1\BNA\_N\Data\BN051123\  
 Data File : BN025419.D  
 Acq On : 12 May 2023 02:42  
 Operator : CG/JU  
 Sample : 02746-02  
 Misc :  
 ALS Vial : 27 Sample Multiplier: 1

Instrument :  
 BNA\_N  
 ClientSampleId :  
 CB-14-G1-67-051023

Quant Time: May 12 04:13:11 2023  
 Quant Method : Z:\svoasrv\HPCHEM1\BNA\_N\Methods\8270-SIM-BN051123.M  
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
 QLast Update : Fri May 12 00:57:16 2023  
 Response via : Initial Calibration

| Compound                      | R.T.   | QIon | Response | Conc  | Units | Dev(Min)  |
|-------------------------------|--------|------|----------|-------|-------|-----------|
| -----                         |        |      |          |       |       |           |
| Internal Standards            |        |      |          |       |       |           |
| 1) 1,4-Dichlorobenzene-d4     | 7.904  | 152  | 7120     | 0.400 | ng    | 0.00      |
| 7) Naphthalene-d8             | 10.718 | 136  | 21676    | 0.400 | ng    | 0.01      |
| 13) Acenaphthene-d10          | 14.544 | 164  | 13173    | 0.400 | ng    | 0.00      |
| 19) Phenanthrene-d10          | 17.298 | 188  | 28128    | 0.400 | ng    | 0.00      |
| 29) Chrysene-d12              | 21.486 | 240  | 21185    | 0.400 | ng    | # 0.00    |
| 35) Perylene-d12              | 23.917 | 264  | 19710    | 0.400 | ng    | 0.00      |
| System Monitoring Compounds   |        |      |          |       |       |           |
| 4) 2-Fluorophenol             | 5.455  | 112  | 5452     | 0.330 | ng    | 0.00      |
| 5) Phenol-d6                  | 7.088  | 99   | 6109     | 0.272 | ng    | 0.00      |
| 8) Nitrobenzene-d5            | 9.105  | 82   | 3553     | 0.203 | ng    | 0.02      |
| 11) 2-Methylnaphthalene-d10   | 12.309 | 152  | 8996     | 0.315 | ng    | 0.00      |
| 14) 2,4,6-Tribromophenol      | 16.057 | 330  | 802      | 0.114 | ng    | 0.00      |
| 15) 2-Fluorobiphenyl          | 13.176 | 172  | 13242    | 0.289 | ng    | 0.00      |
| 27) Fluoranthene-d10          | 19.329 | 212  | 20634    | 0.321 | ng    | 0.00      |
| 31) Terphenyl-d14             | 19.915 | 244  | 15620    | 0.306 | ng    | 0.00      |
| Target Compounds              |        |      |          |       |       |           |
| 34) Bis(2-ethylhexyl)phtha... | 21.378 | 149  | 27473    | 0.395 | ng    | Qvalue 97 |
| -----                         |        |      |          |       |       |           |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA\_N\Data\BN051123\  
Data File : BN025419.D  
Acq On : 12 May 2023 02:42  
Operator : CG/JU  
Sample : 02746-02  
Misc :  
ALS Vial : 27 Sample Multiplier: 1

Instrument :  
BNA\_N  
ClientSampleId :  
CB-14-G1-67-051023

Quant Time: May 12 04:13:11 2023  
Quant Method : Z:\svoasrv\HPCHEM1\BNA\_N\Methods\8270-SIM-BN051123.M  
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
QLast Update : Fri May 12 00:57:16 2023  
Response via : Initial Calibration

