

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN051623\
 Data File : BN025447.D
 Acq On : 16 May 2023 17:24
 Operator : CG/JU
 Sample : 02804-03
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 EB-01-051523

Quant Time: May 17 03:33:41 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN051623.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed May 17 02:52:36 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.092	152	4701	0.400	ng	0.00
7) Naphthalene-d8	10.910	136	13406	0.400	ng	0.00
13) Acenaphthene-d10	14.715	164	8100	0.400	ng	0.00
19) Phenanthrene-d10	17.460	188	18905	0.400	ng	0.00
29) Chrysene-d12	21.652	240	15380	0.400	ng	# 0.00
35) Perylene-d12	24.182	264	15800	0.400	ng	-0.01
System Monitoring Compounds						
4) 2-Fluorophenol	5.622	112	2039	0.202	ng	0.00
5) Phenol-d6	7.232	99	1712	0.126	ng	0.00
8) Nitrobenzene-d5	9.255	82	3826	0.418	ng	0.00
11) 2-Methylnaphthalene-d10	12.491	152	7518	0.401	ng	0.00
14) 2,4,6-Tribromophenol	16.206	330	1218	0.444	ng	0.00
15) 2-Fluorobiphenyl	13.358	172	12115	0.409	ng	0.00
27) Fluoranthene-d10	19.486	212	20290	0.451	ng	0.00
31) Terphenyl-d14	20.076	244	13520	0.484	ng	0.00
Target Compounds						Qvalue
9) Naphthalene	10.963	128	1552	0.046	ng	# 86
34) Bis(2-ethylhexyl)phtha...	21.553	149	13497	0.427	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN051623\
Data File : BN025447.D
Acq On : 16 May 2023 17:24
Operator : CG/JU
Sample : 02804-03
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
EB-01-051523

Quant Time: May 17 03:33:41 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN051623.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed May 17 02:52:36 2023
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 8.092 min Scan# 61
 Delta R.T. 0.001 min
 Lab File: BN025447.D
 Acq: 16 May 2023 17:24




Instrument :
 BNA_N
 ClientSampleId :
 EB-01-051523


Tgt Ion:152 Resp: 4701
 Ion Ratio Lower Upper
 152 100
 150 153.1 123.7 185.5
 115 62.5 50.0 75.0



#4
 2-Fluorophenol
 Concen: 0.202 ng
 RT: 5.622 min Scan# 338
 Delta R.T. 0.001 min
 Lab File: BN025447.D
 Acq: 16 May 2023 17:24


Tgt Ion:112 Resp: 2039
 Ion Ratio Lower Upper
 112 100
 64 55.6 43.9 65.9
 63 32.6 25.0 37.4








#5
Phenol-d6
Concen: 0.126 ng
RT: 7.232 min Scan# 561
Delta R.T. 0.000 min
Lab File: BN025447.D
Acq: 16 May 2023 17:24

Instrument :
BNA_N
ClientSampleId :
EB-01-051523







Tgt Ion: 99 Resp: 1712
Ion Ratio Lower Upper
99 100
42 22.7 16.4 24.6
71 45.9 29.4 44.0#



#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.910 min Scan# 954
Delta R.T. 0.000 min
Lab File: BN025447.D
Acq: 16 May 2023 17:24

Tgt Ion: 136 Resp: 13406
Ion Ratio Lower Upper
136 100
137 11.7 9.4 14.0
54 8.9 7.0 10.4
68 7.5 5.8 8.6









#8
Nitrobenzene-d5
Concen: 0.418 ng
RT: 9.255 min Scan# 799
Delta R.T. 0.000 min
Lab File: BN025447.D
Acq: 16 May 2023 17:24




Instrument :
BNA_N
ClientSampleId :
EB-01-051523


Tgt Ion: 82 Resp: 3826
Ion Ratio Lower Upper
82 100
128 44.1 35.7 53.5
54 49.0 38.6 57.8



#9
Naphthalene
Concen: 0.046 ng
RT: 10.963 min Scan# 959
Delta R.T. 0.000 min
Lab File: BN025447.D
Acq: 16 May 2023 17:24

Tgt Ion: 128 Resp: 1552
Ion Ratio Lower Upper
128 100
129 18.0 9.4 14.2#
127 18.2 10.6 16.0#









#11
2-Methylnaphthalene-d10
Concen: 0.401 ng
RT: 12.491 min Scan# 11
Delta R.T. 0.000 min
Lab File: BN025447.D
Acq: 16 May 2023 17:24




Instrument :
BNA_N
ClientSampleId :
EB-01-051523


Tgt Ion:152 Resp: 7518
Ion Ratio Lower Upper
152 100
151 21.2 16.5 24.7



#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.715 min Scan# 1566
Delta R.T. 0.000 min
Lab File: BN025447.D
Acq: 16 May 2023 17:24

Tgt Ion:164 Resp: 8100
Ion Ratio Lower Upper
164 100
162 104.5 84.8 127.2
160 51.4 40.6 61.0









#14
2,4,6-Tribromophenol
Concen: 0.444 ng
RT: 16.206 min Scan# 1699
Delta R.T. 0.000 min
Lab File: BN025447.D
Acq: 16 May 2023 17:24




Instrument :
BNA_N
ClientSampleId :
EB-01-051523


Tgt Ion:330 Resp: 1218
Ion Ratio Lower Upper
330 100
332 95.8 75.5 113.3
141 47.5 35.3 52.9



#15
2-Fluorobiphenyl
Concen: 0.409 ng
RT: 13.358 min Scan# 1439
Delta R.T. 0.000 min
Lab File: BN025447.D
Acq: 16 May 2023 17:24

Tgt Ion:172 Resp: 12115
Ion Ratio Lower Upper
172 100
171 34.4 27.0 40.6
170 22.6 18.2 27.2









#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.460 min Scan# 1800
Delta R.T. 0.000 min
Lab File: BN025447.D
Acq: 16 May 2023 17:24




Instrument :
BNA_N
ClientSampleId :
EB-01-051523


Tgt Ion:188 Resp: 18905
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 12.2 8.7 13.1



#27
Fluoranthene-d10
Concen: 0.451 ng
RT: 19.486 min Scan# 2195
Delta R.T. 0.000 min
Lab File: BN025447.D
Acq: 16 May 2023 17:24

Tgt Ion:212 Resp: 20290
Ion Ratio Lower Upper
212 100
106 14.0 11.1 16.7
104 8.6 6.6 10.0









#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.652 min Scan# 2165
Delta R.T. 0.000 min
Lab File: BN025447.D
Acq: 16 May 2023 17:24




Instrument :
BNA_N
ClientSampleId :
EB-01-051523


Tgt Ion:240 Resp: 15380
Ion Ratio Lower Upper
240 100
120 10.4 11.6 17.4#
236 28.4 22.9 34.3



#31
Terphenyl-d14
Concen: 0.484 ng
RT: 20.076 min Scan# 2326
Delta R.T. -0.009 min
Lab File: BN025447.D
Acq: 16 May 2023 17:24

Tgt Ion:244 Resp: 13520
Ion Ratio Lower Upper
244 100
212 10.1 6.9 10.3
122 14.7 7.4 11.2#









#34
 Bis(2-ethylhexyl)phthalate
 Concen: 0.427 ng
 RT: 21.553 min Scan# 2491
 Delta R.T. -0.009 min
 Lab File: BN025447.D
 Acq: 16 May 2023 17:24

Instrument :
 BNA_N
 ClientSampleId :
 EB-01-051523

Tgt Ion:149 Resp: 13497
 Ion Ratio Lower Upper
 149 100
 167 27.1 22.2 33.4
 279 3.1 2.5 3.7



#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 24.182 min Scan# 3194
 Delta R.T. -0.014 min
 Lab File: BN025447.D
 Acq: 16 May 2023 17:24

Tgt Ion:264 Resp: 15800
 Ion Ratio Lower Upper
 264 100
 260 26.5 21.0 31.6
 265 32.2 25.5 38.3

