

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN051922\
 Data File : BN019859.D
 Acq On : 19 May 2022 17:28
 Operator : CG/JU
 Sample : N2867-02
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 BP-TT-MW205S1-230-232

Quant Time: May 20 06:35:15 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN051322.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed May 18 07:42:52 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.854	152	3589	0.400	ng	0.00
7) Naphthalene-d8	10.637	136	12290	0.400	ng	# 0.00
13) Acenaphthene-d10	14.474	164	8308	0.400	ng	0.01
19) Phenanthrene-d10	17.205	188	18654	0.400	ng	# 0.00
29) Chrysene-d12	21.404	240	16123	0.400	ng	# 0.00
35) Perylene-d12	23.741	264	14081	0.400	ng	# 0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.435	112	1629	0.181	ng	0.00
5) Phenol-d6	7.017	99	1325	0.118	ng	0.00
8) Nitrobenzene-d5	8.993	82	2901	0.313	ng	0.00
11) 2-Methylnaphthalene-d10	12.227	152	6935	0.324	ng	0.00
14) 2,4,6-Tribromophenol	15.954	330	1177	0.358	ng	0.00
15) 2-Fluorobiphenyl	13.095	172	9945	0.274	ng	0.00
27) Fluoranthene-d10	19.244	212	21341	0.403	ng	0.00
31) Terphenyl-d14	19.843	244	15371	0.404	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.348	88	951	0.223	ng	# 74
3) n-Nitrosodimethylamine	3.658	42	124	0.027	ng	# 13
23) Atrazine	16.672	200	169	0.023	ng	# 4
34) Bis(2-ethylhexyl)phtha...	21.324	149	4716	0.193	ng	# 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN051922\
Data File : BN019859.D
Acq On : 19 May 2022 17:28
Operator : CG/JU
Sample : N2867-02
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
BP-TT-MW205S1-230-232


Quant Time: May 20 06:35:15 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN051322.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed May 18 07:42:52 2022
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.854 min Scan# 661
Delta R.T. 0.007 min
Lab File: BN019859.D
Acq: 19 May 2022 17:28

Instrument :
BNA_N
ClientSampleId :
BP-TT-MW205S1-230-232







Tgt Ion:152 Resp: 3589
Ion Ratio Lower Upper
152 100
150 150.5 127.9 191.9
115 61.7 51.4 77.2



#2
1,4-Dioxane
Concen: 0.223 ng
RT: 3.348 min Scan# 37
Delta R.T. -0.007 min
Lab File: BN019859.D
Acq: 19 May 2022 17:28

Tgt Ion: 88 Resp: 951
Ion Ratio Lower Upper
88 100
43 87.5 30.2 45.2#
58 88.7 73.0 109.6









#3
n-Nitrosodimethylamine
Concen: 0.027 ng
RT: 3.658 min Scan# 80
Delta R.T. -0.007 min
Lab File: BN019859.D
Acq: 19 May 2022 17:28




Instrument :
BNA_N
ClientSampleId :
BP-TT-MW205S1-230-232


Tgt Ion: 42 Resp: 124
Ion Ratio Lower Upper
42 100
74 8.9 84.0 126.0#
44 25.8 9.8 14.8#



#4
2-Fluorophenol
Concen: 0.181 ng
RT: 5.435 min Scan# 326
Delta R.T. -0.000 min
Lab File: BN019859.D
Acq: 19 May 2022 17:28

Tgt Ion: 112 Resp: 1629
Ion Ratio Lower Upper
112 100
64 60.1 49.1 73.7
63 32.0 26.3 39.5









#5
Phenol-d6
Concen: 0.118 ng
RT: 7.017 min Scan# 54
Delta R.T. 0.007 min
Lab File: BN019859.D
Acq: 19 May 2022 17:28




Instrument :
BNA_N
ClientSampleId :
BP-TT-MW205S1-230-232


Tgt Ion: 99 Resp: 1325
Ion Ratio Lower Upper
99 100
42 23.8 19.3 28.9
71 40.7 27.5 41.3



#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.637 min Scan# 942
Delta R.T. -0.000 min
Lab File: BN019859.D
Acq: 19 May 2022 17:28

Tgt Ion: 136 Resp: 12290
Ion Ratio Lower Upper
136 100
137 11.4 9.0 13.6
54 10.6 6.2 9.2#
68 6.7 4.4 6.6#









#8
Nitrobenzene-d5
Concen: 0.313 ng
RT: 8.993 min Scan# 789
Delta R.T. -0.000 min
Lab File: BN019859.D
Acq: 19 May 2022 17:28




Instrument :
BNA_N
ClientSampleId :
BP-TT-MW205S1-230-232


Tgt Ion: 82 Resp: 2901
Ion Ratio Lower Upper
82 100
128 37.7 35.0 52.6
54 64.1 46.2 69.4



#11
2-Methylnaphthalene-d10
Concen: 0.324 ng
RT: 12.227 min Scan# 1213
Delta R.T. -0.000 min
Lab File: BN019859.D
Acq: 19 May 2022 17:28

Tgt Ion: 152 Resp: 6935
Ion Ratio Lower Upper
152 100
151 20.9 16.2 24.4









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.474 min Scan# 1471
Delta R.T. 0.011 min
Lab File: BN019859.D
Acq: 19 May 2022 17:28




Instrument :
BNA_N
ClientSampleId :
BP-TT-MW205S1-230-232


Tgt Ion:164 Resp: 8308
Ion Ratio Lower Upper
164 100
162 100.3 82.1 123.1
160 47.0 38.6 58.0



#14
2,4,6-Tribromophenol
Concen: 0.358 ng
RT: 15.954 min Scan# 1610
Delta R.T. -0.000 min
Lab File: BN019859.D
Acq: 19 May 2022 17:28

Tgt Ion:330 Resp: 1177
Ion Ratio Lower Upper
330 100
332 95.8 77.6 116.4
141 53.9 41.0 61.4









#15
2-Fluorobiphenyl
Concen: 0.274 ng
RT: 13.095 min Scan# 1343
Delta R.T. -0.000 min
Lab File: BN019859.D
Acq: 19 May 2022 17:28




Instrument :
BNA_N
ClientSampleId :
BP-TT-MW205S1-230-232


Tgt Ion:172 Resp: 9945
Ion Ratio Lower Upper
172 100
171 36.3 27.2 40.8
170 24.8 18.2 27.4



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.205 min Scan# 1732
Delta R.T. -0.000 min
Lab File: BN019859.D
Acq: 19 May 2022 17:28

Tgt Ion:188 Resp: 18654
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 16.1 7.4 11.2#









#23
 Atrazine
 Concen: 0.023 ng
 RT: 16.672 min Scan# 169
 Delta R.T. -0.000 min
 Lab File: BN019859.D
 Acq: 19 May 2022 17:28




Instrument :
 BNA_N
 ClientSampleId :
 BP-TT-MW205S1-230-232


Tgt Ion:200 Resp: 169
 Ion Ratio Lower Upper
 200 100
 173 120.8 23.6 35.4#
 215 78.1 36.6 54.8#



#27
 Fluoranthene-d10
 Concen: 0.403 ng
 RT: 19.244 min Scan# 2104
 Delta R.T. 0.004 min
 Lab File: BN019859.D
 Acq: 19 May 2022 17:28

Tgt Ion:212 Resp: 21341
 Ion Ratio Lower Upper
 212 100
 106 15.0 12.6 19.0
 104 8.4 7.2 10.8









#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.404 min Scan# 2441
Delta R.T. -0.000 min
Lab File: BN019859.D
Acq: 19 May 2022 17:28




Instrument :
BNA_N
ClientSampleId :
BP-TT-MW205S1-230-232


Tgt Ion:240 Resp: 16123
Ion Ratio Lower Upper
240 100
120 10.6 14.6 21.8#
236 27.1 22.6 33.8



#31
Terphenyl-d14
Concen: 0.404 ng
RT: 19.843 min Scan# 2246
Delta R.T. -0.000 min
Lab File: BN019859.D
Acq: 19 May 2022 17:28

Tgt Ion:244 Resp: 15371
Ion Ratio Lower Upper
244 100
212 19.2 7.1 10.7#
122 0.0 0.0 0.0









#34
Bis(2-ethylhexyl)phthalate
Concen: 0.193 ng
RT: 21.324 min Scan# 2432
Delta R.T. -0.000 min
Lab File: BN019859.D
Acq: 19 May 2022 17:28

Instrument :
BNA_N
ClientSampleId :
BP-TT-MW205S1-230-232

Tgt Ion:149 Resp: 4716
Ion Ratio Lower Upper
149 100
167 27.9 21.7 32.5
279 3.2 2.2 3.2#



#35
Perylene-d12
Concen: 0.400 ng
RT: 23.741 min Scan# 3009
Delta R.T. -0.000 min
Lab File: BN019859.D
Acq: 19 May 2022 17:28

Tgt Ion:264 Resp: 14081
Ion Ratio Lower Upper
264 100
260 26.3 20.9 31.3
265 27.2 28.0 42.0#

