

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN051923\
 Data File : BN025501.D
 Acq On : 19 May 2023 23:51
 Operator : CG/JU
 Sample : 02832-04
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 CB-22-K2-SO-79-051723

Quant Time: May 20 00:41:45 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN051823.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri May 19 02:17:42 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.077	152	5205	0.400	ng	0.00
7) Naphthalene-d8	10.899	136	14648	0.400	ng	0.00
13) Acenaphthene-d10	14.705	164	8666	0.400	ng	0.00
19) Phenanthrene-d10	17.447	188	19409	0.400	ng	# 0.00
29) Chrysene-d12	21.625	240	13872	0.400	ng	0.00
35) Perylene-d12	24.129	264	12524	0.400	ng	#-0.01
System Monitoring Compounds						
4) 2-Fluorophenol	5.614	112	3954	0.337	ng	0.00
5) Phenol-d6	7.218	99	4757	0.315	ng	0.00
8) Nitrobenzene-d5	9.234	82	3433	0.294	ng	0.00
11) 2-Methylnaphthalene-d10	12.476	152	5914	0.290	ng	0.00
14) 2,4,6-Tribromophenol	16.194	330	64	0.019	ng	0.00
15) 2-Fluorobiphenyl	13.336	172	10328	0.312	ng	0.00
27) Fluoranthene-d10	19.465	212	12839	0.287	ng	0.00
31) Terphenyl-d14	20.058	244	9081	0.368	ng	0.00
Target Compounds						
34) Bis(2-ethylhexyl)phtha...	21.527	149	4473	0.151	ng	Qvalue 100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN051923\
Data File : BN025501.D
Acq On : 19 May 2023 23:51
Operator : CG/JU
Sample : 02832-04
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
CB-22-K2-SO-79-051723


Quant Time: May 20 00:41:45 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN051823.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri May 19 02:17:42 2023
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 8.077 min Scan# 61
Delta R.T. 0.000 min
Lab File: BN025501.D
Acq: 19 May 2023 23:51

Instrument :
BNA_N
ClientSampleId :
CB-22-K2-SO-79-051723







Tgt Ion:152 Resp: 5205
Ion Ratio Lower Upper
152 100
150 154.1 125.3 187.9
115 60.6 50.2 75.2



#4
2-Fluorophenol
Concen: 0.337 ng
RT: 5.614 min Scan# 337
Delta R.T. 0.000 min
Lab File: BN025501.D
Acq: 19 May 2023 23:51

Tgt Ion:112 Resp: 3954
Ion Ratio Lower Upper
112 100
64 55.7 44.0 66.0
63 31.9 24.0 36.0









#5
Phenol-d6
Concen: 0.315 ng
RT: 7.218 min Scan# 511
Delta R.T. -0.000 min
Lab File: BN025501.D
Acq: 19 May 2023 23:51




Instrument :
BNA_N
ClientSampleId :
CB-22-K2-SO-79-051723


Tgt Ion: 99 Resp: 4757
Ion Ratio Lower Upper
99 100
42 20.5 15.8 23.8
71 37.4 28.6 43.0



#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.899 min Scan# 953
Delta R.T. 0.000 min
Lab File: BN025501.D
Acq: 19 May 2023 23:51

Tgt Ion: 136 Resp: 14648
Ion Ratio Lower Upper
136 100
137 11.4 9.1 13.7
54 6.7 5.8 8.6
68 5.5 4.6 7.0









#8
Nitrobenzene-d5
Concen: 0.294 ng
RT: 9.234 min Scan# 797
Delta R.T. -0.000 min
Lab File: BN025501.D
Acq: 19 May 2023 23:51




Instrument :
BNA_N
ClientSampleId :
CB-22-K2-SO-79-051723


Tgt Ion: 82 Resp: 3433
Ion Ratio Lower Upper
82 100
128 37.1 27.9 41.9
54 55.9 42.4 63.6



#11
2-Methylnaphthalene-d10
Concen: 0.290 ng
RT: 12.476 min Scan# 1266
Delta R.T. -0.000 min
Lab File: BN025501.D
Acq: 19 May 2023 23:51

Tgt Ion: 152 Resp: 5914
Ion Ratio Lower Upper
152 100
151 21.2 16.6 24.8









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.705 min Scan# 1565
Delta R.T. -0.000 min
Lab File: BN025501.D
Acq: 19 May 2023 23:51




Instrument :
BNA_N
ClientSampleId :
CB-22-K2-SO-79-051723


Tgt Ion:164 Resp: 8666
Ion Ratio Lower Upper
164 100
162 103.9 84.2 126.2
160 50.0 41.4 62.2



#14
2,4,6-Tribromophenol
Concen: 0.019 ng
RT: 16.194 min Scan# 1698
Delta R.T. -0.000 min
Lab File: BN025501.D
Acq: 19 May 2023 23:51

Tgt Ion:330 Resp: 64
Ion Ratio Lower Upper
330 100
332 93.8 76.1 114.1
141 64.1 36.1 54.1#









#15
2-Fluorobiphenyl
Concen: 0.312 ng
RT: 13.336 min Scan# 1437
Delta R.T. 0.000 min
Lab File: BN025501.D
Acq: 19 May 2023 23:51




Instrument :
BNA_N
ClientSampleId :
CB-22-K2-SO-79-051723


Tgt Ion:172 Resp: 10328
Ion Ratio Lower Upper
172 100
171 35.2 27.6 41.4
170 23.8 18.9 28.3



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.447 min Scan# 1799
Delta R.T. 0.000 min
Lab File: BN025501.D
Acq: 19 May 2023 23:51

Tgt Ion:188 Resp: 19409
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 8.1 8.2 12.4









#27
Fluoranthene-d10
Concen: 0.287 ng
RT: 19.465 min Scan# 2190
Delta R.T. -0.008 min
Lab File: BN025501.D
Acq: 19 May 2023 23:51




Instrument :
BNA_N
ClientSampleId :
CB-22-K2-SO-79-051723


Tgt Ion:212 Resp: 12839
Ion Ratio Lower Upper
212 100
106 14.8 11.4 17.2
104 9.2 6.6 10.0



#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.625 min Scan# 2499
Delta R.T. -0.009 min
Lab File: BN025501.D
Acq: 19 May 2023 23:51

Tgt Ion:240 Resp: 13872
Ion Ratio Lower Upper
240 100
120 12.6 8.6 12.8
236 29.0 22.7 34.1





#31

Terphenyl-d14

Concen: 0.368 ng

RT: 20.058 min Scan# 21

Delta R.T. -0.009 min

Lab File: BN025501.D

Acq: 19 May 2023 23:51

Instrument :

BNA_N

ClientSampleId :

CB-22-K2-SO-79-051723





Tgt Ion:244 Resp: 9081

Ion Ratio Lower Upper

244 100

212 8.9 6.6 10.0

122 10.8 8.1 12.1



#34

Bis(2-ethylhexyl)phthalate

Concen: 0.151 ng

RT: 21.527 min Scan# 2488

Delta R.T. -0.009 min

Lab File: BN025501.D

Acq: 19 May 2023 23:51




Tgt Ion:149 Resp: 4473


Ion Ratio Lower Upper

149 100

167 27.6 22.0 33.0


279 3.6 2.6 3.8





#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 24.129 min Scan# 31
 Delta R.T. -0.015 min
 Lab File: BN025501.D
 Acq: 19 May 2023 23:51

Instrument :
 BNA_N
 ClientSampleId :
 CB-22-K2-SO-79-051723



Tgt Ion:264 Resp: 12524

Ion	Ratio	Lower	Upper
264	100		
260	26.9	21.2	31.8
265	44.5	27.1	40.7#

