

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN051925\
 Data File : BN037039.D
 Acq On : 19 May 2025 11:26
 Operator : RC/JU
 Sample : PB168032BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 PB168032BL

Quant Time: May 19 12:23:10 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN051425.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed May 14 11:26:32 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.618	152	2094	0.400	ng	0.00
7) Naphthalene-d8	10.394	136	5188	0.400	ng	#-0.01
13) Acenaphthene-d10	14.267	164	3023	0.400	ng	0.00
19) Phenanthrene-d10	17.009	188	6103	0.400	ng	0.00
29) Chrysene-d12	21.206	240	4275	0.400	ng	0.00
35) Perylene-d12	23.412	264	3585	0.400	ng	# 0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.213	112	1954	0.356	ng	0.00
5) Phenol-d6	6.795	99	2173	0.317	ng	0.00
8) Nitrobenzene-d5	8.771	82	1828	0.324	ng	0.00
11) 2-Methylnaphthalene-d10	11.996	152	2490	0.341	ng	0.00
14) 2,4,6-Tribromophenol	15.767	330	343	0.258	ng	0.00
15) 2-Fluorobiphenyl	12.888	172	4746	0.343	ng	0.00
27) Fluoranthene-d10	19.049	212	5605	0.335	ng	0.00
31) Terphenyl-d14	19.653	244	3905	0.427	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN051925\
Data File : BN037039.D
Acq On : 19 May 2025 11:26
Operator : RC/JU
Sample : PB168032BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
PB168032BL


Quant Time: May 19 12:23:10 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN051425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed May 14 11:26:32 2025
Response via : Initial Calibration








#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 7.618 min Scan# 65
 Delta R.T. 0.000 min
 Lab File: BN037039.D
 Acq: 19 May 2025 11:26

Instrument :
 BNA_N
 ClientSampleId :
 PB168032BL







Tgt Ion:	152	Resp:	2094
Ion	Ratio	Lower	Upper
152	100		
150	148.9	123.9	185.9
115	66.6	55.8	83.8



#4
 2-Fluorophenol
 Concen: 0.356 ng
 RT: 5.213 min Scan# 323
 Delta R.T. 0.000 min
 Lab File: BN037039.D
 Acq: 19 May 2025 11:26


Tgt Ion:	112	Resp:	1954
Ion	Ratio	Lower	Upper
112	100		
64	70.2	55.7	83.5
63	41.4	34.6	51.8








#5
Phenol-d6
Concen: 0.317 ng
RT: 6.795 min Scan# 542
Delta R.T. -0.000 min
Lab File: BN037039.D
Acq: 19 May 2025 11:26


Instrument :
BNA_N
ClientSampleId :
PB168032BL





Tgt Ion: 99 Resp: 2173
Ion Ratio Lower Upper
99 100
42 32.1 29.3 43.9
71 42.0 35.7 53.5




#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.394 min Scan# 947
Delta R.T. -0.011 min
Lab File: BN037039.D
Acq: 19 May 2025 11:26



Tgt Ion: 136 Resp: 5188
Ion Ratio Lower Upper
136 100
137 12.7 10.4 15.6
54 14.5 8.5 12.7#
68 8.6 5.1 7.7#









#8
Nitrobenzene-d5
Concen: 0.324 ng
RT: 8.771 min Scan# 795
Delta R.T. 0.000 min
Lab File: BN037039.D
Acq: 19 May 2025 11:26




Instrument :
BNA_N
ClientSampleId :
PB168032BL


Tgt Ion: 82 Resp: 1828
Ion Ratio Lower Upper
82 100
128 40.9 34.0 51.0
54 66.3 55.0 82.4



#11
2-Methylnaphthalene-d10
Concen: 0.341 ng
RT: 11.996 min Scan# 1148
Delta R.T. 0.000 min
Lab File: BN037039.D
Acq: 19 May 2025 11:26

Tgt Ion: 152 Resp: 2490
Ion Ratio Lower Upper
152 100
151 21.1 17.5 26.3





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.267 min Scan# 1465

Delta R.T. 0.000 min

Lab File: BN037039.D

Acq: 19 May 2025 11:26





Instrument :

BNA_N

ClientSampleId :

PB168032BL

Tgt Ion:	164	Resp:	3023
Ion	Ratio	Lower	Upper
164	100		
162	104.8	84.2	126.4
160	52.9	42.6	63.8



#14

2,4,6-Tribromophenol

Concen: 0.258 ng




RT: 15.767 min Scan# 1602


Delta R.T. 0.000 min

Lab File: BN037039.D

Acq: 19 May 2025 11:26

Tgt Ion:	330	Resp:	343
Ion	Ratio	Lower	Upper
330	100		
332	95.6	73.8	110.8
141	52.2	43.9	65.9









#15
2-Fluorobiphenyl
Concen: 0.343 ng
RT: 12.888 min Scan# 1324
Delta R.T. 0.000 min
Lab File: BN037039.D
Acq: 19 May 2025 11:26




Instrument :
BNA_N
ClientSampleId :
PB168032BL


Tgt Ion:172 Resp: 4746
Ion Ratio Lower Upper
172 100
171 37.4 29.2 43.8
170 25.4 20.5 30.7



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.009 min Scan# 1702
Delta R.T. 0.000 min
Lab File: BN037039.D
Acq: 19 May 2025 11:26

Tgt Ion:188 Resp: 6103
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 14.4 13.4 20.0





#27

Fluoranthene-d10

Concen: 0.335 ng

RT: 19.049 min Scan# 1939

Delta R.T. 0.000 min

Lab File: BN037039.D

Acq: 19 May 2025 11:26





Instrument :

BNA_N

ClientSampleId :

PB168032BL

Tgt Ion:	212	Resp:	5605
Ion	Ratio	Lower	Upper
212	100		
106	13.7	11.3	16.9
104	8.2	6.7	10.1



#29

Chrysene-d12

Concen: 0.400 ng




RT: 21.206 min Scan# 2279


Delta R.T. 0.000 min

Lab File: BN037039.D

Acq: 19 May 2025 11:26


Tgt Ion:	240	Resp:	4275
Ion	Ratio	Lower	Upper
240	100		
120	17.7	15.1	22.7
236	29.4	24.0	36.0








#31
 Terphenyl-d14
 Concen: 0.427 ng
 RT: 19.653 min Scan# 2069
 Delta R.T. -0.005 min
 Lab File: BN037039.D
 Acq: 19 May 2025 11:26

Instrument :
 BNA_N
 ClientSampleId :
 PB168032BL



Tgt Ion:	244	Resp:	3905
Ion	Ratio	Lower	Upper
244	100		
212	12.1	9.7	14.5
122	17.7	13.4	20.0



#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.412 min Scan# 2757
 Delta R.T. -0.003 min
 Lab File: BN037039.D
 Acq: 19 May 2025 11:26

Tgt Ion:	264	Resp:	3585
Ion	Ratio	Lower	Upper
264	100		
260	27.6	21.9	32.9
265	81.3	51.6	77.4#

