

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN051925\
 Data File : BN037041.D
 Acq On : 19 May 2025 12:38
 Operator : RC/JU
 Sample : Q2064-02
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 RW8-SP201-70-20250514

Quant Time: May 19 13:18:55 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN051425.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed May 14 11:26:32 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.618	152	2118	0.400	ng	0.00
7) Naphthalene-d8	10.394	136	5485	0.400	ng	#-0.01
13) Acenaphthene-d10	14.266	164	3246	0.400	ng	0.00
19) Phenanthrene-d10	17.009	188	6445	0.400	ng	# 0.00
29) Chrysene-d12	21.206	240	4692	0.400	ng	# 0.00
35) Perylene-d12	23.409	264	3974	0.400	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.213	112	752	0.136	ng	0.00
5) Phenol-d6	6.795	99	484	0.070	ng	0.00
8) Nitrobenzene-d5	8.760	82	1837	0.308	ng	-0.01
11) 2-Methylnaphthalene-d10	11.991	152	2401	0.311	ng	0.00
14) 2,4,6-Tribromophenol	15.755	330	432	0.303	ng	-0.01
15) 2-Fluorobiphenyl	12.883	172	4887	0.329	ng	0.00
27) Fluoranthene-d10	19.049	212	6373	0.361	ng	0.00
31) Terphenyl-d14	19.653	244	4799	0.478	ng	0.00
Target Compounds						
34) Bis(2-ethylhexyl)phtha...	21.135	149	431	0.040	ng	# 96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN051925\
Data File : BN037041.D
Acq On : 19 May 2025 12:38
Operator : RC/JU
Sample : Q2064-02
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
RW8-SP201-70-20250514


Quant Time: May 19 13:18:55 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN051425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed May 14 11:26:32 2025
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.618 min Scan# 656
Delta R.T. 0.000 min
Lab File: BN037041.D
Acq: 19 May 2025 12:38

Instrument :
BNA_N
ClientSampleId :
RW8-SP201-70-20250514







Tgt Ion:152 Resp: 2118
Ion Ratio Lower Upper
152 100
150 149.3 123.9 185.9
115 66.7 55.8 83.8



#4
2-Fluorophenol
Concen: 0.136 ng
RT: 5.213 min Scan# 323
Delta R.T. 0.000 min
Lab File: BN037041.D
Acq: 19 May 2025 12:38

Tgt Ion:112 Resp: 752
Ion Ratio Lower Upper
112 100
64 69.8 55.7 83.5
63 42.6 34.6 51.8





#5

Phenol-d6

Concen: 0.070 ng

RT: 6.795 min Scan# 54

Delta R.T. -0.000 min

Lab File: BN037041.D


Acq: 19 May 2025 12:38

Instrument :

BNA_N

ClientSampleId :

RW8-SP201-70-20250514






Tgt Ion: 99 Resp: 484

Ion Ratio Lower Upper

99 100

42 42.4 29.3 43.9

71 56.0 35.7 53.5#



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.394 min Scan# 947

Delta R.T. -0.011 min

Lab File: BN037041.D

Acq: 19 May 2025 12:38

Tgt Ion: 136 Resp: 5485




Ion Ratio Lower Upper


136 100

137 12.4 10.4 15.6

54 14.1 8.5 12.7#

68 8.2 5.1 7.7#









#8
 Nitrobenzene-d5
 Concen: 0.308 ng
 RT: 8.760 min Scan# 795
 Delta R.T. -0.011 min
 Lab File: BN037041.D
 Acq: 19 May 2025 12:38




Instrument :
 BNA_N
 ClientSampleId :
 RW8-SP201-70-20250514


Tgt Ion:	82	Resp:	1837
Ion	Ratio	Lower	Upper
82	100		
128	34.4	34.0	51.0
54	74.5	55.0	82.4



#11
 2-Methylnaphthalene-d10
 Concen: 0.311 ng
 RT: 11.991 min Scan# 1147
 Delta R.T. -0.005 min
 Lab File: BN037041.D
 Acq: 19 May 2025 12:38

Tgt Ion:	152	Resp:	2401
Ion	Ratio	Lower	Upper
152	100		
151	22.2	17.5	26.3





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.266 min Scan# 14

Delta R.T. -0.000 min

Lab File: BN037041.D


Acq: 19 May 2025 12:38

Instrument :




BNA_N

ClientSampleId :

RW8-SP201-70-20250514



Tgt Ion:	164	Resp:	3246
Ion	Ratio	Lower	Upper
164	100		
162	102.1	84.2	126.4
160	51.6	42.6	63.8



#14

2,4,6-Tribromophenol

Concen: 0.303 ng




RT: 15.755 min Scan# 1601


Delta R.T. -0.012 min

Lab File: BN037041.D

Acq: 19 May 2025 12:38

Tgt Ion:	330	Resp:	432
Ion	Ratio	Lower	Upper
330	100		
332	94.4	73.8	110.8
141	54.9	43.9	65.9





#15

2-Fluorobiphenyl

Concen: 0.329 ng

RT: 12.883 min Scan# 13

Delta R.T. -0.005 min

Lab File: BN037041.D


Acq: 19 May 2025 12:38

Instrument :



BNA_N

ClientSampleId :

RW8-SP201-70-20250514



Tgt Ion:	172	Resp:	4887
Ion Ratio	Lower	Upper	
172	100		
171	36.8	29.2	43.8
170	25.1	20.5	30.7



#19

Phenanthrene-d10

Concen: 0.400 ng




RT: 17.009 min Scan# 1702


Delta R.T. -0.000 min

Lab File: BN037041.D

Acq: 19 May 2025 12:38

Tgt Ion:	188	Resp:	6445
Ion Ratio	Lower	Upper	
188	100		
94	0.0	0.0	0.0
80	12.5	13.4	20.0





#27

Fluoranthene-d10

Concen: 0.361 ng

RT: 19.049 min Scan# 1939

Delta R.T. -0.000 min

Lab File: BN037041.D


Acq: 19 May 2025 12:38

Instrument :

BNA_N

ClientSampleId :

RW8-SP201-70-20250514






Tgt Ion:212 Resp: 6373

Ion Ratio Lower Upper

212 100

106 13.4 11.3 16.9

104 8.3 6.7 10.1



#29

Chrysene-d12

Concen: 0.400 ng

RT: 21.206 min Scan# 2279

Delta R.T. -0.000 min

Lab File: BN037041.D

Acq: 19 May 2025 12:38




Tgt Ion:240 Resp: 4692


Ion Ratio Lower Upper

240 100

120 14.5 15.1 22.7#

236 28.9 24.0 36.0





#31

Terphenyl-d14

Concen: 0.478 ng

RT: 19.653 min Scan# 2069

Delta R.T. -0.005 min

Lab File: BN037041.D


Acq: 19 May 2025 12:38

Instrument :

BNA_N

ClientSampleId :

RW8-SP201-70-20250514






Tgt Ion:244 Resp: 4799

Ion Ratio Lower Upper

244 100

212 11.5 9.7 14.5

122 16.4 13.4 20.0



#34

Bis(2-ethylhexyl)phthalate

Concen: 0.040 ng

RT: 21.135 min Scan# 2271

Delta R.T. -0.000 min

Lab File: BN037041.D

Acq: 19 May 2025 12:38




Tgt Ion:149 Resp: 431


Ion Ratio Lower Upper

149 100

167 27.4 20.6 30.8

279 4.9 2.6 3.8#





#35

Perylene-d12

Concen: 0.400 ng

RT: 23.409 min Scan# 27

Delta R.T. -0.006 min

Lab File: BN037041.D


Acq: 19 May 2025 12:38

Instrument :

BNA_N

ClientSampleId :

RW8-SP201-70-20250514



Tgt Ion:264 Resp: 3974

Ion Ratio Lower Upper

264 100

260 27.6 21.9 32.9

265 73.6 51.6 77.4

