

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN052324\
 Data File : BN031639.D
 Acq On : 23 May 2024 19:33
 Operator : MA/JU
 Sample : P2547-16
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 BH5X3

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 05/24/2024
 Supervised By :mohammad ahmed 05/25/2024

Quant Time: May 23 23:31:20 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-BN052124.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue May 21 23:42:49 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.687	152	437267	20.000	ng/u1	0.00
20) Naphthalene-d8	10.469	136	1822232	20.000	ng/u1	0.00
38) Acenaphthene-d10	14.328	164	1032608	20.000	ng/u1	0.00
64) Phenanthrene-d10	17.069	188	1744255	20.000	ng/u1	0.00
79) Chrysene-d12	21.304	240	1134674	20.000	ng/u1	0.00
88) Perylene-d12	24.233	264	1347044	20.000	ng/u1	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.199	96	32095	2.909	ng/uL	0.00
4) Pyridine-d5	3.605	84	333069	10.819	ng/u1	0.00
7) Phenol-d5	6.852	99	635321	17.650	ng/u1	0.00
9) Bis-(2-Chloroethyl)eth...	7.028	67	388246	17.984	ng/u1	0.00
11) 2-Chlorophenol-d4	7.222	132	495031	17.848	ng/u1	0.00
15) 4-Methylphenol-d8	8.387	113	426649	15.311	ng/u1	0.00
21) Nitrobenzene-d5	8.840	128	241443	17.507	ng/u1	0.00
24) 2-Nitrophenol-d4	9.558	143	225719	17.140	ng/u1	0.00
28) 2,4-Dichlorophenol-d3	10.087	165	460245	17.874	ng/u1	0.00
31) 4-Chloroaniline-d4	10.610	131	443508	11.949	ng/u1	0.00
46) Dimethylphthalate-d6	13.740	166	1352250	20.780	ng/u1	0.00
49) Acenaphthylene-d8	14.016	160	1597116	19.582	ng/u1	0.00
54) 4-Nitrophenol-d4	14.516	143	132425	10.755	ng/u1	0.00
60) Fluorene-d10	15.322	176	1123081	19.914	ng/u1	0.00
65) 4,6-Dinitro-2-methylph...	15.434	200	84720	11.234	ng/u1	0.00
73) Anthracene-d10	17.169	188	1489792	20.176	ng/u1	0.00
81) Pyrene-d10	19.469	212	1396626	19.623	ng/u1	0.00
92) Benzo(a)pyrene-d12	24.033	264	1366719	21.555	ng/u1	0.00
Target Compounds	Qvalue					
16) Acetophenone	8.511	105	52883	1.217	ng/u1	97
30) Naphthalene	10.522	128	106343	1.134	ng/u1	99
50) Acenaphthylene	14.046	152	129261	1.373	ng/u1	97
52) Acenaphthene	14.393	153	212560	3.484	ng/u1	93
56) Dibenzofuran	14.728	168	176227	2.164	ng/u1	98
61) Fluorene	15.375	166	203795	3.195	ng/u1	99
72) Phenanthrene	17.116	178	4309542	48.684	ng/u1	99
74) Anthracene	17.204	178	836744	9.421	ng/u1	98
77) Carbazole	17.475	167	429869	5.672	ng/u1	97
80) Fluoranthene	19.134	202	6002815	68.234	ng/u1	99
82) Pyrene	19.498	202	4956964	54.943	ng/u1	98
83) Butylbenzylphthalate	20.404	149	75571	2.468	ng/u1	98
85) Benzo(a)anthracene	21.286	228	2515213	32.964	ng/u1	99
86) Bis(2-ethylhexyl)phtha...	21.222	149	259865	6.198	ng/u1	99
87) Chrysene	21.345	228	2428386m	34.454	ng/u1	
90) Benzo(b)fluoranthene	23.316	252	3271398	41.617	ng/u1	97
91) Benzo(k)fluoranthene	23.363	252	1176154	14.678	ng/u1	97
93) Benzo(a)pyrene	24.098	252	2394147	31.707	ng/u1	97
94) Indeno(1,2,3-cd)pyrene	27.533	276	1705488	18.819	ng/u1	98
95) Dibenzo(a,h)anthracene	27.574	278	434323m	5.820	ng/u1	
96) Benzo(g,h,i)perylene	28.562	276	1687076m	22.532	ng/u1	

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Instrument :

BNA_N

ClientSampleId :

BH5X3

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 05/24/2024

Supervised By :mohammad ahmed 05/25/2024


Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN052324\
 Data File : BN031639.D
 Acq On : 23 May 2024 19:33
 Operator : MA/JU
 Sample : P2547-16
 Misc :
 ALS Vial : 16 Sample Multiplier: 1


Instrument :
 BNA_N
 ClientSampleId :
 BH5X3

Manual Integrations APPROVED

Reviewed By :Yogesh Patel 05/24/2024
 Supervised By :mohammad ahmed 05/25/2024

Quant Time: May 23 23:31:20 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-BN052124.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue May 21 23:42:49 2024
 Response via : Initial Calibration









#16
Acetophenone
Concen: 1.217 ng/ul
RT: 8.511 min Scan# 91
Delta R.T. 0.000 min
Lab File: BN031639.D
Acq: 23 May 2024 19:33

Instrument :
BNA_N
ClientSampleId :
BH5X3

Tgt Ion:105 Resp: 5288
Ion Ratio Lower Upper
105 100
77 73.7 60.7 91.1
51 20.9 18.6 28.0




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 05/24/2024
Supervised By :mohammad ahmed 05/25/2024



#30
Naphthalene
Concen: 1.134 ng/ul
RT: 10.522 min Scan# 1281
Delta R.T. -0.006 min
Lab File: BN031639.D
Acq: 23 May 2024 19:33

Tgt Ion:128 Resp: 106343
Ion Ratio Lower Upper
128 100
129 10.6 8.8 13.2
127 13.2 10.2 15.2









#50
Acenaphthylene
Concen: 1.373 ng/ul
RT: 14.046 min Scan# 1881
Delta R.T. -0.006 min
Lab File: BN031639.D
Acq: 23 May 2024 19:33

Instrument :
BNA_N
ClientSampleId :
BH5X3

Tgt Ion:152 Resp: 12926
Ion Ratio Lower Upper
152 100
151 20.9 15.6 23.4
153 14.8 10.8 16.2




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 05/24/2024
Supervised By :mohammad ahmed 05/25/2024



#52
Acenaphthene
Concen: 3.484 ng/ul
RT: 14.393 min Scan# 1939
Delta R.T. 0.000 min
Lab File: BN031639.D
Acq: 23 May 2024 19:33


Tgt Ion:153 Resp: 212560
Ion Ratio Lower Upper
153 100
152 47.6 40.5 60.7
154 87.0 76.6 114.8





#56
Dibenzenofuran
Concen: 2.164 ng/ul
RT: 14.728 min Scan# 1996
Delta R.T. 0.000 min
Lab File: BN031639.D
Acq: 23 May 2024 19:33




Instrument :
BNA_N
ClientSampleId :
BH5X3




Tgt Ion:168 Resp: 176227
Ion Ratio Lower Upper
168 100
139 35.4 29.2 43.8

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 05/24/2024
Supervised By :mohammad ahmed 05/25/2024




#61
Fluorene
Concen: 3.195 ng/ul
RT: 15.375 min Scan# 2106
Delta R.T. -0.006 min
Lab File: BN031639.D
Acq: 23 May 2024 19:33



Tgt Ion:166 Resp: 203795
Ion Ratio Lower Upper
166 100
165 97.2 77.0 115.6
167 15.0 10.9 16.3





#72
Phenanthrene
 Concen: 48.684 ng/ul
 RT: 17.116 min Scan# 2402
 Delta R.T. 0.000 min
 Lab File: BN031639.D
 Acq: 23 May 2024 19:33





Instrument :
 BNA_N
ClientSampleId :
 BH5X3

Tgt Ion:178 Resp: 430954

Ion	Ratio	Lower	Upper
178	100		
179	15.3	12.6	18.8
176	19.1	15.2	22.8

Manual Integrations
APPROVED




Reviewed By :Yogesh Patel 05/24/2024
 Supervised By :mohammad ahmed 05/25/2024




#74
Anthracene
 Concen: 9.421 ng/ul
 RT: 17.204 min Scan# 2417
 Delta R.T. 0.000 min
 Lab File: BN031639.D
 Acq: 23 May 2024 19:33

Tgt Ion:178 Resp: 836744


Ion	Ratio	Lower	Upper
178	100		
179	15.5	11.9	17.9
176	18.2	15.4	23.2





#77
 Carbazole
 Concen: 5.672 ng/ul
 RT: 17.475 min Scan# 2463
 Delta R.T. 0.000 min
 Lab File: BN031639.D
 Acq: 23 May 2024 19:33




Instrument :
 BNA_N
 ClientSampleId :
 BH5X3




Tgt Ion:167 Resp: 429869
 Ion Ratio Lower Upper
 167 100
 166 22.4 16.7 25.1
 139 13.9 10.5 15.7

Manual Integrations
 APPROVED



Reviewed By :Yogesh Patel 05/24/2024
 Supervised By :mohammad ahmed 05/25/2024




#80
 Fluoranthene
 Concen: 68.234 ng/ul
 RT: 19.134 min Scan# 2745
 Delta R.T. 0.000 min
 Lab File: BN031639.D
 Acq: 23 May 2024 19:33




Tgt Ion:202 Resp: 6002815
 Ion Ratio Lower Upper
 202 100
 101 12.6 10.1 15.1
 100 9.6 8.0 12.0





#82
 Pyrene
 Concen: 54.943 ng/ul
 RT: 19.498 min Scan# 2807
 Delta R.T. 0.000 min
 Lab File: BN031639.D
 Acq: 23 May 2024 19:33




Instrument :
 BNA_N
 ClientSampleId :
 BH5X3



Tgt Ion:202 Resp: 4956964
 Ion Ratio Lower Upper
 202 100
 101 15.2 11.4 17.2
 100 12.3 9.3 13.9




Manual Integrations
 APPROVED


Reviewed By :Yogesh Patel 05/24/2024
 Supervised By :mohammad ahmed 05/25/2024



#83
 Butylbenzylphthalate
 Concen: 2.468 ng/ul
 RT: 20.404 min Scan# 2961
 Delta R.T. -0.006 min
 Lab File: BN031639.D
 Acq: 23 May 2024 19:33


Tgt Ion:149 Resp: 75571
 Ion Ratio Lower Upper
 149 100
 91 74.6 60.8 91.2
 206 18.3 15.8 23.8





#85
 Benzo(a)anthracene
 Concen: 32.964 ng/ul
 RT: 21.286 min Scan# 3111
 Delta R.T. 0.000 min
 Lab File: BN031639.D
 Acq: 23 May 2024 19:33

Instrument :
 BNA_N
 ClientSampleId :
 BH5X3






Tgt Ion: 228 Resp: 251521

Ion	Ratio	Lower	Upper
228	100		
229	19.6	15.7	23.5
226	28.2	21.9	32.9

Manual Integrations
 APPROVED




Reviewed By : Yogesh Patel 05/24/2024
 Supervised By : mohammad ahmed 05/25/2024




#86
 Bis(2-ethylhexyl)phthalate
 Concen: 6.198 ng/ul
 RT: 21.222 min Scan# 3100
 Delta R.T. 0.000 min
 Lab File: BN031639.D
 Acq: 23 May 2024 19:33

Tgt Ion: 149 Resp: 259865

Ion	Ratio	Lower	Upper
149	100		
167	27.3	21.6	32.4
279	3.8	2.8	4.2





#87

Chrysene

Concen: 34.454 ng/ul m

RT: 21.345 min Scan# 3121

Delta R.T. 0.000 min

Lab File: BN031639.D

Acq: 23 May 2024 19:33

Instrument :

BNA_N

ClientSampleId :

BH5X3

Tgt Ion:228 Resp: 2428380

Ion Ratio Lower Upper

228 100

226 31.9 22.9 34.3





229 22.9 15.2 22.8

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 05/24/2024

Supervised By :mohammad ahmed 05/25/2024



#90

Benzo(b)fluoranthene

Concen: 41.617 ng/ul

RT: 23.316 min Scan# 3456

Delta R.T. 0.006 min

Lab File: BN031639.D

Acq: 23 May 2024 19:33




Tgt Ion:252 Resp: 3271398


Ion Ratio Lower Upper

252 100

253 22.3 16.8 25.2

125 12.8 9.3 13.9





#91

Benzo(k)fluoranthene

Concen: 14.678 ng/u1

RT: 23.363 min Scan# 3464

Delta R.T. -0.006 min

Lab File: BN031639.D

Acq: 23 May 2024 19:33

Instrument :

BNA_N

ClientSampleId :

BH5X3

Tgt Ion:252 Resp: 1176154

Ion Ratio Lower Upper

252 100

253 23.1 17.4 26.0





125 13.1 9.3 13.9

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 05/24/2024

Supervised By :mohammad ahmed 05/25/2024



#93

Benzo(a)pyrene

Concen: 31.707 ng/u1

RT: 24.098 min Scan# 3589

Delta R.T. -0.006 min

Lab File: BN031639.D

Acq: 23 May 2024 19:33




Tgt Ion:252 Resp: 2394147


Ion Ratio Lower Upper

252 100

253 22.4 16.6 24.8

125 13.1 9.8 14.8





#94

Indeno(1,2,3-cd)pyrene

Concen: 18.819 ng/ul

RT: 27.533 min Scan# 4173

Delta R.T. 0.000 min

Lab File: BN031639.D

Acq: 23 May 2024 19:33

Instrument :

BNA_N

ClientSampleId :

BH5X3

Tgt Ion:276 Resp: 170548

Ion Ratio Lower Upper

276 100

138 24.9 19.8 29.6





277 24.8 18.2 27.4

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 05/24/2024

Supervised By :mohammad ahmed 05/25/2024



#95

Dibenzo(a,h)anthracene

Concen: 5.820 ng/ul m

RT: 27.574 min Scan# 4180

Delta R.T. -0.017 min

Lab File: BN031639.D

Acq: 23 May 2024 19:33




Tgt Ion:278 Resp: 434323


Ion Ratio Lower Upper

278 100

139 18.9 15.2 22.8


279 27.5 18.4 27.6





#96
 Benzo(g,h,i)perylene
 Concen: 22.532 ng/ul m
 RT: 28.562 min Scan# 4348
 Delta R.T. 0.006 min
 Lab File: BN031639.D
 Acq: 23 May 2024 19:33

Instrument :
 BNA_N
 ClientSampleId :
 BH5X3



Tgt Ion: 276 Resp: 1687070

Ion	Ratio	Lower	Upper
276	100		
138	24.9	19.5	29.3
277	23.9	17.6	26.4

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 05/24/2024
 Supervised By :mohammad ahmed 05/25/2024

