

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN060325\
 Data File : BN037157.D
 Acq On : 03 Jun 2025 21:25
 Operator : RC/JU
 Sample : PB168238BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 PB168238BL

Quant Time: Jun 04 02:17:42 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN060325.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jun 04 01:52:03 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.596	152	2276	0.400	ng	0.00
7) Naphthalene-d8	10.372	136	5491	0.400	ng	# 0.00
13) Acenaphthene-d10	14.245	164	2811	0.400	ng	0.01
19) Phenanthrene-d10	16.996	188	4789	0.400	ng	0.01
29) Chrysene-d12	21.188	240	3060	0.400	ng	# 0.00
35) Perylene-d12	23.377	264	2831	0.400	ng	# 0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.191	112	2101	0.373	ng	0.00
5) Phenol-d6	6.773	99	2248	0.330	ng	0.00
8) Nitrobenzene-d5	8.749	82	1856	0.320	ng	0.01
11) 2-Methylnaphthalene-d10	11.975	152	2544	0.333	ng	0.00
14) 2,4,6-Tribromophenol	15.742	330	284	0.251	ng	0.00
15) 2-Fluorobiphenyl	12.868	172	4308	0.359	ng	0.00
27) Fluoranthene-d10	19.026	212	3981	0.327	ng	0.00
31) Terphenyl-d14	19.635	244	2637	0.366	ng	0.00


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN060325\
Data File : BN037157.D
Acq On : 03 Jun 2025 21:25
Operator : RC/JU
Sample : PB168238BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
PB168238BL

Quant Time: Jun 04 02:17:42 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN060325.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jun 04 01:52:03 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.596 min Scan# 61
Delta R.T. 0.006 min
Lab File: BN037157.D
Acq: 03 Jun 2025 21:25




Instrument :
BNA_N
ClientSampleId :
PB168238BL


Tgt Ion:152 Resp: 2276
Ion Ratio Lower Upper
152 100
150 150.2 123.2 184.8
115 69.9 56.6 85.0



#4
2-Fluorophenol
Concen: 0.373 ng
RT: 5.191 min Scan# 320
Delta R.T. 0.007 min
Lab File: BN037157.D
Acq: 03 Jun 2025 21:25


Tgt Ion:112 Resp: 2101
Ion Ratio Lower Upper
112 100
64 70.9 56.3 84.5
63 44.7 36.2 54.4








#5
Phenol-d6
Concen: 0.330 ng
RT: 6.773 min Scan# 511
Delta R.T. -0.000 min
Lab File: BN037157.D
Acq: 03 Jun 2025 21:25


Instrument :
BNA_N
ClientSampleId :
PB168238BL





Tgt Ion:	99	Resp:	2248
Ion	Ratio	Lower	Upper
99	100		
42	35.7	31.3	46.9
71	46.6	38.2	57.2




#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.372 min Scan# 945
Delta R.T. -0.000 min
Lab File: BN037157.D
Acq: 03 Jun 2025 21:25



Tgt Ion:	136	Resp:	5491
Ion	Ratio	Lower	Upper
136	100		
137	12.7	9.7	14.5
54	14.9	9.7	14.5#
68	8.1	5.4	8.2









#8
Nitrobenzene-d5
Concen: 0.320 ng
RT: 8.749 min Scan# 792
Delta R.T. 0.010 min
Lab File: BN037157.D
Acq: 03 Jun 2025 21:25




Instrument :
BNA_N
ClientSampleId :
PB168238BL


Tgt Ion: 82 Resp: 1856
Ion Ratio Lower Upper
82 100
128 40.6 26.9 40.3#
54 73.3 61.4 92.2



#11
2-Methylnaphthalene-d10
Concen: 0.333 ng
RT: 11.975 min Scan# 1144
Delta R.T. 0.005 min
Lab File: BN037157.D
Acq: 03 Jun 2025 21:25

Tgt Ion: 152 Resp: 2544
Ion Ratio Lower Upper
152 100
151 20.2 17.1 25.7









#13
 Acenaphthene-d10
 Concen: 0.400 ng
 RT: 14.245 min Scan# 1463
 Delta R.T. 0.010 min
 Lab File: BN037157.D
 Acq: 03 Jun 2025 21:25




Instrument :
 BNA_N
 ClientSampleId :
 PB168238BL


Tgt Ion:164 Resp: 2811
 Ion Ratio Lower Upper
 164 100
 162 104.9 85.5 128.3
 160 54.7 44.6 67.0



#14
 2,4,6-Tribromophenol
 Concen: 0.251 ng
 RT: 15.742 min Scan# 1600
 Delta R.T. -0.000 min
 Lab File: BN037157.D
 Acq: 03 Jun 2025 21:25

Tgt Ion:330 Resp: 284
 Ion Ratio Lower Upper
 330 100
 332 90.5 77.1 115.7
 141 51.1 46.4 69.6









#15
2-Fluorobiphenyl
Concen: 0.359 ng
RT: 12.868 min Scan# 11
Delta R.T. 0.005 min
Lab File: BN037157.D
Acq: 03 Jun 2025 21:25




Instrument :
BNA_N
ClientSampleId :
PB168238BL


Tgt Ion:172 Resp: 4308
Ion Ratio Lower Upper
172 100
171 37.4 29.6 44.4
170 26.2 20.3 30.5



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 16.996 min Scan# 1701
Delta R.T. 0.012 min
Lab File: BN037157.D
Acq: 03 Jun 2025 21:25

Tgt Ion:188 Resp: 4789
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 11.8 11.3 16.9









#27
Fluoranthene-d10
Concen: 0.327 ng
RT: 19.026 min Scan# 1934
Delta R.T. -0.000 min
Lab File: BN037157.D
Acq: 03 Jun 2025 21:25




Instrument :
BNA_N
ClientSampleId :
PB168238BL


Tgt Ion:212 Resp: 3981
Ion Ratio Lower Upper
212 100
106 13.8 10.6 15.8
104 8.4 6.6 9.8



#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.188 min Scan# 2277
Delta R.T. -0.000 min
Lab File: BN037157.D
Acq: 03 Jun 2025 21:25

Tgt Ion:240 Resp: 3060
Ion Ratio Lower Upper
240 100
120 14.5 9.0 13.4#
236 29.4 23.0 34.4









#31
 Terphenyl-d14
 Concen: 0.366 ng
 RT: 19.635 min Scan# 2065
 Delta R.T. -0.000 min
 Lab File: BN037157.D
 Acq: 03 Jun 2025 21:25

Instrument :
 BNA_N
 ClientSampleId :
 PB168238BL

Tgt Ion:244 Resp: 2637
 Ion Ratio Lower Upper
 244 100
 212 13.3 10.0 15.0
 122 17.0 13.2 19.8



#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.377 min Scan# 2745
 Delta R.T. -0.000 min
 Lab File: BN037157.D
 Acq: 03 Jun 2025 21:25

Tgt Ion:264 Resp: 2831
 Ion Ratio Lower Upper
 264 100
 260 28.2 22.1 33.1
 265 87.2 55.8 83.8#

