

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN060519\
 Data File : BN006115.D
 Acq On : 06 Jun 2019 00:17
 Operator : JU/SJ
 Sample : K3016-08
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :

Quant Time: Jun 06 01:14:22 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN060419MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Jun 04 17:47:25 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.65	152	298920	20.00	ng/ul	0.00
18) Naphthalene-d8	10.43	136	1327142	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.30	164	752322	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.05	188	1588853	20.00	ng/ul	0.00
77) Chrysene-d12	21.26	240	1416319	20.00	ng/ul	-0.01
85) Perylene-d12	23.49	264	1564947	20.00	ng/ul	-0.02

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.15	96	35131	5.09	ng/uL	0.00
5) Phenol-d5	6.82	99	596131	24.96	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.98	67	402715	29.49	ng/ul	0.00
9) 2-Chlorophenol-d4	7.18	132	488853	25.47	ng/ul	0.00
13) 4-Methylphenol-d8	8.35	113	449902	24.31	ng/ul	0.00
19) Nitrobenzene-d5	8.80	128	244525	25.82	ng/ul	0.00
22) 2-Nitrophenol-d4	9.52	143	243470	23.16	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.05	165	425983	22.42	ng/ul	0.00
29) 4-Chloroaniline-d4	10.57	131	460743	20.31	ng/ul	0.00
43) Dimethylphthalate-d6	13.71	166	1370145	25.67	ng/ul	0.00
46) Acenaphthylene-d8	13.99	160	1790441	25.92	ng/ul	0.00
51) 4-Nitrophenol-d4	14.51	143	120344	12.77	ng/ul	0.00
57) Fluorene-d10	15.30	176	1222776	27.12	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.43	200	104689	11.77	ng/ul	0.00
70) Anthracene-d10	17.15	188	1779096	26.24	ng/ul	0.00
78) Pyrene-d10	19.46	212	1850697	27.04	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.35	264	1697478	24.36	ng/ul	-0.02

Target Compounds


					Ovalue
6) Phenol	6.85	94	46409	1.901 ng/ul	97
44) Dimethylphthalate	13.76	163	181081	3.421 ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN060519\
Data File : BN006115.D
Acq On : 06 Jun 2019 00:17
Operator : JU/SJ
Sample : K3016-08
Misc :
ALS Vial : 25 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :

Quant Time: Jun 06 01:14:22 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN060419MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Jun 04 17:47:25 2019
Response via : Initial Calibration





#6

Phenol

Concen: 1.901 ng/ul

RT: 6.85 min Scan# 656

Delta R.T. -0.01 min

Lab File: BN006115.D

Acq: 06 Jun 2019 00:17

Instrument :

BNA_N

ClientSampleId :


Tot Ion: 94 Resp: 46409

Ion Ratio Lower Upper




94 100

65 28.5 21.8 32.6

66 38.8 29.5 44.3



Abundance Ion 94.00 (93.70 to 94.70): BN006115.D (-623) (-)



#44

Dimethylphthalate

Concen: 3.421 ng/ul

RT: 13.76 min Scan# 1831

Delta R.T. -0.01 min

Lab File: BN006115.D

Acq: 06 Jun 2019 00:17


Tgt Ion:163 Resp: 181081

Ion Ratio Lower Upper

163 100

194 3.8 3.4 5.2

164 9.8 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): BN006115.D (-1798) (-)

