

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN060519\
 Data File : BN006122.D
 Acq On : 06 Jun 2019 04:58
 Operator : JU/SJ
 Sample : K3016-14
 Misc :
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 A51D1

Quant Time: Jun 06 08:49:44 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN060419MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Jun 06 07:51:51 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.64	152	353618	20.00	ng/ul	0.00
18) Naphthalene-d8	10.43	136	1573676	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.30	164	875973	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.05	188	1841573	20.00	ng/ul	0.00
77) Chrysene-d12	21.27	240	1627668	20.00	ng/ul	0.00
85) Perylene-d12	23.50	264	1788794	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.15	96	32947	4.04	ng/uL	0.00
5) Phenol-d5	6.82	99	542293	19.19	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.98	67	369577	22.87	ng/ul	0.00
9) 2-Chlorophenol-d4	7.18	132	439088	19.34	ng/ul	0.00
13) 4-Methylphenol-d8	8.35	113	384147	17.55	ng/ul	0.00
19) Nitrobenzene-d5	8.80	128	218777	19.48	ng/ul	0.00
22) 2-Nitrophenol-d4	9.52	143	239861	19.24	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.05	165	397634	17.65	ng/ul	0.00
29) 4-Chloroaniline-d4	10.57	131	407191	15.14	ng/ul	0.00
43) Dimethylphthalate-d6	13.71	166	1341818	21.59	ng/ul	0.00
46) Acenaphthylene-d8	13.99	160	1565744	19.47	ng/ul	0.00
51) 4-Nitrophenol-d4	14.51	143	128838	11.74	ng/ul	0.00
57) Fluorene-d10	15.30	176	1093017	20.82	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.43	200	116497	11.30	ng/ul	0.00
70) Anthracene-d10	17.15	188	1524124	19.40	ng/ul	0.00
78) Pyrene-d10	19.46	212	1599874	20.34	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.36	264	1481934	18.60	ng/ul	0.00

Target Compounds

					Ovalue	
6) Phenol	6.84	94	46292	1.603	ng/ul	96
44) Dimethylphthalate	13.76	163	228713	3.711	ng/ul	99
69) Phenanthrene	17.09	178	149260	1.653	ng/ul	98
76) Fluoranthene	19.12	202	274573	2.713	ng/ul	98
79) Pyrene	19.49	202	259248	2.591	ng/ul	99
82) Benzo(a)anthracene	21.25	228	112219	1.121	ng/ul	97
84) Chrysene	21.30	228	141215	1.472	ng/ul	99
87) Benzo(b)fluoranthene	22.83	252	165015	1.730	ng/ul#	89
90) Benzo(a)pyrene	23.40	252	106201	1.152	ng/ul#	92

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN060519\
Data File : BN006122.D
Acq On : 06 Jun 2019 04:58
Operator : JU/SJ
Sample : K3016-14
Misc :
ALS Vial : 31 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
A51D1

Quant Time: Jun 06 08:49:44 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN060419MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Jun 06 07:51:51 2019
Response via : Initial Calibration

