

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN061020\
 Data File : BN010825.D
 Acq On : 10 Jun 2020 19:51
 Operator : CG/JU
 Sample : L2904-10
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 EB6420

Quant Time: Jun 11 00:45:38 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN061020.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jun 10 15:14:26 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.56	152	2581	0.40	ng	0.00
7) Naphthalene-d8	10.32	136	8731	0.40	ng	0.01
13) Acenaphthene-d10	14.18	164	4800	0.40	ng	0.00
19) Phenanthrene-d10	16.93	188	9916	0.40	ng	0.00
27) Chrysene-d12	21.13	240	9124	0.40	ng	0.00
34) Perylene-d12	23.28	264	8929	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.21	112	588	0.12	ng	0.00
5) Phenol-d6	6.75	99	370	0.06	ng	0.00
8) Nitrobenzene-d5	8.69	82	2093	0.32	ng	0.00
11) 2-Methylnaphthalene-d10	11.91	152	3769	0.28	ng	0.00
14) 2,4,6-Tribromophenol	15.68	330	499	0.29	ng	0.00
15) 2-Fluorobiphenyl	12.80	172	5826	0.31	ng	0.00
25) Fluoranthene-d10	18.96	212	10790	0.39	ng	0.00
29) Terphenyl-d14	19.58	244	9849	0.46	ng	0.00
Target Compounds						Qvalue
32) Bis(2-ethylhexyl)phthalate	21.07	149	1040	0.116	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN061020\
Data File : BN010825.D
Acq On : 10 Jun 2020 19:51
Operator : CG/JU
Sample : L2904-10
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
EB6420

Quant Time: Jun 11 00:45:38 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN061020.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jun 10 15:14:26 2020
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.56 min Scan# 587
Delta R.T. 0.00 min
Lab File: BN010825.D
Acq: 10 Jun 2020 19:51

Instrument :
BNA_N
ClientSampleId :
EB6420

Tot Ion:152 Resp: 2581
Ion Ratio Lower Upper
152 100
150 155.0 123.8 185.6
115 62.9 49.2 73.8




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#4


2-Fluorophenol
Concen: 0.118 ng
RT: 5.21 min Scan# 295
Delta R.T. 0.00 min
Lab File: BN010825.D
Acq: 10 Jun 2020 19:51

Tgt Ion:112 Resp: 588
Ion Ratio Lower Upper
112 100
64 47.8 37.4 56.0
63 22.4 22.2 33.4



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BNC
Ion 63.00 (62.70 to 63.70): BNC





#5

Phenol-d6

Concen: 0.063 ng

RT: 6.75 min Scan# 487

Delta R.T. 0.00 min

Lab File: BN010825.D

Acq: 10 Jun 2020 19:51

Instrument :

BNA_N

ClientSampleId :

EB6420


Tot Ion: 99 Resp: 370

Ion Ratio Lower Upper

99 100

42 16.5 11.1 16.7

71 45.9 31.4 47.2



Abundance Ion 99.00 (98.70 to 99.70): BN010815.D (-479) (-)

Ion 42.00 (41.70 to 42.70): BN010815.D (-479) (-)

Ion 71.00 (70.70 to 71.70): BN010815.D (-479) (-)

6.75

200

150



100

50

0

6.70 6.75 6.80 6.85

Time-->



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.32 min Scan# 839

Delta R.T. 0.01 min

Lab File: BN010825.D

Acq: 10 Jun 2020 19:51

Tgt Ion: 136 Resp: 8731


Ion Ratio Lower Upper

136 100

137 12.2 9.7 14.5

54 4.1 4.9 7.3#

68 4.7 4.7 7.1#



Abundance Ion 136.00 (135.70 to 136.70): BN010815.D (-832) (-)

Ion 137.00 (136.70 to 137.70): BN010815.D (-832) (-)

Ion 54.00 (53.70 to 54.70): BN010815.D (-832) (-)

Ion 68.00 (67.70 to 68.70): BN010815.D (-832) (-)

10.32

6000

5000

4000

3000


2000


1000

0

10.20 10.30 10.40 10.50

Time-->









#8
 Nitrobenzene-d5
 Concen: 0.324 ng
 RT: 8.69 min Scan# 711
 Delta R.T. 0.00 min
 Lab File: BN010825.D
 Acq: 10 Jun 2020 19:51

Instrument :
 BNA_N
 ClientSampleId :
 EB6420

Tot Ion: 82 Resp: 2093
 Ion Ratio Lower Upper
 82 100
 128 45.0 35.4 53.0
 54 37.2 28.2 42.4




Abundance Ion 82.00 (81.70 to 82.70): BN0
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BN0






#11
 2-Methylnaphthalene-d10
 Concen: 0.278 ng
 RT: 11.91 min Scan# 1023
 Delta R.T. 0.00 min
 Lab File: BN010825.D
 Acq: 10 Jun 2020 19:51

Tgt Ion: 152 Resp: 3769
 Ion Ratio Lower Upper
 152 100
 151 23.0 15.3 22.9#



Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 151.00 (150.70 to 151.70): E





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.18 min Scan# 1308

Delta R.T. 0.00 min

Lab File: BN010825.D

Acq: 10 Jun 2020 19:51

Instrument :

BNA_N

ClientSampleId :

EB6420


Tot Ion:164 Resp: 4800

Ion Ratio Lower Upper

164 100

162 101.4 81.0 121.6




160 46.0 38.9 58.3



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#14

2,4,6-Tribromophenol

Concen: 0.291 ng

RT: 15.68 min Scan# 1443

Delta R.T. -0.00 min

Lab File: BN010825.D

Acq: 10 Jun 2020 19:51


Tgt Ion:330 Resp: 499

Ion Ratio Lower Upper

330 100

332 0.0 0.0 0.0



141 42.3 33.2 49.8




Abundance Ion 330.00 (329.70 to 330.70): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#15
2-Fluorobiphenyl
Concen: 0.308 ng
RT: 12.80 min Scan# 1184
Delta R.T. -0.00 min
Lab File: BN010825.D
Acq: 10 Jun 2020 19:51




Instrument :
BNA_N
ClientSampleId :
EB6420


Tot Ion:172 Resp: 5826
Ion Ratio Lower Upper
172 100
171 36.3 28.5 42.7
170 24.4 19.7 29.5



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 16.93 min Scan# 1559
Delta R.T. -0.00 min
Lab File: BN010825.D
Acq: 10 Jun 2020 19:51

Tgt Ion:188 Resp: 9916
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 8.0 4.5 6.7#





#25

Fluoranthene-d10

Concen: 0.394 ng

RT: 18.96 min Scan# 1853

Delta R.T. 0.00 min

Lab File: BN010825.D

Acq: 10 Jun 2020 19:51

Instrument :

BNA_N

ClientSampleId :

EB6420


Tot Ion:212 Resp: 10790

Ion Ratio Lower Upper

212 100

106 10.0 6.6 10.0#




104 5.7 4.0 6.0



Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E



#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.13 min Scan# 2169

Delta R.T. 0.00 min

Lab File: BN010825.D

Acq: 10 Jun 2020 19:51


Tgt Ion:240 Resp: 9124

Ion Ratio Lower Upper

240 100

120 10.3 7.5 11.3



236 27.4 22.3 33.5




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#29

Terphenyl-d14

Concen: 0.461 ng

RT: 19.58 min Scan# 1977

Delta R.T. 0.00 min

Lab File: BN010825.D

Acq: 10 Jun 2020 19:51

Instrument :

BNA_N

ClientSampleId :

EB6420


Tot Ion:244 Resp: 9849

Ion Ratio Lower Upper

244 100

212 8.3 7.4 11.2




122 8.9 7.5 11.3



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#32

Bis(2-ethylhexyl)phthalate

Concen: 0.116 ng

RT: 21.07 min Scan# 2163

Delta R.T. 0.00 min

Lab File: BN010825.D

Acq: 10 Jun 2020 19:51


Tgt Ion:149 Resp: 1040

Ion Ratio Lower Upper

149 100

167 28.8 24.1 36.1



279 5.9 4.6 7.0




Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E






#34
Pervlone-d12
Concen: 0.400 ng
RT: 23.28 min Scan# 2545
Delta R.T. 0.00 min
Lab File: BN010825.D
Acq: 10 Jun 2020 19:51

Instrument :
BNA_N
ClientSampleId :
EB6420

Tot Ion:264 Resp: 8929
Ion Ratio Lower Upper
264 100
260 24.4 20.4 30.6
265 86.2 75.0 112.4



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

