

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN061020\
 Data File : BN010826.D
 Acq On : 10 Jun 2020 20:27
 Operator : CG/JU
 Sample : L2904-11
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 FB6420

Quant Time: Jun 11 00:54:43 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN061020.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jun 10 15:14:26 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.56	152	2352	0.40	ng	0.00
7) Naphthalene-d8	10.32	136	7957	0.40	ng	0.01
13) Acenaphthene-d10	14.18	164	4306	0.40	ng	0.00
19) Phenanthrene-d10	16.93	188	8636	0.40	ng	0.00
27) Chrysene-d12	21.13	240	8157	0.40	ng	0.00
34) Perylene-d12	23.28	264	8240	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.21	112	653	0.14	ng	0.00
5) Phenol-d6	6.75	99	455	0.09	ng	0.00
8) Nitrobenzene-d5	8.69	82	2326	0.40	ng	0.00
11) 2-Methylnaphthalene-d10	11.90	152	4008	0.32	ng	0.00
14) 2,4,6-Tribromophenol	15.68	330	613	0.40	ng	0.00
15) 2-Fluorobiphenyl	12.80	172	6441	0.38	ng	0.00
25) Fluoranthene-d10	18.96	212	10574	0.44	ng	0.00
29) Terphenyl-d14	19.57	244	9694	0.51	ng	0.00
Target Compounds						
32) Bis(2-ethylhexyl)phthalate	21.07	149	575	0.072	ng	Qvalue # 93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN061020\
Data File : BN010826.D
Acq On : 10 Jun 2020 20:27
Operator : CG/JU
Sample : L2904-11
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
FB6420

Quant Time: Jun 11 00:54:43 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN061020.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jun 10 15:14:26 2020
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.56 min Scan# 587
Delta R.T. 0.00 min
Lab File: BN010826.D
Acq: 10 Jun 2020 20:27

Instrument :
BNA_N
ClientSampleId :
FB6420

Tot Ion:152 Resp: 2352
Ion Ratio Lower Upper
152 100
150 151.7 123.8 185.6
115 60.9 49.2 73.8




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#4


2-Fluorophenol
Concen: 0.144 ng
RT: 5.21 min Scan# 295
Delta R.T. 0.00 min
Lab File: BN010826.D
Acq: 10 Jun 2020 20:27

Tgt Ion:112 Resp: 653
Ion Ratio Lower Upper
112 100
64 48.9 37.4 56.0
63 29.2 22.2 33.4



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BNC
Ion 63.00 (62.70 to 63.70): BNC





#5

Phenol-d6

Concen: 0.085 ng

RT: 6.75 min Scan# 487

Delta R.T. 0.00 min

Lab File: BN010826.D

Acq: 10 Jun 2020 20:27

Instrument :

BNA_N

ClientSampleId :

FB6420


Tot Ion: 99 Resp: 455

Ion Ratio Lower Upper

99 100

42 21.5 11.1 16.7#




71 33.4 31.4 47.2



Abundance Ion 99.00 (98.70 to 99.70): BN010815.D (-479) (-)

Ion 42.00 (41.70 to 42.70): BN010815.D (-479) (-)

Ion 71.00 (70.70 to 71.70): BN010815.D (-479) (-)



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.32 min Scan# 839

Delta R.T. 0.01 min

Lab File: BN010826.D

Acq: 10 Jun 2020 20:27

Tgt Ion: 136 Resp: 7957


Ion Ratio Lower Upper

136 100

137 12.6 9.7 14.5

54 3.9 4.9 7.3#

68 4.8 4.7 7.1






Abundance Ion 136.00 (135.70 to 136.70): BN010815.D (-832) (-)

Ion 137.00 (136.70 to 137.70): BN010815.D (-832) (-)

Ion 54.00 (53.70 to 54.70): BN010815.D (-832) (-)

Ion 68.00 (67.70 to 68.70): BN010815.D (-832) (-)









#8
 Nitrobenzene-d5
 Concen: 0.395 ng
 RT: 8.69 min Scan# 711
 Delta R.T. 0.00 min
 Lab File: BN010826.D
 Acq: 10 Jun 2020 20:27

Instrument :
 BNA_N
 ClientSampleId :
 FB6420

Tot Ion	82	Resp	2326
Ion Ratio	Lower	Upper	
82	100		
128	45.0	35.4	53.0
54	33.3	28.2	42.4




Abundance Ion 82.00 (81.70 to 82.70): BN010815.D (-707) (-)






#11
 2-Methylnaphthalene-d10
 Concen: 0.325 ng
 RT: 11.90 min Scan# 1022
 Delta R.T. -0.00 min
 Lab File: BN010826.D
 Acq: 10 Jun 2020 20:27

Tgt Ion	152	Resp	4008
Ion Ratio	Lower	Upper	
152	100		
151	20.1	15.3	22.9



Abundance Ion 152.00 (151.70 to 152.70): BN010815.D (-1009) (-)





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.18 min Scan# 1308

Delta R.T. 0.00 min

Lab File: BN010826.D

Acq: 10 Jun 2020 20:27

Instrument :

BNA_N

ClientSampleId :

FB6420


Tot Ion:164 Resp: 4306

Ion Ratio Lower Upper

164 100

162 99.2 81.0 121.6




160 48.4 38.9 58.3



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#14

2,4,6-Tribromophenol

Concen: 0.398 ng

RT: 15.68 min Scan# 1443

Delta R.T. 0.00 min

Lab File: BN010826.D

Acq: 10 Jun 2020 20:27


Tgt Ion:330 Resp: 613

Ion Ratio Lower Upper

330 100

332 0.0 0.0 0.0



141 36.9 33.2 49.8




Abundance Ion 330.00 (329.70 to 330.70): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E





#15

2-Fluorobiphenyl

Concen: 0.379 ng

RT: 12.80 min Scan# 1184

Delta R.T. 0.00 min

Lab File: BN010826.D

Acq: 10 Jun 2020 20:27

Instrument :

BNA_N

ClientSampleId :

FB6420


Tot Ion:172 Resp: 6441

Ion Ratio Lower Upper

172 100

171 35.3 28.5 42.7




170 23.9 19.7 29.5



Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E



#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 16.93 min Scan# 1559

Delta R.T. 0.00 min

Lab File: BN010826.D

Acq: 10 Jun 2020 20:27


Tgt Ion:188 Resp: 8636

Ion Ratio Lower Upper

188 100

94 0.0 0.0 0.0



80 6.5 4.5 6.7




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BNC

Ion 80.00 (79.70 to 80.70): BNC





#25

Fluoranthene-d10

Concen: 0.444 ng

RT: 18.96 min Scan# 1853

Delta R.T. 0.00 min

Lab File: BN010826.D

Acq: 10 Jun 2020 20:27

Instrument :

BNA_N

ClientSampleId :

FB6420


Tot Ion:212 Resp: 10574

Ion Ratio Lower Upper




212 100

106 9.2 6.6 10.0

104 5.4 4.0 6.0



Abundance Ion 212.00 (211.70 to 212.70): E
Ion 106.00 (105.70 to 106.70): E
Ion 104.00 (103.70 to 104.70): E



#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.13 min Scan# 2169

Delta R.T. 0.00 min

Lab File: BN010826.D

Acq: 10 Jun 2020 20:27


Tgt Ion:240 Resp: 8157

Ion Ratio Lower Upper



240 100


120 8.2 7.5 11.3

236 27.5 22.3 33.5



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#29

Terphenyl-d14

Concen: 0.508 ng

RT: 19.57 min Scan# 1976

Delta R.T. -0.00 min

Lab File: BN010826.D

Acq: 10 Jun 2020 20:27

Instrument :

BNA_N

ClientSampleId :

FB6420


Tot Ion:244 Resp: 9694

Ion Ratio Lower Upper

244 100

212 8.9 7.4 11.2




122 10.1 7.5 11.3



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#32

Bis(2-ethylhexyl)phthalate

Concen: 0.072 ng

RT: 21.07 min Scan# 2163

Delta R.T. 0.00 min

Lab File: BN010826.D

Acq: 10 Jun 2020 20:27


Tgt Ion:149 Resp: 575

Ion Ratio Lower Upper

149 100

167 26.8 24.1 36.1



279 8.9 4.6 7.0#






Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E





#34

Pervlene-d12

Concen: 0.400 ng

RT: 23.28 min Scan# 2544

Delta R.T. -0.00 min

Lab File: BN010826.D

Acq: 10 Jun 2020 20:27

Instrument :

BNA_N

ClientSampleId :

FB6420

Tot Ion:264 Resp: 8240

Ion Ratio Lower Upper

264 100

260 24.9 20.4 30.6

265 86.7 75.0 112.4

