

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN061021\
 Data File : BN014877.D
 Acq On : 11 Jun 2021 00:24
 Operator : CG/JU
 Sample : M2618-12
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 BG5S8

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0.1 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SFAM-EPA-BN052521.M
 Title : SVOA CALIBRATION

Signal : TIC: BN014877.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	3.646	92	95	98	rBB5	18151	22322	0.63%	0.074%
2	3.840	123	128	134	rBB7	10134	23123	0.65%	0.076%
3	3.940	142	145	148	rBB5	12395	14121	0.40%	0.047%
4	4.040	157	162	167	rBB7	11242	16248	0.46%	0.054%
5	6.881	640	645	649	rBB4	16638	25752	0.72%	0.085%
6	7.034	663	671	679	rBB	165305	256882	7.21%	0.847%
7	7.234	699	705	709	rBB7	37252	52454	1.47%	0.173%
8	7.693	776	783	792	rBV	660763	1069377	30.02%	3.525%
9	8.405	898	904	912	rVB2	128082	220398	6.19%	0.727%
10	8.846	972	979	989	rBB	238662	418743	11.76%	1.380%
11	9.281	1046	1053	1060	rBB5	24183	32165	0.90%	0.106%
12	9.569	1098	1102	1108	rBB8	23874	34399	0.97%	0.113%
13	10.116	1188	1195	1199	rBB5	36806	66644	1.87%	0.220%
14	10.269	1216	1221	1226	rBB8	15250	25854	0.73%	0.085%
15	10.481	1250	1257	1264	rBB	868056	1413620	39.68%	4.660%
16	10.616	1271	1280	1288	rBB	267219	480300	13.48%	1.583%
17	13.175	1711	1715	1723	rBB6	13570	19263	0.54%	0.063%
18	13.757	1806	1814	1819	rBB	723476	978863	27.48%	3.227%
19	13.798	1819	1821	1824	rBB2	15765	14825	0.42%	0.049%
20	14.034	1853	1861	1870	rBV	697249	1109454	31.15%	3.657%
21	14.345	1905	1914	1925	rBV	1421123	2106955	59.15%	6.945%
22	15.345	2077	2084	2091	rBV	967199	1440292	40.43%	4.748%
23	15.587	2120	2125	2128	rBB6	18242	22394	0.63%	0.074%
24	16.881	2340	2345	2351	rBB8	11250	18713	0.53%	0.062%
25	17.098	2374	2382	2393	rBV	1833833	2671628	75.00%	8.807%
26	17.198	2393	2399	2406	rVV	1158709	1643921	46.15%	5.419%
27	17.498	2444	2450	2455	rBB7	9643	14997	0.42%	0.049%
28	17.686	2476	2482	2485	rBB7	9887	14085	0.40%	0.046%
29	17.781	2493	2498	2503	rBB8	14153	24204	0.68%	0.080%
30	18.004	2531	2536	2544	rBB10	36773	61858	1.74%	0.204%
31	18.081	2544	2549	2554	rBB8	12301	21325	0.60%	0.070%
32	19.133	2721	2728	2732	rBB6	20872	35651	1.00%	0.118%
33	19.169	2732	2734	2738	rBB5	14109	18864	0.53%	0.062%
34	19.339	2758	2763	2767	rBB6	15386	21825	0.61%	0.072%
35	19.498	2785	2790	2797	rBB2	1547907	2176510	61.10%	7.175%
36	19.557	2797	2800	2804	rBB6	16512	14285	0.40%	0.047%

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN061021\
 Data File : BN014877.D
 Acq On : 11 Jun 2021 00:24
 Operator : CG/JU
 Sample : M2618-12
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 BG5S8

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0.1 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SFAM-EPA-BN052521.M
 Title : SVOA CALIBRATION

37	19.763	2832	2835	2838	rBB5	13768	18774	0.53%	0.062%
38	19.963	2866	2869	2872	rBB5	16760	19184	0.54%	0.063%
39	20.028	2874	2880	2881	rBB6	9964	18046	0.51%	0.059%
40	20.557	2968	2970	2972	rBB3	23116	20703	0.58%	0.068%
41	20.710	2992	2996	2998	rBB5	16440	17923	0.50%	0.059%
42	20.886	3024	3026	3029	rBB4	20746	15117	0.42%	0.050%
43	20.980	3036	3042	3044	rBB6	16344	17904	0.50%	0.059%
44	21.016	3044	3048	3053	rBB8	96360	133646	3.75%	0.441%
45	21.104	3058	3063	3065	rBB6	14644	29735	0.83%	0.098%
46	21.180	3072	3076	3077	rBB4	12058	19309	0.54%	0.064%
47	21.227	3082	3084	3087	rBB4	22121	18900	0.53%	0.062%
48	21.298	3090	3096	3102	rBB	2485780	3269691	91.79%	10.778%
49	21.351	3104	3105	3108	rBB3	27147	22402	0.63%	0.074%
50	21.457	3122	3123	3127	rBB3	42618	32881	0.92%	0.108%
51	21.551	3136	3139	3140	rBB3	10559	15194	0.43%	0.050%
52	21.639	3152	3154	3155	rBB2	41165	22976	0.64%	0.076%
53	21.669	3155	3159	3161	rBB5	26527	49594	1.39%	0.163%
54	21.716	3164	3167	3168	rBB3	11793	19450	0.55%	0.064%
55	21.763	3174	3175	3179	rBB4	34201	32113	0.90%	0.106%
56	21.874	3191	3194	3195	rBB3	13416	18548	0.52%	0.061%
57	21.892	3195	3197	3200	rBB4	30295	23900	0.67%	0.079%
58	21.969	3207	3210	3212	rBB4	20781	19722	0.55%	0.065%
59	22.010	3214	3217	3219	rBB4	17450	18510	0.52%	0.061%
60	22.080	3222	3229	3230	rBB7	24657	30399	0.85%	0.100%
61	22.104	3230	3233	3236	rBB5	28669	34568	0.97%	0.114%
62	22.133	3236	3238	3241	rBB4	24554	17948	0.50%	0.059%
63	22.169	3243	3244	3246	rBB2	32101	18607	0.52%	0.061%
64	22.210	3246	3251	3258	rBB2	37255	95116	2.67%	0.314%
65	22.269	3258	3261	3263	rBB4	31075	32682	0.92%	0.108%
66	22.363	3273	3277	3280	rBB6	64991	92224	2.59%	0.304%
67	22.421	3285	3287	3288	rBB2	30837	13523	0.38%	0.045%
68	22.439	3288	3290	3295	rBB6	37359	40031	1.12%	0.132%
69	22.492	3295	3299	3303	rBB7	48226	68752	1.93%	0.227%
70	22.527	3303	3305	3307	rBB3	18559	16489	0.46%	0.054%
71	22.551	3307	3309	3311	rVV3	26880	27069	0.76%	0.089%
72	22.580	3311	3314	3317	rBB5	23319	25033	0.70%	0.083%
73	22.669	3324	3329	3330	rBB5	14721	17701	0.50%	0.058%
74	22.751	3342	3343	3350	rBB7	15538	22570	0.63%	0.074%
75	22.798	3350	3351	3353	rBB2	40689	21253	0.60%	0.070%
76	22.874	3362	3364	3367	rBB4	79671	96172	2.70%	0.317%

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN061021\
 Data File : BN014877.D
 Acq On : 11 Jun 2021 00:24
 Operator : CG/JU
 Sample : M2618-12
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 BG5S8

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0.1 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SFAM-EPA-BN052521.M
 Title : SVOA CALIBRATION

77	22.957	3376	3378	3381	rBB4	19136	17145	0.48%	0.057%
78	23.021	3384	3389	3392	rBB7	30855	48411	1.36%	0.160%
79	23.057	3394	3395	3398	rBB3	12854	13285	0.37%	0.044%
80	23.169	3411	3414	3416	rVV4	25528	31571	0.89%	0.104%
81	23.198	3416	3419	3420	rBB3	25142	15762	0.44%	0.052%
82	23.221	3420	3423	3424	rBB3	18353	16683	0.47%	0.055%
83	23.239	3424	3426	3427	rVB2	29088	14697	0.41%	0.048%
84	23.257	3427	3429	3432	rBB4	20957	18950	0.53%	0.062%
85	23.286	3432	3434	3435	rBB2	28430	15482	0.43%	0.051%
86	23.310	3435	3438	3439	rBB3	22743	14407	0.40%	0.047%
87	23.339	3439	3443	3444	rBB4	21593	21784	0.61%	0.072%
88	23.410	3448	3455	3460	rBB	1195426	2116808	59.42%	6.978%
89	23.451	3460	3462	3466	rBB5	83389	76732	2.15%	0.253%
90	23.551	3471	3479	3487	rBB2	1825924	3562203	100.00%	11.743%
91	23.674	3498	3500	3502	rBB3	26914	19072	0.54%	0.063%
92	23.698	3502	3504	3506	rBB3	26411	19828	0.56%	0.065%
93	23.716	3506	3507	3512	rBB5	38165	41840	1.17%	0.138%
94	23.816	3522	3524	3528	rVB5	23465	28547	0.80%	0.094%
95	23.921	3540	3542	3543	rBB2	21064	18019	0.51%	0.059%
96	24.016	3551	3558	3559	rVB7	33883	50311	1.41%	0.166%
97	24.039	3559	3562	3565	rBB5	19686	27261	0.77%	0.090%
98	24.104	3568	3573	3581	rBB8	135874	280290	7.87%	0.924%
99	24.186	3586	3587	3589	rBB2	39172	24080	0.68%	0.079%
100	24.210	3589	3591	3594	rBB4	18974	14385	0.40%	0.047%
101	24.251	3597	3598	3600	rBB2	29762	18863	0.53%	0.062%
102	24.310	3607	3608	3611	rBV3	15530	14181	0.40%	0.047%
103	24.333	3611	3612	3615	rBB3	18906	13574	0.38%	0.045%
104	24.392	3619	3622	3623	rBB3	12385	16457	0.46%	0.054%
105	24.604	3654	3658	3660	rBB5	21664	16955	0.48%	0.056%
106	24.627	3660	3662	3664	rBB3	20958	19931	0.56%	0.066%
107	24.663	3667	3668	3674	rBB6	24777	36483	1.02%	0.120%
108	24.704	3674	3675	3678	rBB3	16049	17912	0.50%	0.059%
109	24.733	3678	3680	3681	rBB2	17742	16439	0.46%	0.054%
110	24.763	3684	3685	3688	rBB3	18936	15807	0.44%	0.052%
111	24.786	3688	3689	3691	rBB2	21520	14332	0.40%	0.047%
112	24.863	3695	3702	3710	rBB2	137331	321774	9.03%	1.061%
113	24.933	3710	3714	3716	rBB5	21713	18810	0.53%	0.062%
114	24.980	3719	3722	3723	rBB3	34121	23590	0.66%	0.078%
115	25.039	3728	3732	3733	rBB4	19536	20735	0.58%	0.068%
116	25.145	3747	3750	3751	rBB3	28573	24075	0.68%	0.079%

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN061021\
 Data File : BN014877.D
 Acq On : 11 Jun 2021 00:24
 Operator : CG/JU
 Sample : M2618-12
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 BG5S8

Integration Parameters: LSCINT.P

Integrator: RTE

Soothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0.1 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SFAM-EPA-BN052521.M
 Title : SVOA CALIBRATION

117	25.268	3769	3771	3772	rBB2	34855	18662	0.52%	0.062%
118	25.280	3772	3773	3776	rBB3	27012	18244	0.51%	0.060%
119	25.321	3776	3780	3782	rBB5	23391	29041	0.82%	0.096%
120	25.357	3782	3786	3787	rBB4	18734	14150	0.40%	0.047%
121	25.398	3791	3793	3795	rBB3	24218	15021	0.42%	0.050%
122	25.521	3812	3814	3816	rBB3	15081	13217	0.37%	0.044%
123	25.657	3833	3837	3840	rBB6	29960	29354	0.82%	0.097%
124	25.692	3840	3843	3845	rBB3	26413	22601	0.63%	0.075%
125	25.751	3845	3853	3859	rBB3	108285	253394	7.11%	0.835%
126	25.839	3867	3868	3871	rBB3	13893	13768	0.39%	0.045%
127	25.898	3877	3878	3880	rBB2	27517	14958	0.42%	0.049%
128	25.945	3884	3886	3890	rBB5	23178	21361	0.60%	0.070%
129	26.015	3896	3898	3901	rBB4	25251	20495	0.58%	0.068%
130	26.074	3907	3908	3910	rBB2	27140	17661	0.50%	0.058%
131	26.110	3912	3914	3916	rBB3	34913	28194	0.79%	0.093%
132	26.145	3916	3920	3922	rBB5	27990	30705	0.86%	0.101%
133	26.174	3922	3925	3927	rBB4	39882	25041	0.70%	0.083%
134	26.204	3927	3930	3933	rBB5	15331	15672	0.44%	0.052%
135	26.251	3936	3938	3939	rBB2	24737	13194	0.37%	0.043%
136	26.274	3939	3942	3944	rBB4	18447	18238	0.51%	0.060%
137	26.304	3944	3947	3950	rVB5	24911	31166	0.87%	0.103%
138	26.357	3953	3956	3958	rBB4	22721	23273	0.65%	0.077%
139	26.380	3958	3960	3961	rBB2	28387	16895	0.47%	0.056%
140	26.398	3961	3963	3965	rBB3	30860	19712	0.55%	0.065%
141	26.439	3967	3970	3973	rBB5	14387	14455	0.41%	0.048%
142	26.510	3981	3982	3984	rBB2	33221	17623	0.49%	0.058%
143	26.539	3984	3987	3988	rBB3	18147	29552	0.83%	0.097%
144	26.621	3999	4001	4003	rBB3	34363	19668	0.55%	0.065%
145	26.680	4010	4011	4015	rBB3	16339	15953	0.45%	0.053%
146	26.757	4023	4024	4026	rBB2	17574	15605	0.44%	0.051%
147	26.786	4026	4029	4038	rBB2	52693	116033	3.26%	0.382%
148	26.892	4044	4047	4049	rBB4	42351	31553	0.89%	0.104%
149	26.927	4049	4053	4055	rBB5	22411	29709	0.83%	0.098%
150	27.027	4068	4070	4071	rBB2	30004	17652	0.50%	0.058%
151	27.074	4075	4078	4079	rBB2	28954	24841	0.70%	0.082%
152	27.157	4088	4092	4094	rBB5	40240	39054	1.10%	0.129%
153	27.180	4094	4096	4098	rBB3	21126	20846	0.59%	0.069%
154	27.239	4104	4106	4108	rBB3	41012	26373	0.74%	0.087%
155	27.268	4108	4111	4114	rBB5	21008	21475	0.60%	0.071%
156	27.345	4121	4124	4127	rBB5	19663	20123	0.56%	0.066%

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN061021\
 Data File : BN014877.D
 Acq On : 11 Jun 2021 00:24
 Operator : CG/JU
 Sample : M2618-12
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 BG5S8

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0.1 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SFAM-EPA-BN052521.M
 Title : SVOA CALIBRATION

157	27.374	4127	4129	4131	rBB3	21911	15988	0.45%	0.053%
158	27.445	4139	4141	4142	rBB2	42425	26101	0.73%	0.086%
159	27.457	4142	4143	4145	rBB2	26566	13870	0.39%	0.046%
160	27.486	4145	4148	4149	rBB3	8763	14891	0.42%	0.049%
161	27.527	4153	4155	4157	rBB3	28077	26480	0.74%	0.087%
162	27.562	4157	4161	4163	rBB5	20576	17509	0.49%	0.058%
163	27.604	4165	4168	4171	rBB5	22283	25493	0.72%	0.084%
164	27.674	4178	4180	4182	rBB2	25536	14816	0.42%	0.049%
165	27.704	4182	4185	4186	rBB3	29038	15182	0.43%	0.050%
166	27.762	4192	4195	4197	rBB4	21188	13461	0.38%	0.044%
167	27.798	4199	4201	4202	rBB2	33277	17508	0.49%	0.058%
168	27.815	4202	4204	4206	rBB3	30649	29466	0.83%	0.097%
169	27.839	4206	4208	4209	rBB2	22252	16697	0.47%	0.055%
170	27.868	4212	4213	4217	rBB4	17171	18115	0.51%	0.060%
171	27.909	4217	4220	4221	rBB3	27657	16640	0.47%	0.055%
172	27.921	4221	4222	4224	rBB2	26570	16211	0.46%	0.053%
173	28.004	4229	4236	4237	rBB7	33294	34557	0.97%	0.114%
174	28.015	4237	4238	4240	rBB2	21254	15674	0.44%	0.052%
175	28.074	4247	4248	4251	rBB3	30662	18168	0.51%	0.060%
176	28.104	4251	4253	4254	rBB2	25292	15404	0.43%	0.051%
177	28.245	4276	4277	4279	rBB2	22374	13395	0.38%	0.044%
178	28.345	4292	4294	4296	rBB3	14788	15495	0.43%	0.051%
179	28.398	4299	4303	4305	rBB5	16438	17553	0.49%	0.058%
180	28.439	4309	4310	4313	rBB3	20621	17518	0.49%	0.058%
181	28.527	4322	4325	4330	rBB6	36555	47271	1.33%	0.156%
182	28.568	4330	4332	4335	rBB4	28173	30771	0.86%	0.101%
183	28.592	4335	4336	4339	rBB3	18095	17321	0.49%	0.057%
184	28.662	4345	4348	4350	rBB4	27021	21998	0.62%	0.073%
185	28.833	4372	4377	4379	rBB6	25924	22572	0.63%	0.074%
186	28.856	4379	4381	4384	rBB4	17079	15325	0.43%	0.051%
187	28.886	4384	4386	4390	rBB5	29918	30337	0.85%	0.100%
188	28.921	4390	4392	4394	rBB3	24967	16351	0.46%	0.054%
189	28.945	4394	4396	4397	rBB2	29008	14974	0.42%	0.049%
190	29.068	4414	4417	4419	rBB4	18343	21101	0.59%	0.070%
191	29.086	4419	4420	4423	rBB3	21947	18151	0.51%	0.060%
192	29.109	4423	4424	4427	rBB3	15790	14970	0.42%	0.049%
193	29.133	4427	4428	4434	rBB6	20200	23866	0.67%	0.079%
194	29.174	4434	4435	4436	rBB	32713	13633	0.38%	0.045%
195	29.192	4436	4438	4440	rBB3	18503	13350	0.37%	0.044%
196	29.233	4440	4445	4446	rBB5	27281	32871	0.92%	0.108%

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN061021\
Data File : BN014877.D
Acq On : 11 Jun 2021 00:24
Operator : CG/JU
Sample : M2618-12
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
BG5S8

Integration Parameters: LSCINT.P
Integrator: RTE
Smoothing : OFF Filtering: 5
Sampling : 1 Min Area: 0.1 % of largest Peak
Start Thrs: 0.2 Max Peaks: 100
Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
Peak separation: 5

Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SFAM-EPA-BN052521.M
Title : SVOA CALIBRATION

197	29.256	4446	4449	4451	rBB4	18812	13204	0.37%	0.044%
198	29.280	4451	4453	4456	rBB4	15985	19114	0.54%	0.063%
199	29.315	4456	4459	4462	rBB5	25258	29939	0.84%	0.099%
200	29.345	4462	4464	4467	rBB4	21443	23845	0.67%	0.079%




Sum of corrected areas: 30335832

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN061021\
Data File : BN014877.D
Acq On : 11 Jun 2021 00:24
Operator : CG/JU
Sample : M2618-12
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
BG5S8

Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SFAM-EPA-BN052521.M
Quant Title : SVOA CALIBRATION

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN061021\
Data File : BN014877.D
Acq On : 11 Jun 2021 00:24
Operator : CG/JU
Sample : M2618-12
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
BG5S8

Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SFAM-EPA-BN052521.M
Quant Title : SVOA CALIBRATION

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN061021\
Data File : BN014877.D
Acq On : 11 Jun 2021 00:24
Operator : CG/JU
Sample : M2618-12
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
BG5S8

Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SFAM-EPA-BN052521.M
Quant Title : SVOA CALIBRATION

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc
