

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN061220\
 Data File : BN010859.D
 Acq On : 13 Jun 2020 01:30
 Operator : CG/JU
 Sample : L2988-18
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 RE135D2-20200609

Quant Time: Jun 23 20:00:54 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN061020.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 22 12:02:11 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.55	152	2579	0.40	ng	0.02
7) Naphthalene-d8	10.30	136	8998	0.40	ng	0.03
13) Acenaphthene-d10	14.17	164	4998	0.40	ng	0.02
19) Phenanthrene-d10	16.92	188	10307	0.40	ng	0.01
27) Chrysene-d12	21.13	240	9587	0.40	ng	0.01
34) Perylene-d12	23.28	264	10415	0.40	ng	0.01
System Monitoring Compounds						
4) 2-Fluorophenol	5.21	112	767	0.15	ng	0.02
5) Phenol-d6	6.75	99	543	0.09	ng	0.02
8) Nitrobenzene-d5	8.69	82	2335	0.35	ng	0.03
11) 2-Methylnaphthalene-d10	11.90	152	4221	0.30	ng	0.02
14) 2,4,6-Tribromophenol	15.68	330	598	0.33	ng	0.02
15) 2-Fluorobiphenyl	12.79	172	7138	0.36	ng	0.01
25) Fluoranthene-d10	18.96	212	10970	0.39	ng	0.02
29) Terphenyl-d14	19.57	244	10846	0.48	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.22	88	280	0.111	ng	Qvalue # 75
32) Bis(2-ethylhexyl)phthalate	21.07	149	1042	0.111	ng	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN061220\
Data File : BN010859.D
Acq On : 13 Jun 2020 01:30
Operator : CG/JU
Sample : L2988-18
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
RE135D2-20200609

Quant Time: Jun 23 20:00:54 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN061020.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 22 12:02:11 2020
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 0.400 ng

RT: 7.55 min Scan# 586

Delta R.T. 0.02 min

Lab File: BN010859.D

Acq: 13 Jun 2020 01:30

Instrument :

BNA_N

ClientSampleId :

RE135D2-20200609


Tot Ion:152 Resp: 2579

Ion Ratio Lower Upper

152 100

150 157.1 123.8 185.6




115 62.1 49.2 73.8



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#2

1,4-Dioxane

Concen: 0.111 ng

RT: 3.22 min Scan# 49

Delta R.T. 0.01 min

Lab File: BN010859.D

Acq: 13 Jun 2020 01:30


Tgt Ion: 88 Resp: 280

Ion Ratio Lower Upper

88 100

58 51.1 38.2 57.4



43 52.9 15.1 22.7#




Abundance Ion 88.00 (87.70 to 88.70): BNC

Ion 58.00 (57.70 to 58.70): BNC

Ion 43.00 (42.70 to 43.70): BNC





#4

2-Fluorophenol

Concen: 0.154 ng

RT: 5.21 min Scan# 295

Delta R.T. 0.02 min

Lab File: BN010859.D

Acq: 13 Jun 2020 01:30

Instrument :

BNA_N

ClientSampleId :

RE135D2-20200609


Tot Ion: 112 Resp: 767

Ion Ratio Lower Upper

112 100

64 46.2 37.4 56.0

63 24.5 22.2 33.4





Abundance Ion 112.00 (111.70 to 112.70): B

Ion 64.00 (63.70 to 64.70): B

Ion 63.00 (62.70 to 63.70): B

5.21

Time-->



#5

Phenol-d6

Concen: 0.093 ng

RT: 6.75 min Scan# 487

Delta R.T. 0.02 min

Lab File: BN010859.D

Acq: 13 Jun 2020 01:30


Tgt Ion: 99 Resp: 543

Ion Ratio Lower Upper

99 100

42 27.8 11.1 16.7#

71 38.1 31.4 47.2




Abundance Ion 99.00 (98.70 to 99.70): B


Ion 42.00 (41.70 to 42.70): B

Ion 71.00 (70.70 to 71.70): B

6.75

Time-->





#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.30 min Scan# 838

Delta R.T. 0.03 min

Lab File: BN010859.D

Acq: 13 Jun 2020 01:30

Instrument :

BNA_N

ClientSampleId :

RE135D2-20200609

Tot Ion:136 Resp: 8998


Ion Ratio Lower Upper

136 100

137 11.7 9.7 14.5

54 4.2 4.9 7.3#

68 5.1 4.7 7.1






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BNC

Ion 68.00 (67.70 to 68.70): BNC



#8

Nitrobenzene-d5

Concen: 0.351 ng

RT: 8.69 min Scan# 711

Delta R.T. 0.03 min

Lab File: BN010859.D

Acq: 13 Jun 2020 01:30


Tgt Ion: 82 Resp: 2335

Ion Ratio Lower Upper

82 100

128 49.0 35.4 53.0



54 31.9 28.2 42.4




Abundance Ion 82.00 (81.70 to 82.70): BNC

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BNC









#11
2-Methylnaphthalene-d10
Concen: 0.302 ng
RT: 11.90 min Scan# 1021
Delta R.T. 0.02 min
Lab File: BN010859.D
Acq: 13 Jun 2020 01:30




Instrument :
BNA_N
ClientSampleId :
RE135D2-20200609


Tot Ion:152 Resp: 4221
Ion Ratio Lower Upper
152 100
151 20.1 15.3 22.9



#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.17 min Scan# 1307
Delta R.T. 0.02 min
Lab File: BN010859.D
Acq: 13 Jun 2020 01:30

Tgt Ion:164 Resp: 4998
Ion Ratio Lower Upper
164 100
162 103.0 81.0 121.6
160 48.4 38.9 58.3









#14
2,4,6-Tribromophenol
Concen: 0.335 ng
RT: 15.68 min Scan# 1443
Delta R.T. 0.02 min
Lab File: BN010859.D
Acq: 13 Jun 2020 01:30




Instrument :
BNA_N
ClientSampleId :
RE135D2-20200609


Tot Ion:330 Resp: 598
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 37.0 33.2 49.8



#15
2-Fluorobiphenyl
Concen: 0.362 ng
RT: 12.79 min Scan# 1183
Delta R.T. 0.01 min
Lab File: BN010859.D
Acq: 13 Jun 2020 01:30

Tgt Ion:172 Resp: 7138
Ion Ratio Lower Upper
172 100
171 35.5 28.5 42.7
170 24.8 19.7 29.5





#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 16.92 min Scan# 1558

Delta R.T. 0.01 min

Lab File: BN010859.D

Acq: 13 Jun 2020 01:30

Instrument :

BNA_N

ClientSampleId :

RE135D2-20200609


Tot Ion:188 Resp: 10307

Ion Ratio Lower Upper

188 100

94 0.0 0.0 0.0




80 9.2 4.5 6.7#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BNC

Ion 80.00 (79.70 to 80.70): BNC



#25

Fluoranthene-d10

Concen: 0.386 ng

RT: 18.96 min Scan# 1853

Delta R.T. 0.02 min

Lab File: BN010859.D

Acq: 13 Jun 2020 01:30


Tgt Ion:212 Resp: 10970

Ion Ratio Lower Upper

212 100

106 10.1 6.6 10.0#



104 5.6 4.0 6.0




Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E





#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.13 min Scan# 2169

Delta R.T. 0.01 min

Lab File: BN010859.D

Acq: 13 Jun 2020 01:30

Instrument :

BNA_N

ClientSampleId :

RE135D2-20200609


Tot Ion:240 Resp: 9587

Ion Ratio Lower Upper

240 100

120 8.3 7.5 11.3




236 27.2 22.3 33.5



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#29

Terphenyl-d14

Concen: 0.483 ng

RT: 19.57 min Scan# 1976

Delta R.T. 0.01 min

Lab File: BN010859.D

Acq: 13 Jun 2020 01:30


Tgt Ion:244 Resp: 10846

Ion Ratio Lower Upper

244 100

212 8.2 7.4 11.2



122 9.2 7.5 11.3




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#32

Bis(2-ethylhexyl)phthalate

Concen: 0.111 ng

RT: 21.07 min Scan# 2163

Delta R.T. 0.01 min

Lab File: BN010859.D

Acq: 13 Jun 2020 01:30

Instrument :

BNA_N

ClientSampleId :

RE135D2-20200609


Tot Ion:149 Resp: 1042

Ion Ratio Lower Upper

149 100

167 25.8 24.1 36.1




279 6.6 4.6 7.0



Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E



#34

Perylene-d12

Concen: 0.400 ng

RT: 23.28 min Scan# 2543

Delta R.T. 0.01 min

Lab File: BN010859.D

Acq: 13 Jun 2020 01:30


Tgt Ion:264 Resp: 10415

Ion Ratio Lower Upper

264 100

260 24.4 20.4 30.6

265 84.9 75.0 112.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

