

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN061220\
 Data File : BN010853.D
 Acq On : 12 Jun 2020 21:55
 Operator : CG/JU
 Sample : L2988-13
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 RE134D1-20200608

Quant Time: Jun 13 01:32:17 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN061020.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 12 11:11:17 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.55	152	2635	0.40	ng	0.00
7) Naphthalene-d8	10.30	136	9232	0.40	ng	0.00
13) Acenaphthene-d10	14.17	164	5174	0.40	ng	-0.01
19) Phenanthrene-d10	16.92	188	10320	0.40	ng	0.00
27) Chrysene-d12	21.13	240	9794	0.40	ng	0.00
34) Perylene-d12	23.28	264	10434	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.21	112	774	0.15	ng	0.00
5) Phenol-d6	6.75	99	518	0.09	ng	0.00
8) Nitrobenzene-d5	8.69	82	2346	0.34	ng	0.00
11) 2-Methylnaphthalene-d10	11.90	152	4342	0.30	ng	0.00
14) 2,4,6-Tribromophenol	15.67	330	617	0.33	ng	-0.01
15) 2-Fluorobiphenyl	12.80	172	6958	0.34	ng	0.00
25) Fluoranthene-d10	18.96	212	10952	0.38	ng	0.00
29) Terphenyl-d14	19.57	244	10656	0.46	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.22	88	1190	0.461	ng	Qvalue # 95
32) Bis(2-ethylhexyl)phthalate	21.07	149	1462	0.152	ng	92


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN061220\
Data File : BN010853.D
Acq On : 12 Jun 2020 21:55
Operator : CG/JU
Sample : L2988-13
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
RE134D1-20200608

Quant Time: Jun 13 01:32:17 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN061020.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 12 11:11:17 2020
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 7.55 min Scan# 586
 Delta R.T. -0.01 min
 Lab File: BN010853.D
 Acq: 12 Jun 2020 21:55

Instrument :
 BNA_N
 ClientSampleId :
 RE134D1-20200608

Tot Ion:152 Resp: 2635
 Ion Ratio Lower Upper
 152 100
 150 155.5 123.8 185.6
 115 62.3 49.2 73.8




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E






#2
 1,4-Dioxane
 Concen: 0.461 ng
 RT: 3.22 min Scan# 49
 Delta R.T. 0.00 min
 Lab File: BN010853.D
 Acq: 12 Jun 2020 21:55

Tgt Ion: 88 Resp: 1190
 Ion Ratio Lower Upper
 88 100
 58 46.4 38.2 57.4
 43 24.4 15.1 22.7#



Abundance Ion 88.00 (87.70 to 88.70): BN0
 Ion 58.00 (57.70 to 58.70): BN0
 Ion 43.00 (42.70 to 43.70): BN0





#4

2-Fluorophenol

Concen: 0.152 ng

RT: 5.21 min Scan# 295

Delta R.T. 0.00 min

Lab File: BN010853.D

Acq: 12 Jun 2020 21:55

Instrument :

BNA_N

ClientSampleId :

RE134D1-20200608


Tot Ion: 112 Resp: 774

Ion Ratio Lower Upper

112 100

64 43.4 37.4 56.0

63 24.3 22.2 33.4




Abundance Ion 112.00 (111.70 to 112.70): B


Ion 64.00 (63.70 to 64.70): BNO

Ion 63.00 (62.70 to 63.70): BNO

5.21



Time-->



#5

Phenol-d6

Concen: 0.086 ng

RT: 6.75 min Scan# 487

Delta R.T. 0.00 min

Lab File: BN010853.D

Acq: 12 Jun 2020 21:55


Tgt Ion: 99 Resp: 518

Ion Ratio Lower Upper

99 100

42 28.8 11.1 16.7#

71 43.1 31.4 47.2




Abundance Ion 99.00 (98.70 to 99.70): BNO


Ion 42.00 (41.70 to 42.70): BNO

Ion 71.00 (70.70 to 71.70): BNO

6.75



Time-->



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.30 min Scan# 838

Delta R.T. 0.00 min

Lab File: BN010853.D

Acq: 12 Jun 2020 21:55

Instrument :

BNA_N

ClientSampleId :

RE134D1-20200608

Tot Ion:136 Resp: 9232


Ion Ratio Lower Upper

136 100

137 12.1 9.7 14.5

54 4.7 4.9 7.3#

68 5.5 4.7 7.1






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BNC

Ion 68.00 (67.70 to 68.70): BNC



#8

Nitrobenzene-d5

Concen: 0.343 ng

RT: 8.69 min Scan# 711

Delta R.T. 0.00 min

Lab File: BN010853.D

Acq: 12 Jun 2020 21:55


Tgt Ion: 82 Resp: 2346

Ion Ratio Lower Upper

82 100

128 47.5 35.4 53.0



54 31.7 28.2 42.4




Abundance Ion 82.00 (81.70 to 82.70): BNC

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BNC









#11
 2-Methylnaphthalene-d10
 Concen: 0.303 ng
 RT: 11.90 min Scan# 1021
 Delta R.T. 0.00 min
 Lab File: BN010853.D
 Acq: 12 Jun 2020 21:55




Instrument :
 BNA_N
 ClientSampleId :
 RE134D1-20200608


Tot Ion:152 Resp: 4342
 Ion Ratio Lower Upper
 152 100
 151 26.1 15.3 22.9#



#13
 Acenaphthene-d10
 Concen: 0.400 ng
 RT: 14.17 min Scan# 1307
 Delta R.T. -0.01 min
 Lab File: BN010853.D
 Acq: 12 Jun 2020 21:55

Tgt Ion:164 Resp: 5174
 Ion Ratio Lower Upper
 164 100
 162 103.2 81.0 121.6
 160 48.0 38.9 58.3









#14
2,4,6-Tribromophenol
Concen: 0.333 ng
RT: 15.67 min Scan# 1442
Delta R.T. -0.01 min
Lab File: BN010853.D
Acq: 12 Jun 2020 21:55




Instrument :
BNA_N
ClientSampleId :
RE134D1-20200608


Tot Ion:330 Resp: 617
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 41.3 33.2 49.8



#15
2-Fluorobiphenyl
Concen: 0.341 ng
RT: 12.80 min Scan# 1184
Delta R.T. 0.00 min
Lab File: BN010853.D
Acq: 12 Jun 2020 21:55

Tgt Ion:172 Resp: 6958
Ion Ratio Lower Upper
172 100
171 34.6 28.5 42.7
170 22.6 19.7 29.5





#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 16.92 min Scan# 1558

Delta R.T. 0.00 min

Lab File: BN010853.D

Acq: 12 Jun 2020 21:55

Instrument :

BNA_N

ClientSampleId :

RE134D1-20200608


Tot Ion:188 Resp: 10320

Ion Ratio Lower Upper

188 100

94 0.0 0.0 0.0




80 9.3 4.5 6.7#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BNO

Ion 80.00 (79.70 to 80.70): BNO



#25

Fluoranthene-d10

Concen: 0.385 ng

RT: 18.96 min Scan# 1852

Delta R.T. -0.00 min

Lab File: BN010853.D

Acq: 12 Jun 2020 21:55


Tgt Ion:212 Resp: 10952

Ion Ratio Lower Upper

212 100

106 10.0 6.6 10.0#



104 5.7 4.0 6.0




Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E









#27
 Chrysene-d12
 Concen: 0.400 ng
 RT: 21.13 min Scan# 2169
 Delta R.T. 0.00 min
 Lab File: BN010853.D
 Acq: 12 Jun 2020 21:55

Instrument :
 BNA_N
 ClientSampleId :
 RE134D1-20200608

Tot Ion:240 Resp: 9794
 Ion Ratio Lower Upper
 240 100
 120 8.2 7.5 11.3
 236 27.2 22.3 33.5




Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E






#29
 Terphenyl-d14
 Concen: 0.465 ng
 RT: 19.57 min Scan# 1976
 Delta R.T. -0.00 min
 Lab File: BN010853.D
 Acq: 12 Jun 2020 21:55

Tgt Ion:244 Resp: 10656
 Ion Ratio Lower Upper
 244 100
 212 8.4 7.4 11.2
 122 9.6 7.5 11.3



Abundance Ion 244.00 (243.70 to 244.70): E
 Ion 212.00 (211.70 to 212.70): E
 Ion 122.00 (121.70 to 122.70): E





#32

Bis(2-ethylhexyl)phthalate

Concen: 0.152 ng

RT: 21.07 min Scan# 2163

Delta R.T. 0.00 min

Lab File: BN010853.D

Acq: 12 Jun 2020 21:55

Instrument :

BNA_N

ClientSampleId :

RE134D1-20200608


Tot Ion:149 Resp: 1462

Ion Ratio Lower Upper

149 100

167 24.9 24.1 36.1




279 6.0 4.6 7.0



Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E



#34

Perylene-d12

Concen: 0.400 ng

RT: 23.28 min Scan# 2543

Delta R.T. -0.01 min

Lab File: BN010853.D

Acq: 12 Jun 2020 21:55


Tgt Ion:264 Resp: 10434

Ion Ratio Lower Upper

264 100

260 24.9 20.4 30.6

265 84.1 75.0 112.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

