

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN061220\
 Data File : BN010858.D
 Acq On : 13 Jun 2020 00:54
 Operator : CG/JU
 Sample : L2988-17
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 RE135D1-20200609

Quant Time: Jun 13 01:51:27 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN061020.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 12 11:11:17 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.55	152	2554	0.40	ng	0.00
7) Naphthalene-d8	10.30	136	9073	0.40	ng	0.00
13) Acenaphthene-d10	14.17	164	5166	0.40	ng	-0.01
19) Phenanthrene-d10	16.92	188	10139	0.40	ng	0.00
27) Chrysene-d12	21.13	240	9870	0.40	ng	0.00
34) Perylene-d12	23.28	264	10500	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.21	112	734	0.15	ng	0.00
5) Phenol-d6	6.75	99	517	0.09	ng	0.00
8) Nitrobenzene-d5	8.69	82	2249	0.33	ng	0.00
11) 2-Methylnaphthalene-d10	11.90	152	4138	0.29	ng	0.00
14) 2,4,6-Tribromophenol	15.67	330	689	0.37	ng	-0.01
15) 2-Fluorobiphenyl	12.80	172	6901	0.34	ng	0.00
25) Fluoranthene-d10	18.96	212	11078	0.40	ng	0.00
29) Terphenyl-d14	19.57	244	18354	0.79	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.22	88	785	0.314	ng	Qvalue # 85
32) Bis(2-ethylhexyl)phthalate	21.07	149	1147	0.119	ng	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN061220\
Data File : BN010858.D
Acq On : 13 Jun 2020 00:54
Operator : CG/JU
Sample : L2988-17
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
RE135D1-20200609

Quant Time: Jun 13 01:51:27 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN061020.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 12 11:11:17 2020
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.55 min Scan# 586
Delta R.T. -0.01 min
Lab File: BN010858.D
Acq: 13 Jun 2020 00:54

Instrument :
BNA_N
ClientSampleId :
RE135D1-20200609




Tot Ion:152 Resp: 2554
Ion Ratio Lower Upper
152 100
150 157.7 123.8 185.6
115 64.4 49.2 73.8




#2

1,4-Dioxane
Concen: 0.314 ng
RT: 3.22 min Scan# 49
Delta R.T. -0.00 min
Lab File: BN010858.D
Acq: 13 Jun 2020 00:54

Tgt Ion: 88 Resp: 785
Ion Ratio Lower Upper
88 100
58 48.9 38.2 57.4
43 40.3 15.1 22.7#





#4

2-Fluorophenol

Concen: 0.149 ng

RT: 5.21 min Scan# 295

Delta R.T. -0.00 min

Lab File: BN010858.D

Acq: 13 Jun 2020 00:54

Instrument :

BNA_N

ClientSampleId :

RE135D1-20200609


Tot Ion: 112 Resp: 734

Ion Ratio Lower Upper

112 100

64 49.0 37.4 56.0

63 25.9 22.2 33.4



Abundance Ion 112.00 (111.70 to 112.70): B

Ion 64.00 (63.70 to 64.70): BNO

Ion 63.00 (62.70 to 63.70): BNO

5.21

400

300

200

100



0

5.10

5.20

5.30

Time-->



#5

Phenol-d6

Concen: 0.089 ng

RT: 6.75 min Scan# 487

Delta R.T. -0.00 min

Lab File: BN010858.D

Acq: 13 Jun 2020 00:54


Tgt Ion: 99 Resp: 517

Ion Ratio Lower Upper

99 100

42 24.8 11.1 16.7#

71 40.4 31.4 47.2



Abundance Ion 99.00 (98.70 to 99.70): BNO

Ion 42.00 (41.70 to 42.70): BNO

Ion 71.00 (70.70 to 71.70): BNO

6.75

400

300

200

100


0


6.70

6.80

6.90

Time-->





#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.30 min Scan# 838

Delta R.T. -0.00 min

Lab File: BN010858.D

Acq: 13 Jun 2020 00:54

Instrument :

BNA_N


ClientSampleId :

RE135D1-20200609

Tot Ion:136 Resp: 9073

Ion Ratio Lower Upper

136	100		
137	12.0	9.7	14.5
54	4.6	4.9	7.3#
68	5.3	4.7	7.1






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BNC

Ion 68.00 (67.70 to 68.70): BNC



#8

Nitrobenzene-d5

Concen: 0.335 ng

RT: 8.69 min Scan# 711

Delta R.T. -0.00 min


Lab File: BN010858.D

Acq: 13 Jun 2020 00:54

Tgt Ion: 82 Resp: 2249

Ion Ratio Lower Upper



82	100		
128	50.3	35.4	53.0
54	33.7	28.2	42.4




Abundance Ion 82.00 (81.70 to 82.70): BNC

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BNC





#11

2-Methylnaphthalene-d10

Concen: 0.294 ng

RT: 11.90 min Scan# 1021

Delta R.T. -0.00 min

Lab File: BN010858.D

Acq: 13 Jun 2020 00:54

Instrument :

BNA_N

ClientSampleId :


RE135D1-20200609

Tot Ion:152 Resp: 4138

Ion Ratio Lower Upper


152 100

151 19.4 15.3 22.9





Abundance Ion 152.00 (151.70 to 152.70): E

Ion 151.00 (150.70 to 151.70): E



Time-->



#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.17 min Scan# 1307

Delta R.T. -0.01 min

Lab File: BN010858.D

Acq: 13 Jun 2020 00:54


Tgt Ion:164 Resp: 5166

Ion Ratio Lower Upper

164 100

162 104.5 81.0 121.6


160 49.5 38.9 58.3




Abundance Ion 164.00 (163.70 to 164.70): E


Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



Time-->









#14
2,4,6-Tribromophenol
Concen: 0.373 ng
RT: 15.67 min Scan# 1442
Delta R.T. -0.01 min
Lab File: BN010858.D
Acq: 13 Jun 2020 00:54




Instrument :
BNA_N
ClientSampleID :
RE135D1-20200609


Tot Ion:330 Resp: 689
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 38.9 33.2 49.8



#15
2-Fluorobiphenyl
Concen: 0.339 ng
RT: 12.80 min Scan# 1184
Delta R.T. -0.00 min
Lab File: BN010858.D
Acq: 13 Jun 2020 00:54

Tgt Ion:172 Resp: 6901
Ion Ratio Lower Upper
172 100
171 34.1 28.5 42.7
170 22.8 19.7 29.5





#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 16.92 min Scan# 1558

Delta R.T. -0.00 min

Lab File: BN010858.D

Acq: 13 Jun 2020 00:54

Instrument :

BNA_N

ClientSampleId :

RE135D1-20200609


Tot Ion:188 Resp: 10139

Ion Ratio Lower Upper

188 100

94 0.0 0.0 0.0




80 9.1 4.5 6.7#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BNC

Ion 80.00 (79.70 to 80.70): BNC



#25

Fluoranthene-d10

Concen: 0.396 ng

RT: 18.96 min Scan# 1853

Delta R.T. -0.00 min

Lab File: BN010858.D

Acq: 13 Jun 2020 00:54


Tgt Ion:212 Resp: 11078

Ion Ratio Lower Upper

212 100

106 9.8 6.6 10.0



104 5.7 4.0 6.0




Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E









#27
Chrysene-d12
Concen: 0.400 ng
RT: 21.13 min Scan# 2169
Delta R.T. -0.00 min
Lab File: BN010858.D
Acq: 13 Jun 2020 00:54

Instrument :
BNA_N
ClientSampleId :
RE135D1-20200609

Tot Ion:240 Resp: 9870
Ion Ratio Lower Upper
240 100
120 7.9 7.5 11.3
236 26.6 22.3 33.5




Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E






#29
Terphenyl-d14
Concen: 0.794 ng
RT: 19.57 min Scan# 1976
Delta R.T. -0.01 min
Lab File: BN010858.D
Acq: 13 Jun 2020 00:54

Tgt Ion:244 Resp: 18354
Ion Ratio Lower Upper
244 100
212 7.9 7.4 11.2
122 8.8 7.5 11.3



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E









#32
 Bis(2-ethylhexyl)phthalate
 Concen: 0.119 ng
 RT: 21.07 min Scan# 2163
 Delta R.T. -0.00 min
 Lab File: BN010858.D
 Acq: 13 Jun 2020 00:54

Instrument :
 BNA_N
 ClientSampleId :
 RE135D1-20200609

Tot Ion:149 Resp: 1147
 Ion Ratio Lower Upper
 149 100
 167 28.3 24.1 36.1
 279 5.1 4.6 7.0



#34
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.28 min Scan# 2543
 Delta R.T. -0.01 min
 Lab File: BN010858.D
 Acq: 13 Jun 2020 00:54

Tgt Ion:264 Resp: 10500
 Ion Ratio Lower Upper
 264 100
 260 24.8 20.4 30.6
 265 82.2 75.0 112.4

