

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN061325\
 Data File : BN037246.D
 Acq On : 14 Jun 2025 03:32
 Operator : RC/JU
 Sample : Q2299-03MS
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 TT191D1-20250609MS

Quant Time: Jun 14 04:22:07 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN061325.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 13 18:43:34 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.575	152	952	0.400	ng	0.00
7) Naphthalene-d8	10.351	136	2349	0.400	ng	#-0.01
13) Acenaphthene-d10	14.224	164	1209	0.400	ng	0.00
19) Phenanthrene-d10	16.971	188	2152	0.400	ng	0.00
29) Chrysene-d12	21.171	240	1734	0.400	ng	0.00
35) Perylene-d12	23.363	264	1757	0.400	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.177	112	294	0.126	ng	0.00
5) Phenol-d6	6.766	99	177	0.072	ng	0.00
8) Nitrobenzene-d5	8.728	82	665	0.286	ng	0.00
11) 2-Methylnaphthalene-d10	11.955	152	1062	0.337	ng	0.00
14) 2,4,6-Tribromophenol	15.730	330	173	0.345	ng	0.00
15) 2-Fluorobiphenyl	12.848	172	1503	0.296	ng	0.00
27) Fluoranthene-d10	19.017	212	1941	0.345	ng	0.00
31) Terphenyl-d14	19.621	244	1642	0.419	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	3.104	88	2754	2.109	ng	# 91
3) n-Nitrosodimethylamine	3.422	42	489	0.164	ng	99
6) bis(2-Chloroethyl)ether	7.011	93	689	0.312	ng	94
9) Naphthalene	10.404	128	2106	0.310	ng	98
10) Hexachlorobutadiene	10.692	225	492	0.297	ng	# 99
12) 2-Methylnaphthalene	12.031	142	1184	0.286	ng	97
16) Acenaphthylene	13.946	152	2092	0.353	ng	98
17) Acenaphthene	14.288	154	1223	0.320	ng	100
18) Fluorene	15.282	166	1616	0.329	ng	98
20) 4,6-Dinitro-2-methylph...	15.378	198	182	0.438	ng	88
21) 4-Bromophenyl-phenylether	16.177	248	506	0.361	ng	92
22) Hexachlorobenzene	16.289	284	539	0.332	ng	96
23) Atrazine	16.462	200	508	0.406	ng	97
24) Pentachlorophenol	16.636	266	556	0.698	ng	98
25) Phenanthrene	17.021	178	2496	0.366	ng	98
26) Anthracene	17.108	178	2343	0.375	ng	99
28) Fluoranthene	19.045	202	3009	0.377	ng	# 95
30) Pyrene	19.407	202	3076	0.377	ng	100
32) Benzo(a)anthracene	21.162	228	2465	0.421	ng	99
33) Chrysene	21.206	228	2864	0.393	ng	99
34) Bis(2-ethylhexyl)phtha...	21.099	149	1818	0.417	ng	# 98
36) Indeno(1,2,3-cd)pyrene	25.549	276	2816	0.397	ng	99
37) Benzo(b)fluoranthene	22.708	252	2482	0.386	ng	97
38) Benzo(k)fluoranthene	22.751	252	2823	0.381	ng	98
39) Benzo(a)pyrene	23.266	252	2344	0.405	ng	99
40) Dibenzo(a,h)anthracene	25.564	278	2000	0.371	ng	98
41) Benzo(g,h,i)perylene	26.219	276	2427	0.369	ng	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN061325\
Data File : BN037246.D
Acq On : 14 Jun 2025 03:32
Operator : RC/JU
Sample : Q2299-03MS
Misc :
ALS Vial : 25 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
TT191D1-20250609MS


Quant Time: Jun 14 04:22:07 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN061325.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 13 18:43:34 2025
Response via : Initial Calibration








#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 7.575 min Scan# 61
 Delta R.T. -0.000 min
 Lab File: BN037246.D
 Acq: 14 Jun 2025 03:32

Instrument :
 BNA_N
 ClientSampleId :
 TT191D1-20250609MS






Tgt Ion:152 Resp: 952
 Ion Ratio Lower Upper
 152 100
 150 146.8 125.2 187.8
 115 69.5 58.4 87.6



#2
 1,4-Dioxane
 Concen: 2.109 ng
 RT: 3.104 min Scan# 31
 Delta R.T. 0.000 min
 Lab File: BN037246.D
 Acq: 14 Jun 2025 03:32

Tgt Ion: 88 Resp: 2754
 Ion Ratio Lower Upper
 88 100
 43 79.0 52.6 79.0#
 58 88.0 73.5 110.3









#3
n-Nitrosodimethylamine
Concen: 0.164 ng
RT: 3.422 min Scan# 71
Delta R.T. 0.000 min
Lab File: BN037246.D
Acq: 14 Jun 2025 03:32




Instrument :
BNA_N
ClientSampleId :
TT191D1-20250609MS

Tgt Ion: 42 Resp: 489
Ion Ratio Lower Upper
42 100
74 54.6 44.6 66.8
44 4.7 3.5 5.3



#4
2-Fluorophenol
Concen: 0.126 ng
RT: 5.177 min Scan# 318
Delta R.T. 0.007 min
Lab File: BN037246.D
Acq: 14 Jun 2025 03:32

Tgt Ion: 112 Resp: 294
Ion Ratio Lower Upper
112 100
64 67.7 57.2 85.8
63 43.5 39.8 59.6









#5
Phenol-d6
Concen: 0.072 ng
RT: 6.766 min Scan# 51
Delta R.T. 0.007 min
Lab File: BN037246.D
Acq: 14 Jun 2025 03:32




Instrument :
BNA_N
ClientSampleId :
TT191D1-20250609MS

Tgt Ion: 99 Resp: 177
Ion Ratio Lower Upper
99 100
42 54.2 36.2 54.4
71 59.3 42.4 63.6



#6
bis(2-Chloroethyl)ether
Concen: 0.312 ng
RT: 7.011 min Scan# 572
Delta R.T. 0.000 min
Lab File: BN037246.D
Acq: 14 Jun 2025 03:32

Tgt Ion: 93 Resp: 689
Ion Ratio Lower Upper
93 100
63 87.7 75.2 112.8
95 32.2 28.3 42.5









#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.351 min Scan# 944
Delta R.T. -0.011 min
Lab File: BN037246.D
Acq: 14 Jun 2025 03:32




Instrument :
BNA_N
ClientSampleId :
TT191D1-20250609MS


Tgt Ion:	136	Resp:	2349
Ion	Ratio	Lower	Upper
136	100		
137	14.5	10.6	15.8
54	17.5	9.2	13.8#
68	9.0	5.4	8.0#



#8
Nitrobenzene-d5
Concen: 0.286 ng
RT: 8.728 min Scan# 791
Delta R.T. 0.000 min
Lab File: BN037246.D
Acq: 14 Jun 2025 03:32

Tgt Ion:	82	Resp:	665
Ion	Ratio	Lower	Upper
82	100		
128	43.9	31.2	46.8
54	82.1	63.3	94.9





#9

Naphthalene

Concen: 0.310 ng

RT: 10.404 min Scan# 948

Delta R.T. 0.000 min

Lab File: BN037246.D


Acq: 14 Jun 2025 03:32

Instrument :




BNA_N

ClientSampleId :

TT191D1-20250609MS



Tgt Ion:	128	Resp:	2106
Ion Ratio	Lower	Upper	
128	100		
129	14.2	10.7	16.1
127	16.7	12.6	19.0



#10

Hexachlorobutadiene

Concen: 0.297 ng




RT: 10.692 min Scan# 975


Delta R.T. 0.000 min

Lab File: BN037246.D

Acq: 14 Jun 2025 03:32

Tgt Ion:	225	Resp:	492
Ion Ratio	Lower	Upper	
225	100		
223	0.0	0.0	0.0
227	61.0	49.2	73.8









#11
2-Methylnaphthalene-d10
Concen: 0.337 ng
RT: 11.955 min Scan# 1140
Delta R.T. 0.000 min
Lab File: BN037246.D
Acq: 14 Jun 2025 03:32




Instrument :
BNA_N
ClientSampleId :
TT191D1-20250609MS


Tgt Ion:152 Resp: 1062
Ion Ratio Lower Upper
152 100
151 17.4 17.9 26.9#



#12
2-Methylnaphthalene
Concen: 0.286 ng
RT: 12.031 min Scan# 1155
Delta R.T. 0.000 min
Lab File: BN037246.D
Acq: 14 Jun 2025 03:32

Tgt Ion:142 Resp: 1184
Ion Ratio Lower Upper
142 100
141 90.0 73.0 109.6
115 57.6 43.3 64.9





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.224 min Scan# 1461

Delta R.T. 0.000 min

Lab File: BN037246.D

Acq: 14 Jun 2025 03:32

Instrument :

BNA_N

ClientSampleId :

TT191D1-20250609MS





Tgt Ion:164 Resp: 1209

Ion Ratio Lower Upper

164 100

162 109.4 86.7 130.1

160 56.3 45.8 68.6



#14

2,4,6-Tribromophenol

Concen: 0.345 ng

RT: 15.730 min Scan# 1599

Delta R.T. 0.000 min

Lab File: BN037246.D

Acq: 14 Jun 2025 03:32




Tgt Ion:330 Resp: 173


Ion Ratio Lower Upper

330 100

332 94.8 74.9 112.3

141 63.0 45.1 67.7









#15
2-Fluorobiphenyl
Concen: 0.296 ng
RT: 12.848 min Scan# 1316
Delta R.T. 0.000 min
Lab File: BN037246.D
Acq: 14 Jun 2025 03:32




Instrument :
BNA_N
ClientSampleId :
TT191D1-20250609MS


Tgt Ion:	172	Resp:	1503
Ion Ratio	Lower	Upper	
172	100		
171	39.1	29.8	44.8
170	27.2	21.1	31.7



#16
Acenaphthylene
Concen: 0.353 ng
RT: 13.946 min Scan# 1435
Delta R.T. 0.000 min
Lab File: BN037246.D
Acq: 14 Jun 2025 03:32

Tgt Ion:	152	Resp:	2092
Ion Ratio	Lower	Upper	
152	100		
151	20.0	15.7	23.5
153	12.4	10.7	16.1





#17

Acenaphthene

Concen: 0.320 ng

RT: 14.288 min Scan# 1467

Delta R.T. 0.000 min

Lab File: BN037246.D

Acq: 14 Jun 2025 03:32

Instrument :

BNA_N

ClientSampleId :

TT191D1-20250609MS





Tgt Ion:154 Resp: 1223

Ion Ratio Lower Upper

154 100

153 118.6 94.6 141.8

152 61.7 49.6 74.4



#18

Fluorene

Concen: 0.329 ng

RT: 15.282 min Scan# 1560

Delta R.T. 0.000 min

Lab File: BN037246.D

Acq: 14 Jun 2025 03:32




Tgt Ion:166 Resp: 1616


Ion Ratio Lower Upper

166 100

165 101.5 79.8 119.6

167 12.6 10.8 16.2





#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 16.971 min Scan# 1

Delta R.T. 0.000 min

Lab File: BN037246.D

Acq: 14 Jun 2025 03:32

Instrument :

BNA_N

ClientSampleId :

TT191D1-20250609MS





Tgt Ion:188 Resp: 2152

Ion Ratio Lower Upper

188 100

94 0.0 0.0 0.0

80 16.7 12.2 18.4



#20

4,6-Dinitro-2-methylphenol

Concen: 0.438 ng

RT: 15.378 min Scan# 1569

Delta R.T. 0.000 min

Lab File: BN037246.D

Acq: 14 Jun 2025 03:32




Tgt Ion:198 Resp: 182


Ion Ratio Lower Upper

198 100

51 117.6 111.2 166.8

105 66.4 54.0 81.0









#21
4-Bromophenyl-phenylether
Concen: 0.361 ng
RT: 16.177 min Scan# 1635
Delta R.T. 0.000 min
Lab File: BN037246.D
Acq: 14 Jun 2025 03:32




Instrument :
BNA_N
ClientSampleId :
TT191D1-20250609MS


Tgt Ion:	248	Resp:	506
Ion Ratio	Lower	Upper	
248	100		
250	99.7	76.8	115.2
141	81.9	75.6	113.4



#22
Hexachlorobenzene
Concen: 0.332 ng
RT: 16.289 min Scan# 1644
Delta R.T. 0.000 min
Lab File: BN037246.D
Acq: 14 Jun 2025 03:32

Tgt Ion:	284	Resp:	539
Ion Ratio	Lower	Upper	
284	100		
142	57.1	43.8	65.6
249	38.8	28.4	42.6









#23
 Atrazine
 Concen: 0.406 ng
 RT: 16.462 min Scan# 1658
 Delta R.T. 0.000 min
 Lab File: BN037246.D
 Acq: 14 Jun 2025 03:32




Instrument :
 BNA_N
 ClientSampleId :
 TT191D1-20250609MS


Tgt Ion:200 Resp: 508
 Ion Ratio Lower Upper
 200 100
 173 34.7 25.1 37.7
 215 54.2 43.7 65.5



#24
 Pentachlorophenol
 Concen: 0.698 ng
 RT: 16.636 min Scan# 1672
 Delta R.T. 0.000 min
 Lab File: BN037246.D
 Acq: 14 Jun 2025 03:32

Tgt Ion:266 Resp: 556
 Ion Ratio Lower Upper
 266 100
 264 62.8 49.2 73.8
 268 65.5 53.4 80.2









#25
Phenanthrene
Concen: 0.366 ng
RT: 17.021 min Scan# 1710
Delta R.T. 0.000 min
Lab File: BN037246.D
Acq: 14 Jun 2025 03:32




Instrument :
BNA_N
ClientSampleId :
TT191D1-20250609MS

Tgt Ion:178 Resp: 2496
Ion Ratio Lower Upper
178 100
176 19.8 16.3 24.5
179 16.6 12.6 18.8



#26
Anthracene
Concen: 0.375 ng
RT: 17.108 min Scan# 1710
Delta R.T. 0.000 min
Lab File: BN037246.D
Acq: 14 Jun 2025 03:32

Tgt Ion:178 Resp: 2343
Ion Ratio Lower Upper
178 100
176 18.9 15.1 22.7
179 15.0 12.4 18.6








#27
Fluoranthene-d10
Concen: 0.345 ng
RT: 19.017 min Scan# 1932
Delta R.T. 0.000 min
Lab File: BN037246.D
Acq: 14 Jun 2025 03:32




Instrument :
BNA_N
ClientSampleId :
TT191D1-20250609MS

Tgt Ion:212 Resp: 1941
Ion Ratio Lower Upper
212 100
106 9.9 9.3 13.9
104 6.5 5.7 8.5



#28
Fluoranthene
Concen: 0.377 ng
RT: 19.045 min Scan# 1938
Delta R.T. 0.000 min
Lab File: BN037246.D
Acq: 14 Jun 2025 03:32

Tgt Ion:202 Resp: 3009
Ion Ratio Lower Upper
202 100
101 12.1 7.1 10.7#
203 17.5 13.0 19.6





#29

Chrysene-d12

Concen: 0.400 ng

RT: 21.171 min Scan# 21

Delta R.T. -0.009 min

Lab File: BN037246.D

Acq: 14 Jun 2025 03:32

Instrument :

BNA_N

ClientSampleId :

TT191D1-20250609MS




Tgt Ion:240 Resp: 1734

Ion Ratio Lower Upper

240 100

120 16.6 11.3 16.9

236 30.6 24.4 36.6



#30

Pyrene

Concen: 0.377 ng

RT: 19.407 min Scan# 2016

Delta R.T. -0.005 min

Lab File: BN037246.D

Acq: 14 Jun 2025 03:32




Tgt Ion:202 Resp: 3076


Ion Ratio Lower Upper

202 100

200 21.3 17.2 25.8


203 17.8 14.3 21.5







#31
 Terphenyl-d14
 Concen: 0.419 ng
 RT: 19.621 min Scan# 2062
 Delta R.T. -0.005 min
 Lab File: BN037246.D
 Acq: 14 Jun 2025 03:32

Instrument :
 BNA_N
 ClientSampleId :
 TT191D1-20250609MS



Tgt Ion:244 Resp: 1642




Ion	Ratio	Lower	Upper
244	100		
212	15.3	12.2	18.2
122	17.1	14.3	21.5




#32
 Benzo(a)anthracene
 Concen: 0.421 ng
 RT: 21.162 min Scan# 2274
 Delta R.T. 0.000 min
 Lab File: BN037246.D
 Acq: 14 Jun 2025 03:32

Tgt Ion:228 Resp: 2465

Ion	Ratio	Lower	Upper
228	100		
226	29.2	23.8	35.8
229	21.7	17.0	25.4









#33
 Chrysene
 Concen: 0.393 ng
 RT: 21.206 min Scan# 21
 Delta R.T. -0.009 min
 Lab File: BN037246.D
 Acq: 14 Jun 2025 03:32




Instrument :
 BNA_N
ClientSampleId :
 TT191D1-20250609MS


Tgt Ion:	228	Resp:	2864
Ion Ratio	Lower	Upper	
228	100		
226	32.9	25.8	38.6
229	21.7	17.0	25.4



#34
 Bis(2-ethylhexyl)phthalate
 Concen: 0.417 ng
 RT: 21.099 min Scan# 2267
 Delta R.T. -0.009 min
 Lab File: BN037246.D
 Acq: 14 Jun 2025 03:32

Tgt Ion:	149	Resp:	1818
Ion Ratio	Lower	Upper	
149	100		
167	25.7	21.3	31.9
279	5.3	3.3	4.9





#35

Perylene-d12

Concen: 0.400 ng

RT: 23.363 min Scan# 21

Delta R.T. -0.003 min

Lab File: BN037246.D


Acq: 14 Jun 2025 03:32

Instrument :

BNA_N

ClientSampleId :

TT191D1-20250609MS






Tgt Ion:264 Resp: 1757

Ion Ratio Lower Upper

264 100

260 28.0 22.8 34.2

265 85.5 66.4 99.6



#36

Indeno(1,2,3-cd)pyrene

Concen: 0.397 ng

RT: 25.549 min Scan# 3488

Delta R.T. -0.012 min

Lab File: BN037246.D

Acq: 14 Jun 2025 03:32




Tgt Ion:276 Resp: 2816


Ion Ratio Lower Upper

276 100

138 20.7 16.8 25.2


277 25.1 19.5 29.3







#37
Benzo(b)fluoranthene
Concen: 0.386 ng
RT: 22.708 min Scan# 2516
Delta R.T. -0.006 min
Lab File: BN037246.D
Acq: 14 Jun 2025 03:32

Instrument :
BNA_N
ClientSampleId :
TT191D1-20250609MS






Tgt Ion:252 Resp: 2482
Ion Ratio Lower Upper
252 100
253 32.8 24.9 37.3
125 16.8 12.9 19.3



#38
Benzo(k)fluoranthene
Concen: 0.381 ng
RT: 22.751 min Scan# 2531
Delta R.T. -0.003 min
Lab File: BN037246.D
Acq: 14 Jun 2025 03:32

Tgt Ion:252 Resp: 2823
Ion Ratio Lower Upper
252 100
253 32.2 24.6 37.0
125 17.0 13.4 20.2





#39

Benzo(a)pyrene

Concen: 0.405 ng

RT: 23.266 min Scan# 21

Delta R.T. -0.006 min

Lab File: BN037246.D

Acq: 14 Jun 2025 03:32

Instrument :

BNA_N

ClientSampleId :

TT191D1-20250609MS





Tgt Ion:252 Resp: 2344

Ion Ratio Lower Upper

252 100

253 36.3 29.4 44.2

125 21.0 16.2 24.2



#40

Dibenzo(a,h)anthracene

Concen: 0.371 ng

RT: 25.564 min Scan# 3493

Delta R.T. -0.009 min

Lab File: BN037246.D

Acq: 14 Jun 2025 03:32




Tgt Ion:278 Resp: 2000


Ion Ratio Lower Upper

278 100

139 20.2 17.8 26.6


279 38.2 31.3 46.9





#41
Benzo(g,h,i)perylene
Concen: 0.369 ng
RT: 26.219 min Scan# 31
Delta R.T. -0.003 min
Lab File: BN037246.D
Acq: 14 Jun 2025 03:32

Instrument :
BNA_N
ClientSampleId :
TT191D1-20250609MS



Tgt Ion:276 Resp: 2427
Ion Ratio Lower Upper
276 100
277 28.5 22.0 33.0
138 25.1 18.4 27.6

