

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN061520\
 Data File : BN010896.D
 Acq On : 16 Jun 2020 07:59
 Operator : CG/JU
 Sample : L2989-10
 Misc :
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 EB-20200609

Quant Time: Jun 16 09:49:16 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN061020.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 15 11:09:46 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.55	152	2481	0.40	ng	0.00
7) Naphthalene-d8	10.29	136	8543	0.40	ng	-0.01
13) Acenaphthene-d10	14.17	164	4748	0.40	ng	0.00
19) Phenanthrene-d10	16.92	188	10213	0.40	ng	0.00
27) Chrysene-d12	21.12	240	9934	0.40	ng	-0.01
34) Perylene-d12	23.28	264	10087	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.20	112	706	0.15	ng	0.00
5) Phenol-d6	6.74	99	545	0.10	ng	0.00
8) Nitrobenzene-d5	8.68	82	2500	0.40	ng	0.00
11) 2-Methylnaphthalene-d10	11.89	152	4244	0.32	ng	0.00
14) 2,4,6-Tribromophenol	15.67	330	467	0.28	ng	0.00
15) 2-Fluorobiphenyl	12.79	172	8291	0.44	ng	0.00
25) Fluoranthene-d10	18.96	212	10806	0.38	ng	0.00
29) Terphenyl-d14	19.57	244	13969	0.60	ng	0.00
Target Compounds						Qvalue
32) Bis(2-ethylhexyl)phthalate	21.07	149	7020	0.721	ng	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN061520\
Data File : BN010896.D
Acq On : 16 Jun 2020 07:59
Operator : CG/JU
Sample : L2989-10
Misc :
ALS Vial : 31 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
EB-20200609

Quant Time: Jun 16 09:49:16 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN061020.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 15 11:09:46 2020
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.55 min Scan# 586
Delta R.T. 0.00 min
Lab File: BN010896.D
Acq: 16 Jun 2020 07:59

Instrument :
BNA_N
ClientSampleId :
EB-20200609

Tot Ion:152 Resp: 2481
Ion Ratio Lower Upper
152 100
150 149.5 123.8 185.6
115 60.9 49.2 73.8




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#4


2-Fluorophenol
Concen: 0.147 ng
RT: 5.20 min Scan# 294
Delta R.T. 0.00 min
Lab File: BN010896.D
Acq: 16 Jun 2020 07:59

Tgt Ion:112 Resp: 706
Ion Ratio Lower Upper
112 100
64 48.9 37.4 56.0
63 27.1 22.2 33.4



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BNC
Ion 63.00 (62.70 to 63.70): BNC





#5

Phenol-d6

Concen: 0.097 ng

RT: 6.74 min Scan# 486

Delta R.T. 0.00 min

Lab File: BN010896.D

Acq: 16 Jun 2020 07:59

Instrument :

BNA_N

ClientSampleId :

EB-20200609


Tot Ion: 99 Resp: 545

Ion Ratio Lower Upper

99 100

42 23.5 11.1 16.7#

71 36.7 31.4 47.2





Abundance Ion 99.00 (98.70 to 99.70): BN010815.D (-479) (-)

Ion 42.00 (41.70 to 42.70): BN010815.D (-479) (-)

Ion 71.00 (70.70 to 71.70): BN010815.D (-479) (-)

6.74

Time-->



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.29 min Scan# 837

Delta R.T. -0.01 min

Lab File: BN010896.D

Acq: 16 Jun 2020 07:59

Tgt Ion: 136 Resp: 8543


Ion Ratio Lower Upper

136 100

137 12.0 9.7 14.5

54 6.3 4.9 7.3

68 7.2 4.7 7.1#



Abundance Ion 136.00 (135.70 to 136.70): BN010815.D (-832) (-)


Ion 137.00 (136.70 to 137.70): BN010815.D (-832) (-)


Ion 54.00 (53.70 to 54.70): BN010815.D (-832) (-)

Ion 68.00 (67.70 to 68.70): BN010815.D (-832) (-)

10.29

Time-->









#8
 Nitrobenzene-d5
 Concen: 0.395 ng
 RT: 8.68 min Scan# 710
 Delta R.T. 0.00 min
 Lab File: BN010896.D
 Acq: 16 Jun 2020 07:59




Instrument :
 BNA_N
 ClientSampleId :
 EB-20200609


Tot Ion:	82	Resp:	2500
Ion	Ratio	Lower	Upper
82	100		
128	43.2	35.4	53.0
54	35.2	28.2	42.4



#11
 2-Methylnaphthalene-d10
 Concen: 0.320 ng
 RT: 11.89 min Scan# 1019
 Delta R.T. -0.00 min
 Lab File: BN010896.D
 Acq: 16 Jun 2020 07:59

Tgt Ion:	152	Resp:	4244
Ion	Ratio	Lower	Upper
152	100		
151	19.4	15.3	22.9





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.17 min Scan# 1307

Delta R.T. 0.00 min

Lab File: BN010896.D

Acq: 16 Jun 2020 07:59

Instrument :

BNA_N

ClientSampleId :

EB-20200609


Tot Ion:164 Resp: 4748

Ion Ratio Lower Upper

164 100

162 103.1 81.0 121.6




160 47.6 38.9 58.3



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#14

2,4,6-Tribromophenol

Concen: 0.275 ng

RT: 15.67 min Scan# 1442

Delta R.T. 0.00 min

Lab File: BN010896.D

Acq: 16 Jun 2020 07:59


Tgt Ion:330 Resp: 467

Ion Ratio Lower Upper

330 100

332 0.0 0.0 0.0



141 38.3 33.2 49.8




Abundance Ion 330.00 (329.70 to 330.70): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#15
2-Fluorobiphenyl
Concen: 0.443 ng
RT: 12.79 min Scan# 1183
Delta R.T. 0.00 min
Lab File: BN010896.D
Acq: 16 Jun 2020 07:59




Instrument :
BNA_N
ClientSampleId :
EB-20200609


Tot Ion:172 Resp: 8291
Ion Ratio Lower Upper
172 100
171 35.7 28.5 42.7
170 24.4 19.7 29.5



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 16.92 min Scan# 1558
Delta R.T. 0.00 min
Lab File: BN010896.D
Acq: 16 Jun 2020 07:59

Tgt Ion:188 Resp: 10213
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 7.6 4.5 6.7#





#25

Fluoranthene-d10

Concen: 0.383 ng

RT: 18.96 min Scan# 1852

Delta R.T. 0.00 min

Lab File: BN010896.D

Acq: 16 Jun 2020 07:59

Instrument :

BNA_N

ClientSampleId :

EB-20200609


Tot Ion:212 Resp: 10806

Ion Ratio Lower Upper

212 100

106 9.8 6.6 10.0




104 6.0 4.0 6.0



Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E



#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.12 min Scan# 2168

Delta R.T. -0.01 min

Lab File: BN010896.D

Acq: 16 Jun 2020 07:59


Tgt Ion:240 Resp: 9934

Ion Ratio Lower Upper

240 100

120 13.0 7.5 11.3#



236 28.1 22.3 33.5




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#29

Terphenyl-d14

Concen: 0.601 ng

RT: 19.57 min Scan# 1975

Delta R.T. -0.00 min

Lab File: BN010896.D

Acq: 16 Jun 2020 07:59

Instrument :

BNA_N

ClientSampleId :

EB-20200609


Tot Ion:244 Resp: 13969

Ion Ratio Lower Upper




244 100

212 8.2 7.4 11.2

122 9.7 7.5 11.3



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#32

Bis(2-ethylhexyl)phthalate

Concen: 0.721 ng

RT: 21.07 min Scan# 2163

Delta R.T. 0.00 min

Lab File: BN010896.D

Acq: 16 Jun 2020 07:59


Tgt Ion:149 Resp: 7020

Ion Ratio Lower Upper



149 100




167 28.0 24.1 36.1

279 4.9 4.6 7.0



Abundance Ion 149.00 (148.70 to 149.70): E
Ion 167.00 (166.70 to 167.70): E
Ion 279.00 (278.70 to 279.70): E





#34

Pervlene-d12

Concen: 0.400 ng

RT: 23.28 min Scan# 2543

Delta R.T. 0.00 min

Lab File: BN010896.D

Acq: 16 Jun 2020 07:59

Instrument :

BNA_N

ClientSampleId :

EB-20200609

Tot Ion:264 Resp: 10087

Ion Ratio Lower Upper

264 100

260 24.6 20.4 30.6

265 81.4 75.0 112.4

