

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN061621\
 Data File : BN014927.D
 Acq On : 16 Jun 2021 18:29
 Operator : CG/JU
 Sample : SSTDICC1.6
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 SSTDICC1.6

Quant Time: Jun 16 19:01:25 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN061621.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jun 16 18:59:52 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.763	152	17599	0.400	ng	# 0.00
7) Naphthalene-d8	10.521	136	77162	0.400	ng	# 0.00
13) Acenaphthene-d10	14.371	164	42587	0.400	ng	0.00
19) Phenanthrene-d10	17.116	188	81108	0.400	ng	0.00
29) Chrysene-d12	21.324	240	72459	0.400	ng	# 0.00
35) Perylene-d12	23.581	264	72554	0.400	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.384	112	87495	1.842	ng	0.00
5) Phenol-d6	6.924	99	110202	1.992	ng	0.00
8) Nitrobenzene-d5	8.899	82	98207	1.541	ng	0.00
11) 2-Methylnaphthalene-d10	12.119	152	213173	1.467	ng	0.00
14) 2,4,6-Tribromophenol	15.868	330	33511	1.875	ng	0.00
15) 2-Fluorobiphenyl	13.001	172	266945	1.658	ng	0.00
27) Fluoranthene-d10	19.158	212	405492	1.449	ng	0.00
31) Terphenyl-d14	19.769	244	289631	1.616	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	3.365	88	12443	2.433	ng	# 55
3) n-Nitrosodimethylamine	3.706	42	28783	5.306	ng	# 1
6) bis(2-Chloroethyl)ether	7.191	93	89868	2.144	ng	# 82
9) Naphthalene	10.572	128	356948	1.689	ng	97
10) Hexachlorobutadiene	10.876	225	70692	1.148	ng	# 98
12) 2-Methylnaphthalene	12.190	142	237114	1.594	ng	# 89
16) Acenaphthylene	14.092	152	355753	2.004	ng	98
17) Acenaphthene	14.434	154	216638	1.803	ng	96
18) Fluorene	15.424	166	269046	1.751	ng	98
20) 4,6-Dinitro-2-methylph...	15.487	198	10343	1.997	ng	# 45
21) 4-Bromophenyl-phenylether	16.325	248	85954	1.489	ng	# 92
22) Hexachlorobenzene	16.422	284	90202	1.374	ng	# 92
23) Atrazine	16.592	200	76818	2.451	ng	93
24) Pentachlorophenol	16.763	266	35070	2.374	ng	100
25) Phenanthrene	17.164	178	405166	1.758	ng	99
26) Anthracene	17.250	178	394307	1.932	ng	99
28) Fluoranthene	19.188	202	451192	1.547	ng	# 97
30) Pyrene	19.550	202	469764	2.178	ng	99
32) Benzo(a)anthracene	21.302	228	454355	2.205	ng	98
33) Chrysene	21.356	228	427662	1.768	ng	98
34) Bis(2-ethylhexyl)phtha...	21.260	149	320975	5.042	ng	# 88
36) Indeno(1,2,3-cd)pyrene	25.861	276	419077	1.923	ng	# 87
37) Benzo(b)fluoranthene	22.903	252	446706	1.929	ng	# 96
38) Benzo(k)fluoranthene	22.948	252	431663	1.566	ng	# 94
39) Benzo(a)pyrene	23.482	252	400274	1.824	ng	# 95
40) Dibenzo(a,h)anthracene	25.878	278	341307	2.046	ng	# 91
41) Benzo(g,h,i)perylene	26.549	276	358981	1.703	ng	# 89


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN061621\
Data File : BN014927.D
Acq On : 16 Jun 2021 18:29
Operator : CG/JU
Sample : SSTDIC1.6
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
SSTDIC1.6

Quant Time: Jun 16 19:01:25 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN061621.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jun 16 18:59:52 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.763 min Scan# 584
Delta R.T. -0.000 min
Lab File: BN014927.D
Acq: 16 Jun 2021 18:29




Instrument :
BNA_N
ClientSampleId :
SSTDICC1.6


Tgt Ion:152 Resp: 17599
Ion Ratio Lower Upper
152 100
150 155.2 119.0 178.6
115 61.0 62.2 93.4#



#2
1,4-Dioxane
Concen: 2.433 ng
RT: 3.365 min Scan# 107
Delta R.T. 0.000 min
Lab File: BN014927.D
Acq: 16 Jun 2021 18:29

Tgt Ion: 88 Resp: 12443
Ion Ratio Lower Upper
88 100
43 31.3 12.9 19.3#
58 80.2 38.1 57.1#









#3
n-Nitrosodimethylamine
Concen: 5.306 ng
RT: 3.706 min Scan# 144
Delta R.T. -0.009 min
Lab File: BN014927.D
Acq: 16 Jun 2021 18:29




Instrument :
BNA_N
ClientSampleId :
SSTDICC1.6


Tgt Ion: 42 Resp: 28783
Ion Ratio Lower Upper
42 100
74 0.0 149.5 224.3#
44 7.1 4.2 6.2#



#4
2-Fluorophenol
Concen: 1.842 ng
RT: 5.384 min Scan# 326
Delta R.T. 0.009 min
Lab File: BN014927.D
Acq: 16 Jun 2021 18:29

Tgt Ion: 112 Resp: 87495
Ion Ratio Lower Upper
112 100
64 0.0 39.0 58.6#
63 0.0 20.6 30.8#









#5
Phenol-d6
Concen: 1.992 ng
RT: 6.924 min Scan# 493
Delta R.T. 0.000 min
Lab File: BN014927.D
Acq: 16 Jun 2021 18:29




Instrument :
BNA_N
ClientSampled :
SSTDICC1.6


Tgt Ion: 99 Resp: 110202
Ion Ratio Lower Upper
99 100
42 18.8 8.9 13.3#
71 31.8 35.6 53.4#



#6
bis(2-Chloroethyl)ether
Concen: 2.144 ng
RT: 7.191 min Scan# 522
Delta R.T. -0.009 min
Lab File: BN014927.D
Acq: 16 Jun 2021 18:29

Tgt Ion: 93 Resp: 89868
Ion Ratio Lower Upper
93 100
63 77.3 46.6 70.0#
95 32.9 28.6 42.8









#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.521 min Scan# 818
Delta R.T. 0.000 min
Lab File: BN014927.D
Acq: 16 Jun 2021 18:29




Instrument :
BNA_N
ClientSampleId :
SSTDICC1.6


Tgt Ion:	136	Resp:	77162
Ion Ratio	Lower	Upper	
136	100		
137	11.4	9.8	14.8
54	10.8	5.4	8.2#
68	10.4	4.9	7.3#



#8
Nitrobenzene-d5
Concen: 1.541 ng
RT: 8.899 min Scan# 690
Delta R.T. 0.000 min
Lab File: BN014927.D
Acq: 16 Jun 2021 18:29

Tgt Ion:	82	Resp:	98207
Ion Ratio	Lower	Upper	
82	100		
128	46.5	31.6	47.4
54	45.2	29.0	43.4#









#9
Naphthalene
Concen: 1.689 ng
RT: 10.572 min Scan# 822
Delta R.T. 0.000 min
Lab File: BN014927.D
Acq: 16 Jun 2021 18:29




Instrument :
BNA_N
ClientSampleId :
SSTDICC1.6


Tgt Ion:128 Resp: 356948
Ion Ratio Lower Upper
128 100
129 11.0 9.1 13.7
127 13.2 11.8 17.6



#10
Hexachlorobutadiene
Concen: 1.148 ng
RT: 10.876 min Scan# 846
Delta R.T. 0.000 min
Lab File: BN014927.D
Acq: 16 Jun 2021 18:29

Tgt Ion:225 Resp: 70692
Ion Ratio Lower Upper
225 100
223 0.0 0.0 0.0
227 63.9 50.2 75.2









#11
2-Methylnaphthalene-d10
Concen: 1.467 ng
RT: 12.119 min Scan# 1033
Delta R.T. 0.000 min
Lab File: BN014927.D
Acq: 16 Jun 2021 18:29




Instrument :
BNA_N
ClientSampleId :
SSTDICC1.6


Tgt Ion:152 Resp: 213173
Ion Ratio Lower Upper
152 100
151 20.1 16.7 25.1



#12
2-Methylnaphthalene
Concen: 1.594 ng
RT: 12.190 min Scan# 1049
Delta R.T. 0.000 min
Lab File: BN014927.D
Acq: 16 Jun 2021 18:29

Tgt Ion:142 Resp: 237114
Ion Ratio Lower Upper
142 100
141 88.0 72.3 108.5
115 33.0 40.7 61.1#









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.371 min Scan# 1267
Delta R.T. 0.000 min
Lab File: BN014927.D
Acq: 16 Jun 2021 18:29




Instrument :
BNA_N
ClientSampleId :
SSTDICC1.6


Tgt Ion:164 Resp: 42587
Ion Ratio Lower Upper
164 100
162 102.2 83.8 125.6
160 45.7 37.4 56.0



#14
2,4,6-Tribromophenol
Concen: 1.875 ng
RT: 15.868 min Scan# 1385
Delta R.T. 0.000 min
Lab File: BN014927.D
Acq: 16 Jun 2021 18:29

Tgt Ion:330 Resp: 33511
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 33.4 22.4 33.6









#15
2-Fluorobiphenyl
Concen: 1.658 ng
RT: 13.001 min Scan# 1159
Delta R.T. 0.000 min
Lab File: BN014927.D
Acq: 16 Jun 2021 18:29




Instrument :
BNA_N
ClientSampleId :
SSTDICC1.6


Tgt Ion:172 Resp: 266945
Ion Ratio Lower Upper
172 100
171 33.9 30.6 45.8
170 22.1 20.2 30.4



#16
Acenaphthylene
Concen: 2.004 ng
RT: 14.092 min Scan# 1245
Delta R.T. 0.000 min
Lab File: BN014927.D
Acq: 16 Jun 2021 18:29

Tgt Ion:152 Resp: 355753
Ion Ratio Lower Upper
152 100
151 19.5 16.7 25.1
153 13.1 10.5 15.7









#17
Acenaphthene
Concen: 1.803 ng
RT: 14.434 min Scan# 1272
Delta R.T. 0.000 min
Lab File: BN014927.D
Acq: 16 Jun 2021 18:29




Instrument :
BNA_N
ClientSampleId :
SSTDICC1.6


Tgt Ion:154 Resp: 216638
Ion Ratio Lower Upper
154 100
153 111.0 90.9 136.3
152 52.3 45.8 68.8



#18
Fluorene
Concen: 1.751 ng
RT: 15.424 min Scan# 1350
Delta R.T. 0.000 min
Lab File: BN014927.D
Acq: 16 Jun 2021 18:29

Tgt Ion:166 Resp: 269046
Ion Ratio Lower Upper
166 100
165 97.1 79.2 118.8
167 13.5 10.7 16.1









#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.116 min Scan# 1487
Delta R.T. 0.000 min
Lab File: BN014927.D
Acq: 16 Jun 2021 18:29




Instrument :
BNA_N
ClientSampleId :
SSTDICC1.6


Tgt Ion:188 Resp: 81108
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 12.4 9.0 13.4



#20
4,6-Dinitro-2-methylphenol
Concen: 1.997 ng
RT: 15.487 min Scan# 1355
Delta R.T. 0.000 min
Lab File: BN014927.D
Acq: 16 Jun 2021 18:29

Tgt Ion:198 Resp: 10343
Ion Ratio Lower Upper
198 100
182 7.6 34.5 51.7#
77 0.0 0.0 0.0









#21
4-Bromophenyl-phenylether
Concen: 1.489 ng
RT: 16.325 min Scan# 1422
Delta R.T. 0.000 min
Lab File: BN014927.D
Acq: 16 Jun 2021 18:29




Instrument :
BNA_N
ClientSampleId :
SSTDICC1.6


Tgt Ion:248 Resp: 85954
Ion Ratio Lower Upper
248 100
250 103.2 86.2 129.4
141 35.5 36.2 54.2#



#22
Hexachlorobenzene
Concen: 1.374 ng
RT: 16.422 min Scan# 1430
Delta R.T. 0.000 min
Lab File: BN014927.D
Acq: 16 Jun 2021 18:29

Tgt Ion:284 Resp: 90202
Ion Ratio Lower Upper
284 100
142 33.5 22.2 33.2#
249 30.6 26.6 39.8









#23
Atrazine
Concen: 2.451 ng
RT: 16.592 min Scan# 1444
Delta R.T. 0.000 min
Lab File: BN014927.D
Acq: 16 Jun 2021 18:29




Instrument :
BNA_N
ClientSampleId :
SSTDICC1.6


Tgt Ion:200 Resp: 76818
Ion Ratio Lower Upper
200 100
173 23.6 21.7 32.5
215 49.3 43.1 64.7



#24
Pentachlorophenol
Concen: 2.374 ng
RT: 16.763 min Scan# 1458
Delta R.T. 0.000 min
Lab File: BN014927.D
Acq: 16 Jun 2021 18:29

Tgt Ion:266 Resp: 35070
Ion Ratio Lower Upper
266 100
264 63.1 51.0 76.4
268 63.2 50.6 76.0









#25
Phenanthrene
Concen: 1.758 ng
RT: 17.164 min Scan# 1491
Delta R.T. 0.000 min
Lab File: BN014927.D
Acq: 16 Jun 2021 18:29




Instrument :
BNA_N
ClientSampleId :
SSTDICC1.6


Tgt Ion:178 Resp: 405166
Ion Ratio Lower Upper
178 100
176 18.9 15.6 23.4
179 15.3 12.1 18.1



#26
Anthracene
Concen: 1.932 ng
RT: 17.250 min Scan# 1498
Delta R.T. 0.000 min
Lab File: BN014927.D
Acq: 16 Jun 2021 18:29

Tgt Ion:178 Resp: 394307
Ion Ratio Lower Upper
178 100
176 18.2 15.1 22.7
179 15.4 12.2 18.2









#27
Fluoranthene-d10
Concen: 1.449 ng
RT: 19.158 min Scan# 1791
Delta R.T. 0.000 min
Lab File: BN014927.D
Acq: 16 Jun 2021 18:29




Instrument :
BNA_N
ClientSampleId :
SSTDICC1.6


Tgt Ion:212 Resp: 405492
Ion Ratio Lower Upper
212 100
106 13.9 7.0 10.6#
104 7.6 4.1 6.1#



#28
Fluoranthene
Concen: 1.547 ng
RT: 19.188 min Scan# 1797
Delta R.T. 0.000 min
Lab File: BN014927.D
Acq: 16 Jun 2021 18:29

Tgt Ion:202 Resp: 451192
Ion Ratio Lower Upper
202 100
101 11.7 6.6 10.0#
203 17.4 13.9 20.9









#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.324 min Scan# 2086
Delta R.T. 0.000 min
Lab File: BN014927.D
Acq: 16 Jun 2021 18:29




Instrument :
BNA_N
ClientSampleId :
SSTDICC1.6


Tgt Ion:240 Resp: 72459
Ion Ratio Lower Upper
240 100
120 6.9 4.2 6.4#
236 25.8 21.4 32.2



#30
Pyrene
Concen: 2.178 ng
RT: 19.550 min Scan# 1870
Delta R.T. 0.000 min
Lab File: BN014927.D
Acq: 16 Jun 2021 18:29

Tgt Ion:202 Resp: 469764
Ion Ratio Lower Upper
202 100
200 20.5 16.9 25.3
203 17.5 13.9 20.9









#31
 Terphenyl-d14
 Concen: 1.616 ng
 RT: 19.769 min Scan# 1914
 Delta R.T. 0.000 min
 Lab File: BN014927.D
 Acq: 16 Jun 2021 18:29




Instrument :
 BNA_N
 ClientSampleId :
 SSTDICC1.6


Tgt Ion:244 Resp: 289631
 Ion Ratio Lower Upper
 244 100
 212 7.4 6.3 9.5
 122 11.9 6.2 9.2#



#32
 Benzo(a)anthracene
 Concen: 2.205 ng
 RT: 21.302 min Scan# 2084
 Delta R.T. 0.000 min
 Lab File: BN014927.D
 Acq: 16 Jun 2021 18:29

Tgt Ion:228 Resp: 454355
 Ion Ratio Lower Upper
 228 100
 226 27.1 23.0 34.6
 229 19.5 15.7 23.5









#33
Chrysene
Concen: 1.768 ng
RT: 21.356 min Scan# 2089
Delta R.T. 0.000 min
Lab File: BN014927.D
Acq: 16 Jun 2021 18:29




Instrument :
BNA_N
ClientSampleId :
SSTDICC1.6


Tgt Ion:228 Resp: 427662
Ion Ratio Lower Upper
228 100
226 29.8 25.0 37.6
229 19.5 15.9 23.9



#34
Bis(2-ethylhexyl)phthalate
Concen: 5.042 ng
RT: 21.260 min Scan# 2080
Delta R.T. -0.010 min
Lab File: BN014927.D
Acq: 16 Jun 2021 18:29

Tgt Ion:149 Resp: 320975
Ion Ratio Lower Upper
149 100
167 28.4 28.9 43.3#
279 3.7 4.9 7.3#









#35
Perylene-d12
Concen: 0.400 ng
RT: 23.581 min Scan# 2531
Delta R.T. 0.000 min
Lab File: BN014927.D
Acq: 16 Jun 2021 18:29




Instrument :
BNA_N
ClientSampleId :
SSTDICC1.6


Tgt Ion:264	Resp:	72554
Ion Ratio	Lower	Upper
264	100	
260	24.7	20.6 31.0
265	23.3	21.4 32.2



#36
Indeno(1,2,3-cd)pyrene
Concen: 1.923 ng
RT: 25.861 min Scan# 3197
Delta R.T. 0.004 min
Lab File: BN014927.D
Acq: 16 Jun 2021 18:29

Tgt Ion:276	Resp:	419077
Ion Ratio	Lower	Upper
276	100	
138	27.1	10.0 15.0#
277	25.0	20.4 30.6









#37
Benzo(b)fluoranthene
Concen: 1.929 ng
RT: 22.903 min Scan# 2333
Delta R.T. -0.003 min
Lab File: BN014927.D
Acq: 16 Jun 2021 18:29




Instrument :
BNA_N
ClientSampleId :
SSTDICC1.6


Tgt Ion:252 Resp: 446706
Ion Ratio Lower Upper
252 100
253 21.9 18.5 27.7
125 10.5 5.8 8.6#



#38
Benzo(k)fluoranthene
Concen: 1.566 ng
RT: 22.948 min Scan# 2346
Delta R.T. -0.003 min
Lab File: BN014927.D
Acq: 16 Jun 2021 18:29


Tgt Ion:252 Resp: 431663
Ion Ratio Lower Upper
252 100
253 21.8 19.1 28.7
125 10.9 5.4 8.0#







#39
Benzo(a)pyrene
Concen: 1.824 ng
RT: 23.482 min Scan# 2502
Delta R.T. 0.000 min
Lab File: BN014927.D
Acq: 16 Jun 2021 18:29

Instrument :
BNA_N
ClientSampleId :
SSTDICC1.6







Tgt Ion:252 Resp: 400274
Ion Ratio Lower Upper
252 100
253 21.9 19.4 29.2
125 11.7 7.4 11.2#



#40
Dibenzo(a,h)anthracene
Concen: 2.046 ng
RT: 25.878 min Scan# 3202
Delta R.T. -0.003 min
Lab File: BN014927.D
Acq: 16 Jun 2021 18:29

Tgt Ion:278 Resp: 341307
Ion Ratio Lower Upper
278 100
139 18.0 9.0 13.4#
279 23.4 21.0 31.4





#41
 Benzo(g,h,i)perylene
 Concen: 1.703 ng
 RT: 26.549 min Scan# 3398
 Delta R.T. -0.003 min
 Lab File: BN014927.D
 Acq: 16 Jun 2021 18:29

Instrument :
 BNA_N
 ClientSampleId :
 SSTDICC1.6

Tgt Ion:276 Resp: 358981
 Ion Ratio Lower Upper
 276 100
 277 23.7 19.7 29.5
 138 23.2 9.8 14.6#

