

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN061920\
 Data File : BN010969.D
 Acq On : 19 Jun 2020 14:36
 Operator : CG/JU
 Sample : L3043-01
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 MW201D1-20200616

Quant Time: Jun 30 06:08:03 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN061020.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 19 12:43:49 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.53	152	2485	0.40	ng	0.00
7) Naphthalene-d8	10.28	136	7070	0.40	ng	0.00
13) Acenaphthene-d10	14.16	164	4306	0.40	ng	0.00
19) Phenanthrene-d10	16.91	188	8632	0.40	ng	0.01
27) Chrysene-d12	21.12	240	7395	0.40	ng	0.00
34) Perylene-d12	23.26	264	7743	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.18	112	605	0.13	ng	0.00
5) Phenol-d6	6.73	99	436	0.08	ng	0.00
8) Nitrobenzene-d5	8.67	82	2161	0.41	ng	0.00
11) 2-Methylnaphthalene-d10	11.88	152	4776	0.44	ng	0.00
14) 2,4,6-Tribromophenol	15.66	330	545	0.35	ng	0.01
15) 2-Fluorobiphenyl	12.78	172	6216	0.37	ng	0.00
25) Fluoranthene-d10	18.94	212	12827	0.54	ng	0.00
29) Terphenyl-d14	19.56	244	9914	0.57	ng	0.00
Target Compounds						Qvalue
32) Bis(2-ethylhexyl)phthalate	21.06	149	1087	0.150	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN061920\
Data File : BN010969.D
Acq On : 19 Jun 2020 14:36
Operator : CG/JU
Sample : L3043-01
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
MW201D1-20200616

Quant Time: Jun 30 06:08:03 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN061020.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 19 12:43:49 2020
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.53 min Scan# 584
Delta R.T. -0.00 min
Lab File: BN010969.D
Acq: 19 Jun 2020 14:36

Instrument :
BNA_N
ClientSampleId :
MW201D1-20200616

Tot Ion:152 Resp: 2485
Ion Ratio Lower Upper
152 100
150 154.1 123.8 185.6
115 60.5 49.2 73.8




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#4


2-Fluorophenol
Concen: 0.126 ng
RT: 5.18 min Scan# 292
Delta R.T. -0.00 min
Lab File: BN010969.D
Acq: 19 Jun 2020 14:36

Tgt Ion:112 Resp: 605
Ion Ratio Lower Upper
112 100
64 44.3 37.4 56.0
63 24.1 22.2 33.4



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BNC
Ion 63.00 (62.70 to 63.70): BNC





#5

Phenol-d6

Concen: 0.077 ng

RT: 6.73 min Scan# 484

Delta R.T. -0.00 min

Lab File: BN010969.D

Acq: 19 Jun 2020 14:36

Instrument :

BNA_N

ClientSampleId :

MW201D1-20200616


Tot Ion: 99 Resp: 436

Ion Ratio Lower Upper

99 100

42 23.4 11.1 16.7#




71 39.9 31.4 47.2



Abundance Ion 99.00 (98.70 to 99.70): BN010815.D (-479) (-)

Ion 42.00 (41.70 to 42.70): BN010815.D (-479) (-)

Ion 71.00 (70.70 to 71.70): BN010815.D (-479) (-)



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.28 min Scan# 836

Delta R.T. -0.00 min

Lab File: BN010969.D

Acq: 19 Jun 2020 14:36

Tgt Ion: 136 Resp: 7070


Ion Ratio Lower Upper

136 100

137 12.4 9.7 14.5

54 6.2 4.9 7.3

68 7.0 4.7 7.1






Abundance Ion 136.00 (135.70 to 136.70): BN010815.D (-832) (-)

Ion 137.00 (136.70 to 137.70): BN010815.D (-832) (-)

Ion 54.00 (53.70 to 54.70): BN010815.D (-832) (-)

Ion 68.00 (67.70 to 68.70): BN010815.D (-832) (-)









#8
 Nitrobenzene-d5
 Concen: 0.413 ng
 RT: 8.67 min Scan# 709
 Delta R.T. -0.00 min
 Lab File: BN010969.D
 Acq: 19 Jun 2020 14:36

Instrument :
 BNA_N
 ClientSampleId :
 MW201D1-20200616

Tot Ion: 82 Resp: 2161
 Ion Ratio Lower Upper
 82 100
 128 45.0 35.4 53.0
 54 33.9 28.2 42.4




Abundance Ion 82.00 (81.70 to 82.70): BN0
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BN0






#11
 2-Methylnaphthalene-d10
 Concen: 0.436 ng
 RT: 11.88 min Scan# 1016
 Delta R.T. -0.00 min
 Lab File: BN010969.D
 Acq: 19 Jun 2020 14:36

Tgt Ion: 152 Resp: 4776
 Ion Ratio Lower Upper
 152 100
 151 19.4 15.3 22.9



Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 151.00 (150.70 to 151.70): E





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.16 min Scan# 1306

Delta R.T. -0.00 min

Lab File: BN010969.D

Acq: 19 Jun 2020 14:36

Instrument :

BNA_N

ClientSampleId :

MW201D1-20200616


Tot Ion:164 Resp: 4306

Ion Ratio Lower Upper

164 100

162 100.4 81.0 121.6




160 47.4 38.9 58.3



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#14

2,4,6-Tribromophenol

Concen: 0.354 ng

RT: 15.66 min Scan# 1441

Delta R.T. 0.01 min

Lab File: BN010969.D

Acq: 19 Jun 2020 14:36


Tgt Ion:330 Resp: 545

Ion Ratio Lower Upper

330 100

332 0.0 0.0 0.0



141 43.9 33.2 49.8




Abundance Ion 330.00 (329.70 to 330.70): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E





#15

2-Fluorobiphenyl

Concen: 0.366 ng

RT: 12.78 min Scan# 1182

Delta R.T. -0.00 min

Lab File: BN010969.D

Acq: 19 Jun 2020 14:36

Instrument :


BNA_N

ClientSampleId :

MW201D1-20200616

Tot Ion:172 Resp: 6216




Ion	Ratio	Lower	Upper
172	100		
171	35.4	28.5	42.7
170	23.9	19.7	29.5



Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E



#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 16.91 min Scan# 1557


Delta R.T. 0.01 min

Lab File: BN010969.D

Acq: 19 Jun 2020 14:36

Tgt Ion:188 Resp: 8632



Ion	Ratio	Lower	Upper
188	100		
94	0.0	0.0	0.0
80	7.9	4.5	6.7#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BNC

Ion 80.00 (79.70 to 80.70): BNC





#25

Fluoranthene-d10

Concen: 0.538 ng

RT: 18.94 min Scan# 1849

Delta R.T. -0.00 min

Lab File: BN010969.D

Acq: 19 Jun 2020 14:36

Instrument :

BNA_N

ClientSampleId :

MW201D1-20200616


Tot Ion:212 Resp: 12827

Ion Ratio Lower Upper

212 100

106 9.2 6.6 10.0




104 5.3 4.0 6.0



Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E



#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.12 min Scan# 2168

Delta R.T. -0.00 min

Lab File: BN010969.D

Acq: 19 Jun 2020 14:36


Tgt Ion:240 Resp: 7395

Ion Ratio Lower Upper

240 100

120 8.2 7.5 11.3



236 27.2 22.3 33.5




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#29

Terphenyl-d14

Concen: 0.573 ng

RT: 19.56 min Scan# 1973

Delta R.T. -0.00 min

Lab File: BN010969.D

Acq: 19 Jun 2020 14:36

Instrument :

BNA_N

ClientSampleId :

MW201D1-20200616


Tot Ion:244 Resp: 9914

Ion Ratio Lower Upper

244 100

212 8.5 7.4 11.2




122 9.5 7.5 11.3



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#32

Bis(2-ethylhexyl)phthalate

Concen: 0.150 ng

RT: 21.06 min Scan# 2162

Delta R.T. -0.00 min

Lab File: BN010969.D

Acq: 19 Jun 2020 14:36


Tgt Ion:149 Resp: 1087

Ion Ratio Lower Upper

149 100

167 30.8 24.1 36.1



279 5.1 4.6 7.0






Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E





#34

Pervlene-d12

Concen: 0.400 ng

RT: 23.26 min Scan# 2539

Delta R.T. -0.00 min

Lab File: BN010969.D

Acq: 19 Jun 2020 14:36

Instrument :

BNA_N

ClientSampleId :

MW201D1-20200616

Tot Ion:264 Resp: 7743

Ion Ratio Lower Upper

264 100

260 25.7 20.4 30.6

265 82.9 75.0 112.4

