

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN061920\
 Data File : BN010995.D
 Acq On : 20 Jun 2020 08:35
 Operator : CG/JU
 Sample : L3043-15
 Misc :
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 MW202D-20200613

Quant Time: Jun 22 00:40:12 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN061020.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 19 12:43:49 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.53	152	2036	0.40	ng	0.00
7) Naphthalene-d8	10.28	136	6982	0.40	ng	0.00
13) Acenaphthene-d10	14.15	164	3913	0.40	ng	-0.01
19) Phenanthrene-d10	16.91	188	8226	0.40	ng	0.01
27) Chrysene-d12	21.12	240	7597	0.40	ng	0.00
34) Perylene-d12	23.26	264	8109	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.18	112	754	0.19	ng	0.00
5) Phenol-d6	6.73	99	531	0.11	ng	0.00
8) Nitrobenzene-d5	8.67	82	1951	0.38	ng	0.00
11) 2-Methylnaphthalene-d10	11.88	152	2994	0.28	ng	0.00
14) 2,4,6-Tribromophenol	15.66	330	476	0.34	ng	0.01
15) 2-Fluorobiphenyl	12.78	172	6520	0.42	ng	0.00
25) Fluoranthene-d10	18.94	212	7666	0.34	ng	0.00
29) Terphenyl-d14	19.56	244	8478	0.48	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.21	88	1049	0.526	ng	# 89
32) Bis(2-ethylhexyl)phthalate	21.06	149	552	0.074	ng	# 94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN061920\
Data File : BN010995.D
Acq On : 20 Jun 2020 08:35
Operator : CG/JU
Sample : L3043-15
Misc :
ALS Vial : 31 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
MW202D-20200613

Quant Time: Jun 22 00:40:12 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN061020.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 19 12:43:49 2020
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.53 min Scan# 584
Delta R.T. -0.00 min
Lab File: BN010995.D
Acq: 20 Jun 2020 08:35

Instrument :
BNA_N
ClientSampleId :
MW202D-20200613

Tot Ion:152 Resp: 2036
Ion Ratio Lower Upper
152 100
150 149.9 123.8 185.6
115 60.8 49.2 73.8




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#2


1,4-Dioxane
Concen: 0.526 ng
RT: 3.21 min Scan# 47
Delta R.T. -0.01 min
Lab File: BN010995.D
Acq: 20 Jun 2020 08:35

Tgt Ion: 88 Resp: 1049
Ion Ratio Lower Upper
88 100
58 48.7 38.2 57.4
43 34.4 15.1 22.7#



Abundance Ion 88.00 (87.70 to 88.70): BNC
Ion 58.00 (57.70 to 58.70): BNC
Ion 43.00 (42.70 to 43.70): BNC





#4

2-Fluorophenol

Concen: 0.192 ng

RT: 5.18 min Scan# 292

Delta R.T. -0.00 min

Lab File: BN010995.D

Acq: 20 Jun 2020 08:35

Instrument :

BNA_N

ClientSampleId :

MW202D-20200613


Tot Ion:112 Resp: 754

Ion Ratio Lower Upper

112 100

64 46.4 37.4 56.0




63 25.1 22.2 33.4



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BN0

Ion 63.00 (62.70 to 63.70): BN0



#5

Phenol-d6

Concen: 0.115 ng

RT: 6.73 min Scan# 484

Delta R.T. -0.00 min

Lab File: BN010995.D

Acq: 20 Jun 2020 08:35


Tgt Ion: 99 Resp: 531

Ion Ratio Lower Upper

99 100

42 18.8 11.1 16.7#



71 39.5 31.4 47.2




Abundance Ion 99.00 (98.70 to 99.70): BN0

Ion 42.00 (41.70 to 42.70): BN0

Ion 71.00 (70.70 to 71.70): BN0





#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.28 min Scan# 836

Delta R.T. -0.00 min

Lab File: BN010995.D

Acq: 20 Jun 2020 08:35

Instrument :

BNA_N

ClientSampleId :

MW202D-20200613

Tot Ion:136 Resp: 6982


Ion Ratio Lower Upper

136 100

137 12.9 9.7 14.5

54 5.6 4.9 7.3

68 6.2 4.7 7.1






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BNC

Ion 68.00 (67.70 to 68.70): BNC



#8

Nitrobenzene-d5

Concen: 0.378 ng

RT: 8.67 min Scan# 709

Delta R.T. -0.00 min

Lab File: BN010995.D

Acq: 20 Jun 2020 08:35


Tgt Ion: 82 Resp: 1951

Ion Ratio Lower Upper

82 100

128 44.2 35.4 53.0



54 36.3 28.2 42.4




Abundance Ion 82.00 (81.70 to 82.70): BNC

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BNC









#11
2-Methylnaphthalene-d10
Concen: 0.276 ng
RT: 11.88 min Scan# 1016
Delta R.T. -0.00 min
Lab File: BN010995.D
Acq: 20 Jun 2020 08:35




Instrument :
BNA_N
ClientSampleId :
MW202D-20200613


Tot Ion:152 Resp: 2994
Ion Ratio Lower Upper
152 100
151 19.3 15.3 22.9



#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.15 min Scan# 1305
Delta R.T. -0.01 min
Lab File: BN010995.D
Acq: 20 Jun 2020 08:35

Tgt Ion:164 Resp: 3913
Ion Ratio Lower Upper
164 100
162 104.4 81.0 121.6
160 51.1 38.9 58.3









#14
2,4,6-Tribromophenol
Concen: 0.340 ng
RT: 15.66 min Scan# 1441
Delta R.T. 0.01 min
Lab File: BN010995.D
Acq: 20 Jun 2020 08:35

Instrument :
BNA_N
ClientSampleId :
MW202D-20200613

Tot Ion:330 Resp: 476
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 43.7 33.2 49.8




Abundance Ion 330.00 (329.70 to 330.70): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E






#15
2-Fluorobiphenyl
Concen: 0.422 ng
RT: 12.78 min Scan# 1182
Delta R.T. -0.00 min
Lab File: BN010995.D
Acq: 20 Jun 2020 08:35

Tgt Ion:172 Resp: 6520
Ion Ratio Lower Upper
172 100
171 35.1 28.5 42.7
170 23.2 19.7 29.5



Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E





#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 16.91 min Scan# 1557

Delta R.T. 0.01 min

Lab File: BN010995.D

Acq: 20 Jun 2020 08:35

Instrument :

BNA_N

ClientSampleId :

MW202D-20200613


Tot Ion:188 Resp: 8226

Ion Ratio Lower Upper

188 100

94 0.0 0.0 0.0




80 7.6 4.5 6.7#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BNO

Ion 80.00 (79.70 to 80.70): BNO



#25

Fluoranthene-d10

Concen: 0.338 ng

RT: 18.94 min Scan# 1849

Delta R.T. -0.00 min

Lab File: BN010995.D

Acq: 20 Jun 2020 08:35


Tgt Ion:212 Resp: 7666

Ion Ratio Lower Upper

212 100

106 9.6 6.6 10.0



104 5.5 4.0 6.0




Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E





#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.12 min Scan# 2168

Delta R.T. -0.00 min

Lab File: BN010995.D

Acq: 20 Jun 2020 08:35

Instrument :

BNA_N

ClientSampleId :

MW202D-20200613


Tot Ion:240 Resp: 7597

Ion Ratio Lower Upper

240 100

120 8.6 7.5 11.3




236 27.3 22.3 33.5



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#29

Terphenyl-d14

Concen: 0.477 ng

RT: 19.56 min Scan# 1973

Delta R.T. -0.00 min

Lab File: BN010995.D

Acq: 20 Jun 2020 08:35


Tgt Ion:244 Resp: 8478

Ion Ratio Lower Upper

244 100

212 8.3 7.4 11.2



122 9.1 7.5 11.3




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#32

Bis(2-ethylhexyl)phthalate

Concen: 0.074 ng

RT: 21.06 min Scan# 2162

Delta R.T. -0.00 min

Lab File: BN010995.D

Acq: 20 Jun 2020 08:35

Instrument :

BNA_N

ClientSampleId :

MW202D-20200613


Tot Ion:149 Resp: 552

Ion Ratio Lower Upper

149 100

167 26.8 24.1 36.1




279 7.1 4.6 7.0#



Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E



#34

Perylene-d12

Concen: 0.400 ng

RT: 23.26 min Scan# 2538

Delta R.T. -0.00 min

Lab File: BN010995.D

Acq: 20 Jun 2020 08:35


Tgt Ion:264 Resp: 8109

Ion Ratio Lower Upper

264 100

260 24.8 20.4 30.6

265 80.1 75.0 112.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

