

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN061920\
 Data File : BN010999.D
 Acq On : 20 Jun 2020 10:59
 Operator : CG/JU
 Sample : L3043-13
 Misc :
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 MW203D2-20200613

Quant Time: Jun 22 00:47:05 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN061020.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 19 12:43:49 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.53	152	2070	0.40	ng	0.00
7) Naphthalene-d8	10.28	136	6830	0.40	ng	0.00
13) Acenaphthene-d10	14.15	164	3837	0.40	ng	-0.01
19) Phenanthrene-d10	16.91	188	7856	0.40	ng	0.01
27) Chrysene-d12	21.11	240	7597	0.40	ng	-0.01
34) Perylene-d12	23.26	264	7940	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.18	112	506	0.13	ng	0.00
5) Phenol-d6	6.73	99	323	0.07	ng	0.00
8) Nitrobenzene-d5	8.67	82	1392	0.28	ng	0.00
11) 2-Methylnaphthalene-d10	11.88	152	2036	0.19	ng	0.00
14) 2,4,6-Tribromophenol	15.66	330	388	0.28	ng	0.01
15) 2-Fluorobiphenyl	12.78	172	4298	0.28	ng	0.00
25) Fluoranthene-d10	18.94	212	6844	0.32	ng	0.00
29) Terphenyl-d14	19.56	244	8799	0.49	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.21	88	725	0.358	ng	# 84
32) Bis(2-ethylhexyl)phthalate	21.06	149	817	0.110	ng	# 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN061920\
Data File : BN010999.D
Acq On : 20 Jun 2020 10:59
Operator : CG/JU
Sample : L3043-13
Misc :
ALS Vial : 35 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
MW203D2-20200613

Quant Time: Jun 22 00:47:05 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN061020.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 19 12:43:49 2020
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.53 min Scan# 584
Delta R.T. -0.00 min
Lab File: BN010999.D
Acq: 20 Jun 2020 10:59

Instrument :
BNA_N
ClientSampleId :
MW203D2-20200613

Tot Ion:152 Resp: 2070
Ion Ratio Lower Upper
152 100
150 149.5 123.8 185.6
115 59.9 49.2 73.8




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#2


1,4-Dioxane
Concen: 0.358 ng
RT: 3.21 min Scan# 47
Delta R.T. -0.01 min
Lab File: BN010999.D
Acq: 20 Jun 2020 10:59

Tgt Ion: 88 Resp: 725
Ion Ratio Lower Upper
88 100
58 48.4 38.2 57.4
43 42.8 15.1 22.7#



Abundance Ion 88.00 (87.70 to 88.70): BN0
Ion 58.00 (57.70 to 58.70): BN0
Ion 43.00 (42.70 to 43.70): BN0





#4

2-Fluorophenol

Concen: 0.127 ng

RT: 5.18 min Scan# 292

Delta R.T. -0.00 min

Lab File: BN010999.D

Acq: 20 Jun 2020 10:59

Instrument :

BNA_N

ClientSampleId :

MW203D2-20200613


Tot Ion: 112 Resp: 506

Ion Ratio Lower Upper

112 100

64 46.6 37.4 56.0

63 26.7 22.2 33.4



Abundance Ion 112.00 (111.70 to 112.70): BNC

Ion 64.00 (63.70 to 64.70): BNC

Ion 63.00 (62.70 to 63.70): BNC

5.18

400

300



200

100

0

5.10 5.20 5.30

Time-->



#5

Phenol-d6

Concen: 0.069 ng

RT: 6.73 min Scan# 484

Delta R.T. -0.00 min

Lab File: BN010999.D

Acq: 20 Jun 2020 10:59


Tgt Ion: 99 Resp: 323

Ion Ratio Lower Upper

99 100

42 13.3 11.1 16.7

71 43.3 31.4 47.2



Abundance Ion 99.00 (98.70 to 99.70): BNC

Ion 42.00 (41.70 to 42.70): BNC

Ion 71.00 (70.70 to 71.70): BNC

6.73

250

200

150


100


50

0

6.60 6.70 6.80

Time-->





#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.28 min Scan# 836

Delta R.T. -0.00 min

Lab File: BN010999.D

Acq: 20 Jun 2020 10:59

Instrument :

BNA_N

ClientSampleId :

MW203D2-20200613

Tot Ion:136 Resp: 6830


Ion Ratio Lower Upper

136 100

137 11.7 9.7 14.5

54 5.9 4.9 7.3

68 6.2 4.7 7.1






Abundance Ion 136.00 (135.70 to 136.70): E

5000 Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BNC

Ion 68.00 (67.70 to 68.70): BNC



#8

Nitrobenzene-d5

Concen: 0.275 ng

RT: 8.67 min Scan# 709

Delta R.T. -0.00 min

Lab File: BN010999.D

Acq: 20 Jun 2020 10:59


Tgt Ion: 82 Resp: 1392

Ion Ratio Lower Upper

82 100

128 46.1 35.4 53.0



54 39.1 28.2 42.4




Abundance Ion 82.00 (81.70 to 82.70): BNC

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BNC









#11
2-Methylnaphthalene-d10
Concen: 0.192 ng
RT: 11.88 min Scan# 1017
Delta R.T. 0.00 min
Lab File: BN010999.D
Acq: 20 Jun 2020 10:59




Instrument :
BNA_N
ClientSampleId :
MW203D2-20200613


Tot Ion:152 Resp: 2036
Ion Ratio Lower Upper
152 100
151 19.8 15.3 22.9



#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.15 min Scan# 1305
Delta R.T. -0.01 min
Lab File: BN010999.D
Acq: 20 Jun 2020 10:59

Tgt Ion:164 Resp: 3837
Ion Ratio Lower Upper
164 100
162 106.0 81.0 121.6
160 50.4 38.9 58.3









#14
 2,4,6-Tribromophenol
 Concen: 0.283 ng
 RT: 15.66 min Scan# 1441
 Delta R.T. 0.01 min
 Lab File: BN010999.D
 Acq: 20 Jun 2020 10:59




Instrument :
 BNA_N
 ClientSampleId :
 MW203D2-20200613


Tot Ion:330 Resp: 388
 Ion Ratio Lower Upper
 330 100
 332 0.0 0.0 0.0
 141 39.7 33.2 49.8



#15
 2-Fluorobiphenyl
 Concen: 0.284 ng
 RT: 12.78 min Scan# 1182
 Delta R.T. -0.00 min
 Lab File: BN010999.D
 Acq: 20 Jun 2020 10:59

Tgt Ion:172 Resp: 4298
 Ion Ratio Lower Upper
 172 100
 171 35.6 28.5 42.7
 170 22.9 19.7 29.5





#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 16.91 min Scan# 1557

Delta R.T. 0.01 min

Lab File: BN010999.D

Acq: 20 Jun 2020 10:59

Instrument :

BNA_N

ClientSampleId :

MW203D2-20200613


Tot Ion:188 Resp: 7856

Ion Ratio Lower Upper

188 100

94 0.0 0.0 0.0




80 7.1 4.5 6.7#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BNO

Ion 80.00 (79.70 to 80.70): BNO



#25

Fluoranthene-d10

Concen: 0.316 ng

RT: 18.94 min Scan# 1849

Delta R.T. -0.00 min

Lab File: BN010999.D

Acq: 20 Jun 2020 10:59


Tgt Ion:212 Resp: 6844

Ion Ratio Lower Upper

212 100

106 9.1 6.6 10.0



104 5.3 4.0 6.0




Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E





#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.11 min Scan# 2167

Delta R.T. -0.01 min

Lab File: BN010999.D

Acq: 20 Jun 2020 10:59

Instrument :

BNA_N

ClientSampleId :

MW203D2-20200613


Tot Ion:240 Resp: 7597

Ion Ratio Lower Upper

240 100

120 13.0 7.5 11.3#




236 28.6 22.3 33.5



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#29

Terphenyl-d14

Concen: 0.495 ng

RT: 19.56 min Scan# 1973

Delta R.T. -0.00 min

Lab File: BN010999.D

Acq: 20 Jun 2020 10:59


Tgt Ion:244 Resp: 8799

Ion Ratio Lower Upper

244 100

212 8.3 7.4 11.2



122 9.0 7.5 11.3




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E









#32
 Bis(2-ethylhexyl)phthalate
 Concen: 0.110 ng
 RT: 21.06 min Scan# 2162
 Delta R.T. -0.00 min
 Lab File: BN010999.D
 Acq: 20 Jun 2020 10:59

Instrument :
 BNA_N
 ClientSampleId :
 MW203D2-20200613

Tot Ion:149 Resp: 817
 Ion Ratio Lower Upper
 149 100
 167 30.7 24.1 36.1
 279 8.7 4.6 7.0#




Abundance Ion 149.00 (148.70 to 149.70): E
 Ion 167.00 (166.70 to 167.70): E
 Ion 279.00 (278.70 to 279.70): E



#34
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.26 min Scan# 2538
 Delta R.T. -0.00 min
 Lab File: BN010999.D
 Acq: 20 Jun 2020 10:59

Tgt Ion:264 Resp: 7940
 Ion Ratio Lower Upper
 264 100
 260 24.8 20.4 30.6
 265 79.2 75.0 112.4



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

