

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN061925\
 Data File : BN037336.D
 Acq On : 19 Jun 2025 05:18
 Operator : RC/JU
 Sample : Q2329-18
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :

Quant Time: Jun 19 06:28:17 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN061925.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jun 18 18:40:16 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.568	152	800	0.400	ng	0.00
7) Naphthalene-d8	10.351	136	1772	0.400	ng	0.00
13) Acenaphthene-d10	14.213	164	1339	0.400	ng	-0.01
19) Phenanthrene-d10	16.971	188	3031	0.400	ng	0.00
29) Chrysene-d12	21.171	240	3753	0.400	ng	# 0.00
35) Perylene-d12	23.351	264	4134	0.400	ng	#-0.01
System Monitoring Compounds						
4) 2-Fluorophenol	5.170	112	221	0.152	ng	0.00
5) Phenol-d6	6.759	99	120	0.084	ng	0.00
8) Nitrobenzene-d5	8.717	82	500	0.339	ng	-0.01
11) 2-Methylnaphthalene-d10	11.945	152	999	0.347	ng	0.00
14) 2,4,6-Tribromophenol	15.718	330	404	0.409	ng	0.00
15) 2-Fluorobiphenyl	12.838	172	1961	0.334	ng	0.00
27) Fluoranthene-d10	19.008	212	4717	0.491	ng	0.00
31) Terphenyl-d14	19.616	244	3810	0.442	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	3.104	88	373	0.522	ng	# 82
34) Bis(2-ethylhexyl)phtha...	21.099	149	945	0.191	ng	# 76


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN061925\
Data File : BN037336.D
Acq On : 19 Jun 2025 05:18
Operator : RC/JU
Sample : Q2329-18
Misc :
ALS Vial : 25 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :


Quant Time: Jun 19 06:28:17 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN061925.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jun 18 18:40:16 2025
Response via : Initial Calibration








#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 7.568 min Scan# 64
 Delta R.T. -0.007 min
 Lab File: BN037336.D
 Acq: 19 Jun 2025 05:18

Instrument :
 BNA_N
 ClientSampleId :







Tgt Ion:152 Resp: 800
 Ion Ratio Lower Upper
 152 100
 150 150.8 112.7 169.1
 115 57.2 45.9 68.9



#2
 1,4-Dioxane
 Concen: 0.522 ng
 RT: 3.104 min Scan# 31
 Delta R.T. -0.000 min
 Lab File: BN037336.D
 Acq: 19 Jun 2025 05:18

Tgt Ion: 88 Resp: 373
 Ion Ratio Lower Upper
 88 100
 43 50.7 21.0 31.6#
 58 48.5 38.0 57.0









#4
2-Fluorophenol
Concen: 0.152 ng
RT: 5.170 min Scan# 31
Delta R.T. -0.000 min
Lab File: BN037336.D
Acq: 19 Jun 2025 05:18




Instrument :
BNA_N
ClientSampleId :


Tgt Ion:112 Resp: 221
Ion Ratio Lower Upper
112 100
64 48.9 38.7 58.1
63 33.5 26.4 39.6



#5
Phenol-d6
Concen: 0.084 ng
RT: 6.759 min Scan# 537
Delta R.T. -0.000 min
Lab File: BN037336.D
Acq: 19 Jun 2025 05:18

Tgt Ion: 99 Resp: 120
Ion Ratio Lower Upper
99 100
42 46.7 19.8 29.8#
71 50.8 42.6 64.0





#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.351 min Scan# 94

Delta R.T. -0.000 min


Lab File: BN037336.D

Acq: 19 Jun 2025 05:18

Instrument :

BNA_N

ClientSampleId :



Tgt Ion:136 Resp: 1772




Ion Ratio Lower Upper

136 100

137 15.4 12.2 18.2

54 9.5 8.8 13.2

68 7.8 7.0 10.4



#8

Nitrobenzene-d5

Concen: 0.339 ng

RT: 8.717 min Scan# 790

Delta R.T. -0.011 min

Lab File: BN037336.D

Acq: 19 Jun 2025 05:18




Tgt Ion: 82 Resp: 500


Ion Ratio Lower Upper

82 100

128 47.6 42.5 63.7


54 52.8 43.2 64.8








#11
2-Methylnaphthalene-d10
Concen: 0.347 ng
RT: 11.945 min Scan# 1138
Delta R.T. -0.005 min
Lab File: BN037336.D
Acq: 19 Jun 2025 05:18


Instrument :
BNA_N
ClientSampleId :





Tgt Ion:152 Resp: 999
Ion Ratio Lower Upper
152 100
151 21.8 17.4 26.0




#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.213 min Scan# 1460
Delta R.T. -0.011 min
Lab File: BN037336.D
Acq: 19 Jun 2025 05:18




Tgt Ion:164 Resp: 1339
Ion Ratio Lower Upper
164 100
162 100.3 81.5 122.3
160 52.9 43.0 64.4








#14
2,4,6-Tribromophenol
Concen: 0.409 ng
RT: 15.718 min Scan# 11
Delta R.T. -0.000 min
Lab File: BN037336.D
Acq: 19 Jun 2025 05:18


Instrument :
BNA_N
ClientSampleId :





Tgt Ion:330 Resp: 404
Ion Ratio Lower Upper
330 100
332 96.3 78.4 117.6
141 29.2 24.4 36.6




#15
2-Fluorobiphenyl
Concen: 0.334 ng
RT: 12.838 min Scan# 1314
Delta R.T. -0.005 min
Lab File: BN037336.D
Acq: 19 Jun 2025 05:18



Tgt Ion:172 Resp: 1961
Ion Ratio Lower Upper
172 100
171 35.5 30.8 46.2
170 26.6 21.9 32.9









#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 16.971 min Scan# 1699
Delta R.T. -0.000 min
Lab File: BN037336.D
Acq: 19 Jun 2025 05:18




Instrument :
BNA_N
ClientSampleId :


Tgt Ion:188 Resp: 3031
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 6.4 6.2 9.2



#27
Fluoranthene-d10
Concen: 0.491 ng
RT: 19.008 min Scan# 1930
Delta R.T. -0.005 min
Lab File: BN037336.D
Acq: 19 Jun 2025 05:18

Tgt Ion:212 Resp: 4717
Ion Ratio Lower Upper
212 100
106 4.7 3.0 4.4#
104 3.3 2.0 3.0#





#29

Chrysene-d12

Concen: 0.400 ng

RT: 21.171 min Scan# 21

Delta R.T. -0.009 min

Lab File: BN037336.D

Acq: 19 Jun 2025 05:18

Instrument :

BNA_N

ClientSampleId :





Tgt Ion:240 Resp: 3753

Ion Ratio Lower Upper

240 100

120 7.3 7.5 11.3#

236 29.4 24.9 37.3



#31

Terphenyl-d14

Concen: 0.442 ng

RT: 19.616 min Scan# 2061

Delta R.T. -0.009 min

Lab File: BN037336.D

Acq: 19 Jun 2025 05:18




Tgt Ion:244 Resp: 3810


Ion Ratio Lower Upper

244 100

212 11.6 11.1 16.7

122 7.3 7.2 10.8









#34
 Bis(2-ethylhexyl)phthalate
 Concen: 0.191 ng
 RT: 21.099 min Scan# 21
 Delta R.T. -0.000 min
 Lab File: BN037336.D
 Acq: 19 Jun 2025 05:18

Instrument :
 BNA_N
 ClientSampleId :

Tgt Ion:149 Resp: 945
 Ion Ratio Lower Upper
 149 100
 167 46.7 24.6 37.0#
 279 9.2 6.5 9.7



#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.351 min Scan# 2736
 Delta R.T. -0.012 min
 Lab File: BN037336.D
 Acq: 19 Jun 2025 05:18

Tgt Ion:264 Resp: 4134
 Ion Ratio Lower Upper
 264 100
 260 27.5 21.4 32.2
 265 71.3 71.4 107.0#

