

Data Path : Z:\svoasrv\HPCHEM1\BNA N\Data\BN062220\
 Data File : BN011003.D
 Acq On : 22 Jun 2020 11:28
 Operator : CG/JU
 Sample : PB129630BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 PB129630BL

Quant Time: Jun 22 12:06:13 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN061020.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 22 12:02:11 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.53	152	1995	0.40	ng	0.00
7) Naphthalene-d8	10.29	136	6634	0.40	ng	0.01
13) Acenaphthene-d10	14.16	164	3491	0.40	ng	0.01
19) Phenanthrene-d10	16.91	188	6375	0.40	ng	0.00
27) Chrysene-d12	21.12	240	5994	0.40	ng	0.00
34) Perylene-d12	23.26	264	6937	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.18	112	1613	0.42	ng	0.00
5) Phenol-d6	6.74	99	1512	0.33	ng	0.00
8) Nitrobenzene-d5	8.69	82	1736	0.35	ng	0.03
11) 2-Methylnaphthalene-d10	11.89	152	2785	0.27	ng	0.01
14) 2,4,6-Tribromophenol	15.67	330	349	0.28	ng	0.01
15) 2-Fluorobiphenyl	12.79	172	5003	0.36	ng	0.01
25) Fluoranthene-d10	18.95	212	5920	0.34	ng	0.00
29) Terphenyl-d14	19.56	244	5975	0.43	ng	0.00
Target Compounds						
3) n-Nitrosodimethylamine	3.54	42	39	0.034	ng	Qvalue # 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA N\Data\BN062220\
Data File : BN011003.D
Acq On : 22 Jun 2020 11:28
Operator : CG/JU
Sample : PB129630BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
PB129630BL

Quant Time: Jun 22 12:06:13 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN061020.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 22 12:02:11 2020
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.53 min Scan# 584
Delta R.T. -0.00 min
Lab File: BN011003.D
Acq: 22 Jun 2020 11:28

Instrument :
BNA_N
ClientSampleId :
PB129630BL

Tot Ion:152 Resp: 1995
Ion Ratio Lower Upper
152 100
150 152.8 123.8 185.6
115 62.2 49.2 73.8




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#3


n-Nitrosodimethylamine
Concen: 0.034 ng
RT: 3.54 min Scan# 88
Delta R.T. -0.02 min
Lab File: BN011003.D
Acq: 22 Jun 2020 11:28

Tgt Ion: 42 Resp: 39
Ion Ratio Lower Upper
42 100
74 35.9 140.7 211.1#
44 0.0 1.4 2.2#



Abundance Ion 42.00 (41.70 to 42.70): BNC
Ion 74.00 (73.70 to 74.70): BNC
Ion 44.00 (43.70 to 44.70): BNC





#4

2-Fluorophenol

Concen: 0.419 ng

RT: 5.18 min Scan# 292

Delta R.T. -0.00 min

Lab File: BN011003.D

Acq: 22 Jun 2020 11:28

Instrument :

BNA_N

ClientSampleId :

PB129630BL


Tot Ion: 112 Resp: 1613

Ion Ratio Lower Upper

112 100

64 45.7 37.4 56.0




63 27.6 22.2 33.4



Abundance Ion 112.00 (111.70 to 112.70): BNC

Ion 64.00 (63.70 to 64.70): BNC

Ion 63.00 (62.70 to 63.70): BNC



#5

Phenol-d6

Concen: 0.333 ng

RT: 6.74 min Scan# 485

Delta R.T. 0.01 min

Lab File: BN011003.D

Acq: 22 Jun 2020 11:28


Tgt Ion: 99 Resp: 1512

Ion Ratio Lower Upper

99 100

42 11.7 11.1 16.7



71 39.9 31.4 47.2




Abundance Ion 99.00 (98.70 to 99.70): BNC

Ion 42.00 (41.70 to 42.70): BNC

Ion 71.00 (70.70 to 71.70): BNC





#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.29 min Scan# 837

Delta R.T. 0.01 min

Lab File: BN011003.D

Acq: 22 Jun 2020 11:28

Instrument :

BNA_N

ClientSampleId :

PB129630BL

Tot Ion:136 Resp: 6634


Ion Ratio Lower Upper

136 100

137 13.2 9.7 14.5

54 5.2 4.9 7.3

68 6.1 4.7 7.1






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BNC

Ion 68.00 (67.70 to 68.70): BNC



#8

Nitrobenzene-d5

Concen: 0.354 ng

RT: 8.69 min Scan# 711

Delta R.T. 0.03 min

Lab File: BN011003.D

Acq: 22 Jun 2020 11:28


Tgt Ion: 82 Resp: 1736

Ion Ratio Lower Upper

82 100

128 53.5 35.4 53.0#



54 36.9 28.2 42.4




Abundance Ion 82.00 (81.70 to 82.70): BNC

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BNC





#11

2-Methylnaphthalene-d10

Concen: 0.271 ng

RT: 11.89 min Scan# 1019

Delta R.T. 0.01 min

Lab File: BN011003.D

Acq: 22 Jun 2020 11:28

Instrument :

BNA_N

ClientSampled :


PB129630BL

Tot Ion:152 Resp: 2785

Ion Ratio Lower Upper

152 100

151 19.6 15.3 22.9



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 151.00 (150.70 to 151.70): E

11.89

1000

800



600

400

200

0

Time--> 11.80 12.00



#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.16 min Scan# 1306

Delta R.T. 0.01 min

Lab File: BN011003.D

Acq: 22 Jun 2020 11:28


Tgt Ion:164 Resp: 3491

Ion Ratio Lower Upper

164 100

162 105.8 81.0 121.6

160 52.0 38.9 58.3



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E

14.16

2500

2000


1500


1000

500

0

Time--> 14.00 14.10 14.20 14.30









#14
 2,4,6-Tribromophenol
 Concen: 0.280 ng
 RT: 15.67 min Scan# 1442
 Delta R.T. 0.01 min
 Lab File: BN011003.D
 Acq: 22 Jun 2020 11:28

Instrument :
 BNA_N
 ClientSampleId :
 PB129630BL

Tot Ion:330 Resp: 349
 Ion Ratio Lower Upper
 330 100
 332 0.0 0.0 0.0
 141 38.4 33.2 49.8




Abundance Ion 330.00 (329.70 to 330.70): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#15
 2-Fluorobiphenyl
 Concen: 0.363 ng
 RT: 12.79 min Scan# 1183
 Delta R.T. 0.01 min
 Lab File: BN011003.D
 Acq: 22 Jun 2020 11:28

Tgt Ion:172 Resp: 5003
 Ion Ratio Lower Upper
 172 100
 171 36.0 28.5 42.7
 170 24.7 19.7 29.5



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 16.91 min Scan# 1557

Delta R.T. -0.00 min

Lab File: BN011003.D

Acq: 22 Jun 2020 11:28

Instrument :

BNA_N

ClientSampleId :

PB129630BL


Tot Ion:188 Resp: 6375

Ion Ratio Lower Upper

188 100

94 0.0 0.0 0.0




80 10.3 4.5 6.7#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BNO

Ion 80.00 (79.70 to 80.70): BNO



#25

Fluoranthene-d10

Concen: 0.336 ng

RT: 18.95 min Scan# 1850

Delta R.T. 0.00 min

Lab File: BN011003.D

Acq: 22 Jun 2020 11:28


Tgt Ion:212 Resp: 5920

Ion Ratio Lower Upper

212 100

106 9.0 6.6 10.0



104 5.2 4.0 6.0




Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E





#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.12 min Scan# 2168

Delta R.T. -0.00 min

Lab File: BN011003.D

Acq: 22 Jun 2020 11:28

Instrument :

BNA_N

ClientSampleId :

PB129630BL


Tot Ion:240 Resp: 5994

Ion Ratio Lower Upper

240 100

120 8.5 7.5 11.3


236 27.4 22.3 33.5





Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



Time-->



#29

Terphenyl-d14

Concen: 0.426 ng

RT: 19.56 min Scan# 1973

Delta R.T. -0.00 min

Lab File: BN011003.D

Acq: 22 Jun 2020 11:28


Tgt Ion:244 Resp: 5975

Ion Ratio Lower Upper

244 100

212 9.4 7.4 11.2


122 9.4 7.5 11.3




Abundance Ion 244.00 (243.70 to 244.70): E




Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



Time-->





#34

Pervlene-d12

Concen: 0.400 ng

RT: 23.26 min Scan# 2539

Delta R.T. -0.00 min

Lab File: BN011003.D

Acq: 22 Jun 2020 11:28

Instrument :

BNA_N

ClientSampleId :

PB129630BL

Tot Ion:264 Resp: 6937

Ion Ratio Lower Upper

264 100

260 25.8 20.4 30.6

265 97.1 75.0 112.4

