

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN062321\
 Data File : BN014987.D
 Acq On : 22 Jun 2021 23:15
 Operator : CG/JU
 Sample : M2750-03
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 RE135D2-20210615

Manual Integrations
 APPROVED

mohammad
 6/23/2021 4:50:39 PM

Quant Time: Jun 23 03:39:46 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN061621.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jun 17 01:26:44 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.750	152	22501	0.400	ng	#-0.01
7) Naphthalene-d8	10.518	136	101700	0.400	ng	# 0.00
13) Acenaphthene-d10	14.359	164	55356	0.400	ng	-0.01
19) Phenanthrene-d10	17.104	188	104661	0.400	ng	-0.01
29) Chrysene-d12	21.303	240	93541	0.400	ng	#-0.02
35) Perylene-d12	23.557	264	80365	0.400	ng	-0.02
System Monitoring Compounds						
4) 2-Fluorophenol	5.381	112	10518	0.151	ng	0.00
5) Phenol-d6	6.920	99	7258	0.082	ng	0.00
8) Nitrobenzene-d5	8.883	82	28531	0.371	ng	-0.02
11) 2-Methylnaphthalene-d10	12.106	152	58595	0.336	ng	-0.01
14) 2,4,6-Tribromophenol	15.856	330	8422	0.324	ng	-0.01
15) 2-Fluorobiphenyl	12.988	172	88379	0.420	ng	-0.01
27) Fluoranthene-d10	19.143	212	116371	0.353	ng	-0.01
31) Terphenyl-d14	19.749	244	107569	0.464	ng	-0.02
Target Compounds						Qvalue
2) 1,4-Dioxane	3.371	88	2145m	0.227	ng	
34) Bis(2-ethylhexyl)phtha...	21.239	149	41255	0.168	ng	# 87

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN062321\
Data File : BN014987.D
Acq On : 22 Jun 2021 23:15
Operator : CG/JU
Sample : M2750-03
Misc :
ALS Vial : 16 Sample Multiplier: 1


Instrument :
BNA_N
ClientSampleId :
RE135D2-20210615

Manual Integrations
APPROVED

mohammad
6/23/2021 4:50:39 PM


Quant Time: Jun 23 03:39:46 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN061621.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jun 17 01:26:44 2021
Response via : Initial Calibration





#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 7.750 min Scan# 485
 Delta R.T. -0.013 min
 Lab File: BN014987.D
 Acq: 22 Jun 2021 23:15




Instrument :
 BNA_N
 ClientSampleId :
 RE135D2-20210615




Tgt Ion:152 Resp: 22501
 Ion Ratio Lower Upper
 152 100
 150 155.8 119.0 178.6
 115 60.8 62.2 93.4#

Manual Integrations
 APPROVED



mohammad
 6/23/2021 4:50:39 PM




#2
 1,4-Dioxane
 Concen: 0.227 ng m
 RT: 3.371 min Scan# 10
 Delta R.T. 0.006 min
 Lab File: BN014987.D
 Acq: 22 Jun 2021 23:15



Tgt Ion: 88 Resp: 2145
 Ion Ratio Lower Upper
 88 100
 43 141.3 12.9 19.3#
 58 94.5 38.1 57.1#









#4
2-Fluorophenol
Concen: 0.151 ng
RT: 5.381 min Scan# 228
Delta R.T. 0.006 min
Lab File: BN014987.D
Acq: 22 Jun 2021 23:15

Tgt Ion:	112	Resp:	10518
Ion	Ratio	Lower	Upper
112	100		
64	56.8	39.0	58.6
63	28.6	20.6	30.8

Instrument :
BNA_N
ClientSampleId :
RE135D2-20210615




Manual Integrations
APPROVED


mohammad
6/23/2021 4:50:39 PM



#5
Phenol-d6
Concen: 0.082 ng
RT: 6.920 min Scan# 395
Delta R.T. -0.003 min
Lab File: BN014987.D
Acq: 22 Jun 2021 23:15


Tgt Ion:	99	Resp:	7258
Ion	Ratio	Lower	Upper
99	100		
42	16.6	8.9	13.3
71	36.5	35.6	53.4





#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.518 min Scan# 720
Delta R.T. -0.003 min
Lab File: BN014987.D
Acq: 22 Jun 2021 23:15




Instrument :
BNA_N
ClientSampleId :
RE135D2-20210615



Tgt Ion: 136 Resp: 101700
Ion Ratio Lower Upper
136 100
137 11.0 9.8 14.8
54 5.6 5.4 8.2
68 4.7 4.9 7.3#




Manual Integrations
APPROVED


mohammad
6/23/2021 4:50:39 PM



#8
Nitrobenzene-d5
Concen: 0.371 ng
RT: 8.883 min Scan# 591
Delta R.T. -0.016 min
Lab File: BN014987.D
Acq: 22 Jun 2021 23:15

Tgt Ion: 82 Resp: 28531
Ion Ratio Lower Upper
82 100
128 38.7 31.6 47.4
54 49.9 29.0 43.4#









#11
2-Methylnaphthalene-d10
Concen: 0.336 ng
RT: 12.106 min Scan# 931
Delta R.T. -0.013 min
Lab File: BN014987.D
Acq: 22 Jun 2021 23:15

Tgt Ion:152 Resp: 58595
Ion Ratio Lower Upper
152 100
151 20.6 16.7 25.1

Instrument :
BNA_N
ClientSampleId :
RE135D2-20210615




Manual Integrations
APPROVED


mohammad
6/23/2021 4:50:39 PM



#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.359 min Scan# 1167
Delta R.T. -0.012 min
Lab File: BN014987.D
Acq: 22 Jun 2021 23:15


Tgt Ion:164 Resp: 55356
Ion Ratio Lower Upper
164 100
162 101.6 83.8 125.6
160 45.7 37.4 56.0





#14
2,4,6-Tribromophenol
Concen: 0.324 ng
RT: 15.856 min Scan# 1285
Delta R.T. -0.012 min
Lab File: BN014987.D
Acq: 22 Jun 2021 23:15




Instrument :
BNA_N
ClientSampleId :
RE135D2-20210615



Tgt Ion: 330 Resp: 8422
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 34.4 22.4 33.6#




Manual Integrations
APPROVED


mohammad
6/23/2021 4:50:39 PM



#15
2-Fluorobiphenyl
Concen: 0.420 ng
RT: 12.988 min Scan# 1059
Delta R.T. -0.012 min
Lab File: BN014987.D
Acq: 22 Jun 2021 23:15


Tgt Ion: 172 Resp: 88379
Ion Ratio Lower Upper
172 100
171 33.6 30.6 45.8
170 21.7 20.2 30.4





#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.104 min Scan# 1387
Delta R.T. -0.012 min
Lab File: BN014987.D
Acq: 22 Jun 2021 23:15




Instrument :
BNA_N
ClientSampleId :
RE135D2-20210615



Tgt Ion:188 Resp: 104661
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 11.1 9.0 13.4




Manual Integrations
APPROVED


mohammad
6/23/2021 4:50:39 PM



#27
Fluoranthene-d10
Concen: 0.353 ng
RT: 19.143 min Scan# 1689
Delta R.T. -0.014 min
Lab File: BN014987.D
Acq: 22 Jun 2021 23:15

Tgt Ion:212 Resp: 116371
Ion Ratio Lower Upper
212 100
106 14.0 7.0 10.6#
104 7.6 4.1 6.1#









#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.303 min Scan# 1985
Delta R.T. -0.021 min
Lab File: BN014987.D
Acq: 22 Jun 2021 23:15

Tgt Ion:240 Resp: 93541
Ion Ratio Lower Upper
240 100
120 10.3 4.2 6.4#
236 26.6 21.4 32.2

Instrument :
BNA_N
ClientSampleId :
RE135D2-20210615




Manual Integrations
APPROVED


mohammad
6/23/2021 4:50:39 PM



#31
Terphenyl-d14
Concen: 0.464 ng
RT: 19.749 min Scan# 1811
Delta R.T. -0.019 min
Lab File: BN014987.D
Acq: 22 Jun 2021 23:15


Tgt Ion:244 Resp: 107569
Ion Ratio Lower Upper
244 100
212 7.5 6.3 9.5
122 12.9 6.2 9.2#





#34
Bis(2-ethylhexyl)phthalate
Concen: 0.168 ng
RT: 21.239 min Scan# 1979
Delta R.T. -0.031 min
Lab File: BN014987.D
Acq: 22 Jun 2021 23:15




Instrument :
BNA_N
ClientSampleId :
RE135D2-20210615




Tgt Ion:149 Resp: 41255
Ion Ratio Lower Upper
149 100
167 28.1 28.9 43.3#
279 3.6 4.9 7.3#

Manual Integrations
APPROVED

mohammad
6/23/2021 4:50:39 PM



#35
Perylene-d12
Concen: 0.400 ng
RT: 23.557 min Scan# 2425
Delta R.T. -0.023 min
Lab File: BN014987.D
Acq: 22 Jun 2021 23:15



Tgt Ion:264 Resp: 80365
Ion Ratio Lower Upper
264 100
260 24.8 20.6 31.0
265 23.6 21.4 32.2

