




Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN062424\
 Data File : BN032244.D
 Acq On : 25 Jun 2024 15:59
 Operator : MA/JU
 Sample : P2844-07
 Misc :
 ALS Vial : 46 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 A4C85

Manual IntegrationsAPPROVED

Quant Time: Jun 25 16:56:48 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-BN052924.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Jun 20 10:49:40 2024
 Response via : Initial Calibration

Reviewed By :Yogesh Patel 06/26/2024
 Supervised By :Jagrut Upadhyay 06/26/2024



TIC: BN032244.D\data.ms

(87) Chrysene

21.251min (-0.059) 1.22 ng/u1

response 89093

Ion	Exp%	Act%
228.00	100.00	100.00
226.00	29.60	26.85
229.00	18.90	21.83
0.00	0.00	0.00




Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN062424\
Data File : BN032244.D
Acq On : 25 Jun 2024 15:59
Operator : MA/JU
Sample : P2844-07
Misc :
ALS Vial : 46 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
A4C85

Manual IntegrationsAPPROVED

Quant Time: Jun 25 16:56:48 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-BN052924.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Jun 20 10:49:40 2024
Response via : Initial Calibration

Reviewed By :Yogesh Patel 06/26/2024
Supervised By :Jagrut Upadhyay 06/26/2024



TIC: BN032244.D\data.ms

(87) Chrysene

21.310min (+ 0.000) 1.32 ng/u1 m

response 96115

Ion	Exp%	Act%
228.00	100.00	100.00
226.00	29.60	29.75
229.00	18.90	22.93#
0.00	0.00	0.00




Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN062424\
Data File : BN032244.D
Acq On : 25 Jun 2024 15:59
Operator : MA/JU
Sample : P2844-07
Misc :
ALS Vial : 46 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
A4C85

Manual IntegrationsAPPROVED

Quant Time: Jun 25 16:56:48 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-BN052924.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Jun 20 10:49:40 2024
Response via : Initial Calibration

Reviewed By :Yogesh Patel 06/26/2024
Supervised By :Jagrut Upadhyay 06/26/2024



TIC: BN032244.D\data.ms

(90) Benzo(b)fluoranthene

23.262min (+ 0.000) 0.82 ng/u1

response 68128

Ion	Exp%	Act%
252.00	100.00	100.00
253.00	21.30	23.76
125.00	11.50	17.92#
0.00	0.00	0.00




Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN062424\
Data File : BN032244.D
Acq On : 25 Jun 2024 15:59
Operator : MA/JU
Sample : P2844-07
Misc :
ALS Vial : 46 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
A4C85

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 06/26/2024
Supervised By :Jagrut Upadhyay 06/26/2024

Quant Time: Jun 25 16:56:48 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-BN052924.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Jun 20 10:49:40 2024
Response via : Initial Calibration



TIC: BN032244.D\data.ms

(90) Benzo(b)fluoranthene

23.262min (+ 0.000) 1.54 ng/u1 m

response 128227

Ion	Exp%	Act%
252.00	100.00	100.00
253.00	21.30	23.76
125.00	11.50	17.92#
0.00	0.00	0.00

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN062424\
 Data File : BN032244.D
 Acq On : 25 Jun 2024 15:59
 Operator : MA/JU
 Sample : P2844-07
 Misc :
 ALS Vial : 46 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 A4C85

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 06/26/2024
 Supervised By :Jagrut Upadhyay 06/26/2024

Quant Time: Jun 25 17:00:22 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-BN052924.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Jun 20 10:49:40 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.628	152	286934	20.000	ng/ul	0.00
20) Naphthalene-d8	10.410	136	1077478	20.000	ng/ul	# 0.00
38) Acenaphthene-d10	14.275	164	640518	20.000	ng/ul	0.00
64) Phenanthrene-d10	17.028	188	1262085	20.000	ng/ul	0.00
79) Chrysene-d12	21.269	240	1166772	20.000	ng/ul	0.00
88) Perylene-d12	24.180	264	1395625	20.000	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.164	96	17038	2.457	ng/uL	0.00
4) Pyridine-d5	3.575	84	163789	8.389	ng/ul	0.00
7) Phenol-d5	6.816	99	292170	11.878	ng/ul	0.00
9) Bis-(2-Chloroethyl)eth...	6.975	67	156911	10.906	ng/ul	0.00
11) 2-Chlorophenol-d4	7.169	132	261074	13.910	ng/ul	0.00
15) 4-Methylphenol-d8	8.346	113	232087	11.575	ng/ul	0.00
21) Nitrobenzene-d5	8.787	128	119345	14.486	ng/ul	0.00
24) 2-Nitrophenol-d4	9.504	143	125492	14.746	ng/ul	0.00
28) 2,4-Dichlorophenol-d3	10.040	165	215568	13.568	ng/ul	0.00
31) 4-Chloroaniline-d4	10.557	131	300924	12.757	ng/ul	0.00
46) Dimethylphthalate-d6	13.692	166	624224	13.989	ng/ul	0.00
49) Acenaphthylene-d8	13.969	160	760401	14.820	ng/ul	0.00
54) 4-Nitrophenol-d4	14.522	143	101713	11.384	ng/ul	0.02
60) Fluorene-d10	15.275	176	555990	14.726	ng/ul	0.00
65) 4,6-Dinitro-2-methylph...	15.416	200	33291	5.248	ng/ul	0.00
73) Anthracene-d10	17.128	188	834204	15.439	ng/ul	0.00
81) Pyrene-d10	19.433	212	934756	14.971	ng/ul	0.00
92) Benzo(a)pyrene-d12	23.980	264	932554	13.994	ng/ul	0.00
Target Compounds						
					Qvalue	
72) Phenanthrene	17.069	178	105858	1.647	ng/ul	99
80) Fluoranthene	19.092	202	196012	2.627	ng/ul#	96
82) Pyrene	19.457	202	146953	1.920	ng/ul	97
85) Benzo(a)anthracene	21.251	228	89087	1.141	ng/ul	97
87) Chrysene	21.310	228	96115m	1.318	ng/ul	
90) Benzo(b)fluoranthene	23.262	252	128227m	1.537	ng/ul	

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN062424\
Data File : BN032244.D
Acq On : 25 Jun 2024 15:59
Operator : MA/JU
Sample : P2844-07
Misc :
ALS Vial : 46 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
A4C85

Manual IntegrationsAPPROVED

Quant Time: Jun 25 17:00:22 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-BN052924.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Jun 20 10:49:40 2024
Response via : Initial Calibration

Reviewed By :Yogesh Patel 06/26/2024
Supervised By :Jagrut Upadhyay 06/26/2024

