

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN062620\
 Data File : BN011060.D
 Acq On : 26 Jun 2020 15:30
 Operator : CG/JU
 Sample : L3117-02
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 KY038PS027-200624

Quant Time: Jun 26 16:25:34 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN062320.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 26 11:59:47 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.52	152	3041	0.40	ng	0.00
7) Naphthalene-d8	10.27	136	10297	0.40	ng	0.00
13) Acenaphthene-d10	14.14	164	5819	0.40	ng	0.00
19) Phenanthrene-d10	16.90	188	11600	0.40	ng	0.00
29) Chrysene-d12	21.11	240	10811	0.40	ng	0.00
36) Perylene-d12	23.25	264	11606	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.20	112	1175	0.14	ng	0.00
5) Phenol-d6	6.74	99	744	0.07	ng	0.00
8) Nitrobenzene-d5	8.66	82	3208	0.34	ng	0.00
11) 2-Methylnaphthalene-d10	11.86	152	4677	0.26	ng	0.00
14) 2,4,6-Tribromophenol	15.64	330	1130	0.44	ng	-0.01
15) 2-Fluorobiphenyl	12.76	172	11397	0.42	ng	0.00
27) Fluoranthene-d10	18.94	212	9424	0.26	ng	0.00
31) Terphenyl-d14	19.55	244	14269	0.49	ng	0.00
Target Compounds						Qvalue
34) Bis(2-ethylhexyl)phthalate	21.05	149	891	0.059	ng	# 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN062620\
Data File : BN011060.D
Acq On : 26 Jun 2020 15:30
Operator : CG/JU
Sample : L3117-02
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
KY038PS027-200624

Quant Time: Jun 26 16:25:34 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN062320.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 26 11:59:47 2020
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.52 min Scan# 583
Delta R.T. -0.00 min
Lab File: BN011060.D
Acq: 26 Jun 2020 15:30

Instrument :
BNA_N
ClientSampleId :
KY038PS027-200624

Tot Ion:152 Resp: 3041
Ion Ratio Lower Upper
152 100
150 152.4 121.8 182.8
115 61.1 50.2 75.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#4


2-Fluorophenol
Concen: 0.137 ng
RT: 5.20 min Scan# 294
Delta R.T. 0.01 min
Lab File: BN011060.D
Acq: 26 Jun 2020 15:30

Tgt Ion:112 Resp: 1175
Ion Ratio Lower Upper
112 100
64 48.9 37.3 55.9
63 24.6 20.4 30.6



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BNC
Ion 63.00 (62.70 to 63.70): BNC





#5

Phenol-d6

Concen: 0.073 ng

RT: 6.74 min Scan# 485

Delta R.T. 0.01 min

Lab File: BN011060.D

Acq: 26 Jun 2020 15:30

Instrument :

BNA_N

ClientSampleId :

KY038PS027-200624


Tot Ion: 99 Resp: 744

Ion Ratio Lower Upper

99 100

42 15.3 10.6 16.0




71 45.0 28.7 43.1#



Abundance Ion 99.00 (98.70 to 99.70): BN011032.D (-475) (-)

Ion 42.00 (41.70 to 42.70): BN011032.D (-475) (-)

Ion 71.00 (70.70 to 71.70): BN011032.D (-475) (-)



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.27 min Scan# 835

Delta R.T. -0.00 min

Lab File: BN011060.D

Acq: 26 Jun 2020 15:30

Tgt Ion: 136 Resp: 10297


Ion Ratio Lower Upper

136 100

137 11.5 9.6 14.4

54 5.4 3.0 4.4#

68 6.0 3.4 5.2#






Abundance Ion 136.00 (135.70 to 136.70): BN011032.D (-827) (-)

Ion 137.00 (136.70 to 137.70): BN011032.D (-827) (-)

Ion 54.00 (53.70 to 54.70): BN011032.D (-827) (-)

Ion 68.00 (67.70 to 68.70): BN011032.D (-827) (-)





#8

Nitrobenzene-d5

Concen: 0.342 ng

RT: 8.66 min Scan# 708

Delta R.T. -0.00 min

Lab File: BN011060.D

Acq: 26 Jun 2020 15:30

Instrument :

BNA_N

ClientSampleId :

KY038PS027-200624


Tot Ion: 82 Resp: 3208

Ion Ratio Lower Upper

82 100

128 40.2 29.4 44.2




54 34.9 28.8 43.2



Abundance Ion 82.00 (81.70 to 82.70): BNC

Ion 128.00 (127.70 to 128.70): BNC

Ion 54.00 (53.70 to 54.70): BNC



#11

2-Methylnaphthalene-d10

Concen: 0.257 ng

RT: 11.86 min Scan# 1013

Delta R.T. -0.00 min

Lab File: BN011060.D


Acq: 26 Jun 2020 15:30

Tgt Ion: 152 Resp: 4677

Ion Ratio Lower Upper



152 100


151 19.4 16.2 24.4



Abundance Ion 152.00 (151.70 to 152.70): BNC

Ion 151.00 (150.70 to 151.70): BNC





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.14 min Scan# 1287

Delta R.T. -0.00 min

Lab File: BN011060.D

Acq: 26 Jun 2020 15:30

Instrument :

BNA_N

ClientSampleId :

KY038PS027-200624


Tot Ion:164 Resp: 5819

Ion Ratio Lower Upper

164 100

162 98.7 80.2 120.4




160 45.9 37.7 56.5



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#14

2,4,6-Tribromophenol

Concen: 0.442 ng

RT: 15.64 min Scan# 1405

Delta R.T. -0.01 min

Lab File: BN011060.D

Acq: 26 Jun 2020 15:30


Tgt Ion:330 Resp: 1130

Ion Ratio Lower Upper

330 100

332 0.0 0.0 0.0



141 46.0 34.5 51.7




Abundance Ion 330.00 (329.70 to 330.70): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#15
2-Fluorobiphenyl
Concen: 0.420 ng
RT: 12.76 min Scan# 1178
Delta R.T. -0.00 min
Lab File: BN011060.D
Acq: 26 Jun 2020 15:30




Instrument :
BNA_N
ClientSampleId :
KY038PS027-200624


Tot Ion:172 Resp: 11397
Ion Ratio Lower Upper
172 100
171 34.3 27.4 41.2
170 22.6 17.5 26.3



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 16.90 min Scan# 1507
Delta R.T. -0.00 min
Lab File: BN011060.D
Acq: 26 Jun 2020 15:30

Tgt Ion:188 Resp: 11600
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 6.3 4.6 7.0









#27
 Fluoranthene-d10
 Concen: 0.257 ng
 RT: 18.94 min Scan# 1784
 Delta R.T. -0.00 min
 Lab File: BN011060.D
 Acq: 26 Jun 2020 15:30




Instrument :
 BNA_N
 ClientSampleId :
 KY038PS027-200624


Tot Ion:212 Resp: 9424
 Ion Ratio Lower Upper
 212 100
 106 9.6 7.7 11.5
 104 5.7 4.6 6.8



#29
 Chrysene-d12
 Concen: 0.400 ng
 RT: 21.11 min Scan# 2104
 Delta R.T. -0.00 min
 Lab File: BN011060.D
 Acq: 26 Jun 2020 15:30

Tgt Ion:240 Resp: 10811
 Ion Ratio Lower Upper
 240 100
 120 7.1 5.4 8.0
 236 27.6 21.4 32.2





#31

Terphenyl-d14

Concen: 0.492 ng

RT: 19.55 min Scan# 1908

Delta R.T. -0.01 min

Lab File: BN011060.D

Acq: 26 Jun 2020 15:30

Instrument :

BNA_N

ClientSampleId :

KY038PS027-200624


Tot Ion:244 Resp: 14269

Ion Ratio Lower Upper

244 100

212 8.3 6.9 10.3




122 9.4 7.4 11.0



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#34

Bis(2-ethylhexyl)phthalate

Concen: 0.059 ng

RT: 21.05 min Scan# 2098

Delta R.T. -0.01 min

Lab File: BN011060.D

Acq: 26 Jun 2020 15:30


Tgt Ion:149 Resp: 891

Ion Ratio Lower Upper

149 100

167 28.7 22.2 33.2



279 7.4 3.9 5.9#






Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E





#36

Pervlene-d12

Concen: 0.400 ng

RT: 23.25 min Scan# 2472

Delta R.T. -0.00 min

Lab File: BN011060.D

Acq: 26 Jun 2020 15:30

Instrument :

BNA_N

ClientSampleId :

KY038PS027-200624

Tot Ion:264 Resp: 11606

Ion Ratio Lower Upper

264 100

260 24.6 20.0 30.0

265 62.5 64.9 97.3#

