

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN062625\
 Data File : BN037409.D
 Acq On : 27 Jun 2025 01:16
 Operator : RC/JU
 Sample : Q2374-01
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 RW7-SP100-20250619

Quant Time: Jun 27 03:01:59 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN062625.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jun 26 16:06:33 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.560	152	1999	0.400	ng	0.00
7) Naphthalene-d8	10.340	136	4215	0.400	ng	0.00
13) Acenaphthene-d10	14.213	164	2915	0.400	ng	0.00
19) Phenanthrene-d10	16.971	188	6052	0.400	ng	# 0.01
29) Chrysene-d12	21.162	240	6263	0.400	ng	0.00
35) Perylene-d12	23.345	264	6677	0.400	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.163	112	547	0.142	ng	0.00
5) Phenol-d6	6.752	99	237	0.059	ng	0.00
8) Nitrobenzene-d5	8.717	82	1007	0.298	ng	0.00
11) 2-Methylnaphthalene-d10	11.940	152	2004	0.307	ng	0.00
14) 2,4,6-Tribromophenol	15.718	330	591	0.346	ng	0.00
15) 2-Fluorobiphenyl	12.833	172	4416	0.351	ng	0.00
27) Fluoranthene-d10	19.003	212	6920	0.399	ng	0.00
31) Terphenyl-d14	19.611	244	5866	0.439	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.097	88	6064	3.199	ng	Qvalue 97
34) Bis(2-ethylhexyl)phtha...	21.090	149	741	0.095	ng	# 97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN062625\
Data File : BN037409.D
Acq On : 27 Jun 2025 01:16
Operator : RC/JU
Sample : Q2374-01
Misc :
ALS Vial : 25 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
RW7-SP100-20250619


Quant Time: Jun 27 03:01:59 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN062625.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jun 26 16:06:33 2025
Response via : Initial Calibration








#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 7.560 min Scan# 64
 Delta R.T. -0.008 min
 Lab File: BN037409.D
 Acq: 27 Jun 2025 01:16

Instrument :
 BNA_N
 ClientSampleId :
 RW7-SP100-20250619







Tgt Ion:152 Resp: 1999
 Ion Ratio Lower Upper
 152 100
 150 152.6 116.2 174.2
 115 56.5 42.9 64.3



#2
 1,4-Dioxane
 Concen: 3.199 ng
 RT: 3.097 min Scan# 30
 Delta R.T. -0.007 min
 Lab File: BN037409.D
 Acq: 27 Jun 2025 01:16

Tgt Ion: 88 Resp: 6064
 Ion Ratio Lower Upper
 88 100
 43 26.4 21.6 32.4
 58 54.3 45.9 68.9









#4
2-Fluorophenol
Concen: 0.142 ng
RT: 5.163 min Scan# 316
Delta R.T. 0.000 min
Lab File: BN037409.D
Acq: 27 Jun 2025 01:16




Instrument :
BNA_N
ClientSampleId :
RW7-SP100-20250619


Tgt Ion:	112	Resp:	547
Ion	Ratio	Lower	Upper
112	100		
64	51.2	40.3	60.5
63	32.5	26.1	39.1



#5
Phenol-d6
Concen: 0.059 ng
RT: 6.752 min Scan# 536
Delta R.T. 0.007 min
Lab File: BN037409.D
Acq: 27 Jun 2025 01:16

Tgt Ion:	99	Resp:	237
Ion	Ratio	Lower	Upper
99	100		
42	7.6	15.6	23.4
71	46.4	35.8	53.8









#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.340 min Scan# 94
Delta R.T. 0.000 min
Lab File: BN037409.D
Acq: 27 Jun 2025 01:16




Instrument :
BNA_N
ClientSampleId :
RW7-SP100-20250619


Tgt Ion:	136	Resp:	4215
Ion	Ratio	Lower	Upper
136	100		
137	13.4	10.4	15.6
54	7.9	5.6	8.4
68	6.6	4.6	6.8



#8
Nitrobenzene-d5
Concen: 0.298 ng
RT: 8.717 min Scan# 790
Delta R.T. -0.000 min
Lab File: BN037409.D
Acq: 27 Jun 2025 01:16

Tgt Ion:	82	Resp:	1007
Ion	Ratio	Lower	Upper
82	100		
128	45.8	34.0	51.0
54	48.3	37.7	56.5









#11
2-Methylnaphthalene-d10
Concen: 0.307 ng
RT: 11.940 min Scan# 1137
Delta R.T. 0.000 min
Lab File: BN037409.D
Acq: 27 Jun 2025 01:16




Instrument :
BNA_N
ClientSampleId :
RW7-SP100-20250619


Tgt Ion:152 Resp: 2004
Ion Ratio Lower Upper
152 100
151 20.7 18.4 27.6



#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.213 min Scan# 1460
Delta R.T. 0.000 min
Lab File: BN037409.D
Acq: 27 Jun 2025 01:16


Tgt Ion:164 Resp: 2915
Ion Ratio Lower Upper
164 100
162 105.0 82.6 123.8
160 52.0 42.2 63.2








#14
2,4,6-Tribromophenol
Concen: 0.346 ng
RT: 15.718 min Scan# 1598
Delta R.T. -0.000 min
Lab File: BN037409.D
Acq: 27 Jun 2025 01:16

Instrument :
BNA_N
ClientSampleId :
RW7-SP100-20250619







Tgt Ion:330 Resp: 591
Ion Ratio Lower Upper
330 100
332 94.1 77.8 116.8
141 32.3 24.0 36.0



#15
2-Fluorobiphenyl
Concen: 0.351 ng
RT: 12.833 min Scan# 1313
Delta R.T. 0.000 min
Lab File: BN037409.D
Acq: 27 Jun 2025 01:16

Tgt Ion:172 Resp: 4416
Ion Ratio Lower Upper
172 100
171 37.1 28.8 43.2
170 26.2 20.3 30.5





#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 16.971 min Scan# 1699

Delta R.T. 0.012 min

Lab File: BN037409.D

Acq: 27 Jun 2025 01:16

Instrument :

BNA_N

ClientSampleId :

RW7-SP100-20250619





Tgt Ion:188 Resp: 6052

Ion Ratio Lower Upper

188 100

94 0.0 0.0 0.0

80 6.0 6.2 9.4#



#27

Fluoranthene-d10

Concen: 0.399 ng

RT: 19.003 min Scan# 1929

Delta R.T. 0.000 min

Lab File: BN037409.D

Acq: 27 Jun 2025 01:16




Tgt Ion:212 Resp: 6920


Ion Ratio Lower Upper

212 100

106 5.6 4.5 6.7

104 3.3 2.7 4.1





#29

Chrysene-d12

Concen: 0.400 ng

RT: 21.162 min Scan# 21

Delta R.T. -0.000 min

Lab File: BN037409.D

Acq: 27 Jun 2025 01:16

Instrument :

BNA_N

ClientSampleId :

RW7-SP100-20250619





Tgt Ion:240 Resp: 6263

Ion Ratio Lower Upper

240 100

120 7.5 5.3 7.9

236 29.6 22.7 34.1



#31

Terphenyl-d14

Concen: 0.439 ng

RT: 19.611 min Scan# 2060

Delta R.T. -0.005 min

Lab File: BN037409.D

Acq: 27 Jun 2025 01:16




Tgt Ion:244 Resp: 5866


Ion Ratio Lower Upper

244 100

212 11.3 9.1 13.7

122 7.9 6.3 9.5









#34
Bis(2-ethylhexyl)phthalate
Concen: 0.095 ng
RT: 21.090 min Scan# 2109
Delta R.T. -0.000 min
Lab File: BN037409.D
Acq: 27 Jun 2025 01:16

Instrument :
BNA_N
ClientSampleId :
RW7-SP100-20250619

Tgt Ion:149 Resp: 741
Ion Ratio Lower Upper
149 100
167 31.3 24.8 37.2
279 10.8 5.0 7.6#



#35
Perylene-d12
Concen: 0.400 ng
RT: 23.345 min Scan# 2734
Delta R.T. -0.000 min
Lab File: BN037409.D
Acq: 27 Jun 2025 01:16

Tgt Ion:264 Resp: 6677
Ion Ratio Lower Upper
264 100
260 27.2 21.4 32.0
265 76.5 56.2 84.4

