

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN070221\
 Data File : BN015305.D
 Acq On : 02 Jul 2021 20:33
 Operator : CG/JU
 Sample : M2803-21MSD
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 TT101D-20210621MSD

Manual Integrations
 APPROVED

mohammad
 7/6/2021 10:03:14 AM

Quant Time: Jul 03 00:09:31 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN063021.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 01 09:06:31 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.734	152	22248	0.40	ng	# 0.00
7) Naphthalene-d8	10.495	136	101661	0.40	ng	0.00
13) Acenaphthene-d10	14.345	164	54952	0.40	ng	0.00
19) Phenanthrene-d10	17.090	188	105946	0.40	ng	# 0.00
29) Chrysene-d12	21.291	240	82983	0.40	ng	#-0.01
35) Perylene-d12	23.532	264	65238	0.40	ng	-0.02
System Monitoring Compounds						
4) 2-Fluorophenol	5.374	112	9017	0.16	ng	0.01
5) Phenol-d6	6.914	99	6625	0.09	ng	0.01
8) Nitrobenzene-d5	8.860	82	23642	0.42	ng	0.00
11) 2-Methylnaphthalene-d10	12.083	152	54671m	0.32	ng	0.00
14) 2,4,6-Tribromophenol	15.842	330	7496	0.54	ng	0.00
15) 2-Fluorobiphenyl	12.962	172	73138	0.33	ng	0.00
27) Fluoranthene-d10	19.127	212	127440	0.41	ng	0.00
31) Terphenyl-d14	19.733	244	94262	0.49	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	3.355	88	68082m	6.53	ng	
3) n-Nitrosodimethylamine	3.677	42	3179	0.16	ng	# 71
6) bis(2-Chloroethyl)ether	7.163	93	27000	0.38	ng	# 85
9) Naphthalene	10.546	128	92969	0.32	ng	97
10) Hexachlorobutadiene	10.837	225	16304	0.30	ng	# 98
12) 2-Methylnaphthalene	12.158	142	62453	0.33	ng	# 88
16) Acenaphthylene	14.066	152	89419	0.37	ng	98
17) Acenaphthene	14.408	154	56073	0.33	ng	98
18) Fluorene	15.398	166	71178	0.34	ng	99
20) 4,6-Dinitro-2-methylph...	15.474	198	349	0.37	ng	# 86
21) 4-Bromophenyl-phenylether	16.287	248	23629	0.35	ng	92
22) Hexachlorobenzene	16.397	284	24624	0.32	ng	# 92
23) Atrazine	16.555	200	22921	0.57	ng	94
24) Pentachlorophenol	16.750	266	14564	1.24	ng	99
25) Phenanthrene	17.127	178	123642	0.36	ng	98
26) Anthracene	17.224	178	114747	0.39	ng	99
28) Fluoranthene	19.157	202	145614	0.40	ng	# 97
30) Pyrene	19.520	202	146248	0.46	ng	99
32) Benzo(a)anthracene	21.270	228	123075	0.43	ng	98
33) Chrysene	21.323	228	117885	0.38	ng	98
34) Bis(2-ethylhexyl)phtha...	21.206	149	94636	1.01	ng	# 87
36) Indeno(1,2,3-cd)pyrene	25.791	276	67824	0.29	ng	# 88
37) Benzo(b)fluoranthene	22.861	252	102845	0.40	ng	# 95
38) Benzo(k)fluoranthene	22.906	252	101719	0.37	ng	# 95
39) Benzo(a)pyrene	23.436	252	73273	0.31	ng	# 92
40) Dibenzo(a,h)anthracene	25.805	278	52953	0.29	ng	# 91
41) Benzo(g,h,i)perylene	26.479	276	49105	0.24	ng	# 89

(#) = qualifier out of range (m) = manual integration (+) = signals summed

mohammad
7/6/2021 10:03:14 AM

Abundance

TIC: BN015305.D\data.ms

Time-->

290000

280000

270000

260000

250000

240000

230000

220000

210000

200000

190000

180000

170000

160000

150000

140000

130000

120000

110000

100000

90000

80000

70000

60000

50000

40000

30000

20000

10000

0

4.00

6.00

8.00

10.00

12.00

14.00

16.00

18.00

20.00

22.00

24.00

26.00

28.00

n-Nitrosodimethylamine

1,4-Dioxane

2-Fluorophenol, S

Phenol-d6, S

bis(2-Chloroethyl)ether

1,4-Dichlorobenzene-d4, I

Nitrobenzene-d5, S

Hexachlorobutadiene

Naphthalene-d8, I

2-Methylnaphthalene-d10, SURR

2-Methylnaphthalene

2-Fluorobiphenyl, S

Acenaphthylene

Acenaphthene

Fluorene

4,6-Dinitro-2-methylphenol

2,4,6-Tribromophenol, S

Hexachlorobiphenyl-phenylether

Pentachlorophenol

Phenanthrene

Anthracene

Fluoranthene-d10, SURR

Fluoranthene

Pyrene

Terphenyl-d14, S

Bis(2-ethylhexyl)phthalate

Chrysene

Benzo(a)anthracene

Benzo(b)fluoranthene

Benzo(k)fluoranthene

Perylene

Dibenzo(a,h)pyrene

Benzo(g,h,i)perylene







#1
 1,4-Dichlorobenzene-d4
 Concen: 0.40 ng
 RT: 7.734 min Scan# 505
 Delta R.T. 0.002 min
 Lab File: BN015305.D
 Acq: 02 Jul 2021 20:33

Tgt Ion: 152 Resp: 22248
 Ion Ratio Lower Upper
 152 100
 150 154.8 119.0 178.6
 115 58.9 62.2 93.4#

Instrument :
 BNA_N
 ClientSampleId :
 TT101D-20210621MSD




Manual Integrations
 APPROVED

mohammad
 7/6/2021 10:03:14 AM



#2
 1,4-Dioxane
 Concen: 6.53 ng m
 RT: 3.355 min Scan# 30
 Delta R.T. 0.003 min
 Lab File: BN015305.D
 Acq: 02 Jul 2021 20:33

Tgt Ion: 88 Resp: 68082
 Ion Ratio Lower Upper
 88 100
 43 41.3 12.9 19.3#
 58 130.6 38.1 57.1#









#3
n-Nitrosodimethylamine
Concen: 0.16 ng
RT: 3.677 min Scan# 65
Delta R.T. -0.016 min
Lab File: BN015305.D
Acq: 02 Jul 2021 20:33

Tgt Ion: 42 Resp: 3179
Ion Ratio Lower Upper
42 100
74 143.6 149.5 224.3#
44 0.0 4.2 6.2#

Instrument :
BNA_N
ClientSampleId :
TT101D-20210621MSD




Manual Integrations
APPROVED


mohammad
7/6/2021 10:03:14 AM



#4
2-Fluorophenol
Concen: 0.16 ng
RT: 5.374 min Scan# 249
Delta R.T. 0.012 min
Lab File: BN015305.D
Acq: 02 Jul 2021 20:33

Tgt Ion: 112 Resp: 9017
Ion Ratio Lower Upper
112 100
64 55.8 39.0 58.6
63 28.5 20.6 30.8









#5
Phenol-d6
Concen: 0.09 ng
RT: 6.914 min Scan# 416
Delta R.T. 0.012 min
Lab File: BN015305.D
Acq: 02 Jul 2021 20:33

Tgt Ion: 99 Resp: 6625
Ion Ratio Lower Upper
99 100
42 19.2 8.9 13.3#
71 35.7 35.6 53.4

Instrument :
BNA_N
ClientSampleId :
TT101D-20210621MSD




Manual Integrations
APPROVED

mohammad
7/6/2021 10:03:14 AM




#6
bis(2-Chloroethyl)ether
Concen: 0.38 ng
RT: 7.163 min Scan# 443
Delta R.T. -0.006 min
Lab File: BN015305.D
Acq: 02 Jul 2021 20:33

Tgt Ion: 93 Resp: 27000
Ion Ratio Lower Upper
93 100
63 74.0 46.6 70.0#
95 32.4 28.6 42.8









#7
Naphthalene-d8
Concen: 0.40 ng
RT: 10.495 min Scan# 740
Delta R.T. 0.003 min
Lab File: BN015305.D
Acq: 02 Jul 2021 20:33





Tgt Ion:	136	Resp:	101661
Ion	Ratio	Lower	Upper
136	100		
137	11.0	9.8	14.8
54	6.4	5.4	8.2
68	5.4	4.9	7.3



#8
Nitrobenzene-d5
Concen: 0.42 ng
RT: 8.860 min Scan# 611
Delta R.T. -0.010 min
Lab File: BN015305.D
Acq: 02 Jul 2021 20:33



Tgt Ion:	82	Resp:	23642
Ion	Ratio	Lower	Upper
82	100		
128	34.3	31.6	47.4
54	54.0	29.0	43.4



Instrument :
BNA_N
ClientSampleId :
TT101D-20210621MSD

Manual Integrations
APPROVED

mohammad
7/6/2021 10:03:14 AM







#9
Naphthalene
Concen: 0.32 ng
RT: 10.546 min Scan# 744
Delta R.T. 0.003 min
Lab File: BN015305.D
Acq: 02 Jul 2021 20:33

Tgt Ion:	128	Resp:	92969
Ion Ratio	Lower	Upper	
128	100		
129	11.1	9.1	13.7
127	12.7	11.8	17.6

Instrument :
BNA_N
ClientSampleId :
TT101D-20210621MSD




Manual Integrations
APPROVED

mohammad
7/6/2021 10:03:14 AM



#10
Hexachlorobutadiene
Concen: 0.30 ng
RT: 10.837 min Scan# 767
Delta R.T. 0.003 min
Lab File: BN015305.D
Acq: 02 Jul 2021 20:33

Tgt Ion:	225	Resp:	16304
Ion Ratio	Lower	Upper	
225	100		
223	0.0	0.0	0.0
227	64.2	50.2	75.2









#11
2-Methylnaphthalene-d10
Concen: 0.32 ng m
RT: 12.083 min Scan# 949
Delta R.T. -0.005 min
Lab File: BN015305.D
Acq: 02 Jul 2021 20:33

Tgt Ion:152 Resp: 54671
Ion Ratio Lower Upper
152 100
151 19.1 16.7 25.1

Instrument :
BNA_N
ClientSampleId :
TT101D-20210621MSD




Manual Integrations
APPROVED


mohammad
7/6/2021 10:03:14 AM



#12
2-Methylnaphthalene
Concen: 0.33 ng
RT: 12.158 min Scan# 966
Delta R.T. -0.001 min
Lab File: BN015305.D
Acq: 02 Jul 2021 20:33


Tgt Ion:142 Resp: 62453
Ion Ratio Lower Upper
142 100
141 86.8 72.3 108.5
115 32.5 40.7 61.1#





#13
Acenaphthene-d10
Concen: 0.40 ng
RT: 14.345 min Scan# 1189
Delta R.T. -0.001 min
Lab File: BN015305.D
Acq: 02 Jul 2021 20:33




Instrument :
BNA_N
ClientSampleId :
TT101D-20210621MSD



Tgt Ion:164 Resp: 54952
Ion Ratio Lower Upper
164 100
162 99.3 83.8 125.6
160 44.2 37.4 56.0




Manual Integrations
APPROVED

mohammad
7/6/2021 10:03:14 AM



#14
2,4,6-Tribromophenol
Concen: 0.54 ng
RT: 15.842 min Scan# 1307
Delta R.T. -0.001 min
Lab File: BN015305.D
Acq: 02 Jul 2021 20:33

Tgt Ion:330 Resp: 7496
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 35.7 22.4 33.6#









#15
2-Fluorobiphenyl
Concen: 0.33 ng
RT: 12.962 min Scan# 1080
Delta R.T. -0.001 min
Lab File: BN015305.D
Acq: 02 Jul 2021 20:33

Tgt Ion:172 Resp: 73138
Ion Ratio Lower Upper
172 100
171 34.7 30.6 45.8
170 23.1 20.2 30.4

Instrument :
BNA_N
ClientSampleId :
TT101D-20210621MSD




Manual Integrations
APPROVED

mohammad
7/6/2021 10:03:14 AM



#16
Acenaphthylene
Concen: 0.37 ng
RT: 14.066 min Scan# 1167
Delta R.T. -0.001 min
Lab File: BN015305.D
Acq: 02 Jul 2021 20:33

Tgt Ion:152 Resp: 89419
Ion Ratio Lower Upper
152 100
151 19.5 16.7 25.1
153 13.2 10.5 15.7









#17
Acenaphthene
Concen: 0.33 ng
RT: 14.408 min Scan# 1194
Delta R.T. -0.001 min
Lab File: BN015305.D
Acq: 02 Jul 2021 20:33

Tgt Ion:154 Resp: 56073
Ion Ratio Lower Upper
154 100
153 113.1 90.9 136.3
152 54.2 45.8 68.8

Instrument :
BNA_N
ClientSampleId :
TT101D-20210621MSD




Manual Integrations
APPROVED


mohammad
7/6/2021 10:03:14 AM



#18
Fluorene
Concen: 0.34 ng
RT: 15.398 min Scan# 1272
Delta R.T. -0.001 min
Lab File: BN015305.D
Acq: 02 Jul 2021 20:33

Tgt Ion:166 Resp: 71178
Ion Ratio Lower Upper
166 100
165 97.5 79.2 118.8
167 13.4 10.7 16.1









#19
Phenanthrene-d10
Concen: 0.40 ng
RT: 17.090 min Scan# 1409
Delta R.T. -0.001 min
Lab File: BN015305.D
Acq: 02 Jul 2021 20:33

Tgt Ion:188 Resp: 105946
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 8.8 9.0 13.4#

Instrument :
BNA_N
ClientSampleId :
TT101D-20210621MSD




Manual Integrations
APPROVED


mohammad
7/6/2021 10:03:14 AM




#20
4,6-Dinitro-2-methylphenol
Concen: 0.37 ng
RT: 15.474 min Scan# 1278
Delta R.T. -0.014 min
Lab File: BN015305.D
Acq: 02 Jul 2021 20:33

Tgt Ion:198 Resp: 349
Ion Ratio Lower Upper
198 100
182 34.3 34.5 51.7#
77 0.0 0.0 0.0









#21
4-Bromophenyl-phenylether
Concen: 0.35 ng
RT: 16.287 min Scan# 1343
Delta R.T. -0.001 min
Lab File: BN015305.D
Acq: 02 Jul 2021 20:33





Tgt Ion: 248 Resp: 23629
Ion Ratio Lower Upper
248 100
250 99.2 86.2 129.4
141 49.3 36.2 54.2



#22
Hexachlorobenzene
Concen: 0.32 ng
RT: 16.397 min Scan# 1352
Delta R.T. -0.013 min
Lab File: BN015305.D
Acq: 02 Jul 2021 20:33




Tgt Ion: 284 Resp: 24624
Ion Ratio Lower Upper
284 100
142 35.2 22.2 33.2#
249 31.2 26.6 39.8




Instrument :
BNA_N
ClientSampleId :
TT101D-20210621MSD

Manual Integrations
APPROVED




mohammad
7/6/2021 10:03:14 AM




#23
Atrazine
Concen: 0.57 ng
RT: 16.555 min Scan# 1365
Delta R.T. -0.001 min
Lab File: BN015305.D
Acq: 02 Jul 2021 20:33





Tgt Ion:200 Resp: 22921
Ion Ratio Lower Upper
200 100
173 26.2 21.7 32.5
215 48.2 43.1 64.7



#24
Pentachlorophenol
Concen: 1.24 ng
RT: 16.750 min Scan# 1381
Delta R.T. -0.001 min
Lab File: BN015305.D
Acq: 02 Jul 2021 20:33



Tgt Ion:266 Resp: 14564
Ion Ratio Lower Upper
266 100
264 62.8 51.0 76.4
268 64.0 50.6 76.0




Instrument :
BNA_N
ClientSampleId :
TT101D-20210621MSD

Manual Integrations
APPROVED




mohammad
7/6/2021 10:03:14 AM




#25
Phenanthrene
Concen: 0.36 ng
RT: 17.127 min Scan# 1412
Delta R.T. -0.001 min
Lab File: BN015305.D
Acq: 02 Jul 2021 20:33





Tgt Ion:178 Resp: 123642
Ion Ratio Lower Upper
178 100
176 18.8 15.6 23.4
179 15.8 12.1 18.1



#26
Anthracene
Concen: 0.39 ng
RT: 17.224 min Scan# 1420
Delta R.T. -0.001 min
Lab File: BN015305.D
Acq: 02 Jul 2021 20:33




Tgt Ion:178 Resp: 114747
Ion Ratio Lower Upper
178 100
176 18.1 15.1 22.7
179 15.1 12.2 18.2




Instrument :
BNA_N
ClientSampleId :
TT101D-20210621MSD

Manual Integrations
APPROVED




mohammad
7/6/2021 10:03:14 AM




#27
Fluoranthene-d10
Concen: 0.41 ng
RT: 19.127 min Scan# 1709
Delta R.T. -0.006 min
Lab File: BN015305.D
Acq: 02 Jul 2021 20:33





Tgt Ion:212 Resp: 127440
Ion Ratio Lower Upper
212 100
106 14.3 7.0 10.6#
104 7.8 4.1 6.1#



#28
Fluoranthene
Concen: 0.40 ng
RT: 19.157 min Scan# 1715
Delta R.T. -0.006 min
Lab File: BN015305.D
Acq: 02 Jul 2021 20:33




Tgt Ion:202 Resp: 145614
Ion Ratio Lower Upper
202 100
101 11.7 6.6 10.0#
203 17.3 13.9 20.9



Instrument :
BNA_N
ClientSampleId :
TT101D-20210621MSD

Manual Integrations
APPROVED

mohammad
7/6/2021 10:03:14 AM







#29
Chrysene-d12
Concen: 0.40 ng
RT: 21.291 min Scan# 2007
Delta R.T. -0.012 min
Lab File: BN015305.D
Acq: 02 Jul 2021 20:33

Tgt Ion:240 Resp: 82983
Ion Ratio Lower Upper
240 100
120 7.6 4.2 6.4#
236 26.0 21.4 32.2

Instrument :
BNA_N
ClientSampleId :
TT101D-20210621MSD




Manual Integrations
APPROVED


mohammad
7/6/2021 10:03:14 AM



#30
Pyrene
Concen: 0.46 ng
RT: 19.520 min Scan# 1788
Delta R.T. -0.010 min
Lab File: BN015305.D
Acq: 02 Jul 2021 20:33


Tgt Ion:202 Resp: 146248
Ion Ratio Lower Upper
202 100
200 20.5 16.9 25.3
203 17.6 13.9 20.9





#31
Terphenyl-d14
Concen: 0.49 ng
RT: 19.733 min Scan# 1831
Delta R.T. -0.006 min
Lab File: BN015305.D
Acq: 02 Jul 2021 20:33




Instrument :
BNA_N
ClientSampleId :
TT101D-20210621MSD



Tgt Ion:244 Resp: 94262
Ion Ratio Lower Upper
244 100
212 7.6 6.3 9.5
122 12.1 6.2 9.2#




Manual Integrations
APPROVED

mohammad
7/6/2021 10:03:14 AM



#32
Benzo(a)anthracene
Concen: 0.43 ng
RT: 21.270 min Scan# 2005
Delta R.T. -0.011 min
Lab File: BN015305.D
Acq: 02 Jul 2021 20:33

Tgt Ion:228 Resp: 123075
Ion Ratio Lower Upper
228 100
226 27.4 23.0 34.6
229 19.4 15.7 23.5









#33
Chrysene
Concen: 0.38 ng
RT: 21.323 min Scan# 2010
Delta R.T. -0.012 min
Lab File: BN015305.D
Acq: 02 Jul 2021 20:33

Tgt Ion:228 Resp: 117885
Ion Ratio Lower Upper
228 100
226 29.7 25.0 37.6
229 19.5 15.9 23.9

Instrument :
BNA_N
ClientSampleId :
TT101D-20210621MSD




Manual Integrations
APPROVED

mohammad
7/6/2021 10:03:14 AM




#34
Bis(2-ethylhexyl)phthalate
Concen: 1.01 ng
RT: 21.206 min Scan# 1999
Delta R.T. -0.022 min
Lab File: BN015305.D
Acq: 02 Jul 2021 20:33

Tgt Ion:149 Resp: 94636
Ion Ratio Lower Upper
149 100
167 28.2 28.9 43.3#
279 3.5 4.9 7.3#









#35
Perylene-d12
Concen: 0.40 ng
RT: 23.532 min Scan# 2441
Delta R.T. -0.018 min
Lab File: BN015305.D
Acq: 02 Jul 2021 20:33





Tgt Ion:264 Resp: 65238
Ion Ratio Lower Upper
264 100
260 25.1 20.6 31.0
265 22.8 21.4 32.2



#36
Indeno(1,2,3-cd)pyrene
Concen: 0.29 ng
RT: 25.791 min Scan# 3101
Delta R.T. -0.022 min
Lab File: BN015305.D
Acq: 02 Jul 2021 20:33



Tgt Ion:276 Resp: 67824
Ion Ratio Lower Upper
276 100
138 25.6 10.0 15.0#
277 25.0 20.4 30.6




Instrument :
BNA_N
ClientSampleId :
TT101D-20210621MSD

Manual Integrations
APPROVED




mohammad
7/6/2021 10:03:14 AM




#37
Benzo(b)fluoranthene
Concen: 0.40 ng
RT: 22.861 min Scan# 2245
Delta R.T. -0.015 min
Lab File: BN015305.D
Acq: 02 Jul 2021 20:33





Tgt Ion:252 Resp: 102845
Ion Ratio Lower Upper
252 100
253 22.6 18.5 27.7
125 13.0 5.8 8.6#



#38
Benzo(k)fluoranthene
Concen: 0.37 ng
RT: 22.906 min Scan# 2258
Delta R.T. -0.015 min
Lab File: BN015305.D
Acq: 02 Jul 2021 20:33



Tgt Ion:252 Resp: 101719
Ion Ratio Lower Upper
252 100
253 22.3 19.1 28.7
125 11.1 5.4 8.0#



Instrument :
BNA_N
ClientSampleId :
TT101D-20210621MSD

Manual Integrations
APPROVED

mohammad
7/6/2021 10:03:14 AM



#39

Benzo(a)pyrene

Concen: 0.31 ng

RT: 23.436 min Scan# 2413

Delta R.T. -0.018 min

Lab File: BN015305.D

Acq: 02 Jul 2021 20:33

Tgt Ion:	252	Resp:	73273
Ion Ratio	Lower	Upper	
252	100		
253	22.8	19.4	29.2
125	17.4	7.4	11.2#

Instrument :





BNA_N

ClientSampleId :

TT101D-20210621MSD

Manual Integrations
APPROVED

mohammad
7/6/2021 10:03:14 AM



#40

Dibenzo(a,h)anthracene

Concen: 0.29 ng




RT: 25.805 min Scan# 3105


Delta R.T. -0.022 min

Lab File: BN015305.D


Acq: 02 Jul 2021 20:33

Tgt Ion:	278	Resp:	52953
Ion Ratio	Lower	Upper	
278	100		
139	19.1	9.0	13.4#
279	23.9	21.0	31.4







#41
Benzo(g,h,i)perylene
Concen: 0.24 ng
RT: 26.479 min Scan# 3302
Delta R.T. -0.018 min
Lab File: BN015305.D
Acq: 02 Jul 2021 20:33



Tgt Ion: 276 Resp: 49105
Ion Ratio Lower Upper
276 100
277 24.0 19.7 29.5
138 24.4 9.8 14.6#



Instrument :
BNA_N
ClientSampleId :
TT101D-20210621MSD

Manual Integrations
APPROVED

mohammad
7/6/2021 10:03:14 AM