

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN070721\
 Data File : BN015375.D
 Acq On : 07 Jul 2021 15:58
 Operator : CG/JU
 Sample : M2923-04
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 MW-09-6.5-11.5-070121

Quant Time: Jul 07 16:45:26 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN063021.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jul 07 11:11:38 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.725	152	17973	0.40	ng	# 0.00
7) Naphthalene-d8	10.483	136	82686	0.40	ng	# 0.00
13) Acenaphthene-d10	14.332	164	46993	0.40	ng	0.00
19) Phenanthrene-d10	17.078	188	92732	0.40	ng	# 0.00
29) Chrysene-d12	21.291	240	84534	0.40	ng	# 0.00
35) Perylene-d12	23.539	264	82402	0.40	ng	0.01
System Monitoring Compounds						
4) 2-Fluorophenol	5.337	112	8127	0.18	ng	0.00
5) Phenol-d6	6.896	99	6203	0.11	ng	0.00
8) Nitrobenzene-d5	8.861	82	22644	0.49	ng	0.00
11) 2-Methylnaphthalene-d10	12.078	152	50057	0.37	ng	0.00
14) 2,4,6-Tribromophenol	15.829	330	7559	0.59	ng	0.00
15) 2-Fluorobiphenyl	12.962	172	68889	0.36	ng	0.00
27) Fluoranthene-d10	19.123	212	119735	0.44	ng	0.00
31) Terphenyl-d14	19.728	244	96269	0.49	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	3.346	88	2925	0.35	ng	# 42
20) 4,6-Dinitro-2-methylph...	15.474	198	448	0.45	ng	# 81
23) Atrazine	16.555	200	562	0.18	ng	# 75
24) Pentachlorophenol	16.738	266	1182	0.35	ng	96
25) Phenanthrene	17.127	178	7567	0.03	ng	97
34) Bis(2-ethylhexyl)phtha...	21.217	149	39288	0.52	ng	# 88

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN070721\
Data File : BN015375.D
Acq On : 07 Jul 2021 15:58
Operator : CG/JU
Sample : M2923-04
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
MW-09-6.5-11.5-070121

Quant Time: Jul 07 16:45:26 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN063021.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jul 07 11:11:38 2021
Response via : Initial Calibration








#1
 1,4-Dichlorobenzene-d4
 Concen: 0.40 ng
 RT: 7.725 min Scan# 504
 Delta R.T. 0.000 min
 Lab File: BN015375.D
 Acq: 07 Jul 2021 15:58




Instrument :
 BNA_N
 ClientSampleId :
 MW-09-6.5-11.5-070121

Tgt Ion:152 Resp: 17973
 Ion Ratio Lower Upper
 152 100
 150 155.8 119.0 178.6
 115 59.7 62.2 93.4#



#2
 1,4-Dioxane
 Concen: 0.35 ng
 RT: 3.346 min Scan# 29
 Delta R.T. 0.000 min
 Lab File: BN015375.D
 Acq: 07 Jul 2021 15:58

Tgt Ion: 88 Resp: 2925
 Ion Ratio Lower Upper
 88 100
 43 59.5 12.9 19.3#
 58 76.8 38.1 57.1#









#4
2-Fluorophenol
Concen: 0.18 ng
RT: 5.337 min Scan# 245
Delta R.T. 0.000 min
Lab File: BN015375.D
Acq: 07 Jul 2021 15:58




Instrument :
BNA_N
ClientSampleId :
MW-09-6.5-11.5-070121

Tgt Ion: 112 Resp: 8127
Ion Ratio Lower Upper
112 100
64 55.5 39.0 58.6
63 29.3 20.6 30.8



#5
Phenol-d6
Concen: 0.11 ng
RT: 6.896 min Scan# 414
Delta R.T. 0.000 min
Lab File: BN015375.D
Acq: 07 Jul 2021 15:58

Tgt Ion: 99 Resp: 6203
Ion Ratio Lower Upper
99 100
42 18.5 8.9 13.3#
71 38.9 35.6 53.4









#7
Naphthalene-d8
Concen: 0.40 ng
RT: 10.483 min Scan# 739
Delta R.T. 0.000 min
Lab File: BN015375.D
Acq: 07 Jul 2021 15:58




Instrument :
BNA_N
ClientSampleId :
MW-09-6.5-11.5-070121

Tgt Ion:136	Resp:	82686
Ion Ratio	Lower	Upper
136	100	
137	11.0	9.8 14.8
54	9.4	5.4 8.2#
68	7.8	4.9 7.3#



#8
Nitrobenzene-d5
Concen: 0.49 ng
RT: 8.861 min Scan# 611
Delta R.T. 0.000 min
Lab File: BN015375.D
Acq: 07 Jul 2021 15:58

Tgt Ion: 82	Resp:	22644
Ion Ratio	Lower	Upper
82	100	
128	39.7	31.6 47.4
54	48.5	29.0 43.4#









#11
2-Methylnaphthalene-d10
Concen: 0.37 ng
RT: 12.078 min Scan# 948
Delta R.T. 0.000 min
Lab File: BN015375.D
Acq: 07 Jul 2021 15:58




Instrument :
BNA_N
ClientSampleId :
MW-09-6.5-11.5-070121

Tgt Ion:152 Resp: 50057
Ion Ratio Lower Upper
152 100
151 20.4 16.7 25.1



#13
Acenaphthene-d10
Concen: 0.40 ng
RT: 14.332 min Scan# 1188
Delta R.T. 0.000 min
Lab File: BN015375.D
Acq: 07 Jul 2021 15:58

Tgt Ion:164 Resp: 46993
Ion Ratio Lower Upper
164 100
162 103.1 83.8 125.6
160 47.8 37.4 56.0








#14
2,4,6-Tribromophenol
Concen: 0.59 ng
RT: 15.829 min Scan# 1306
Delta R.T. 0.000 min
Lab File: BN015375.D
Acq: 07 Jul 2021 15:58




Instrument :
BNA_N
ClientSampleId :
MW-09-6.5-11.5-070121


Tgt Ion: 330 Resp: 7559
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 37.3 22.4 33.6#



#15
2-Fluorobiphenyl
Concen: 0.36 ng
RT: 12.962 min Scan# 1080
Delta R.T. 0.000 min
Lab File: BN015375.D
Acq: 07 Jul 2021 15:58

Tgt Ion: 172 Resp: 68889
Ion Ratio Lower Upper
172 100
171 34.0 30.6 45.8
170 22.0 20.2 30.4









#19
Phenanthrene-d10
Concen: 0.40 ng
RT: 17.078 min Scan# 1408
Delta R.T. 0.000 min
Lab File: BN015375.D
Acq: 07 Jul 2021 15:58




Instrument :
BNA_N
ClientSampleId :
MW-09-6.5-11.5-070121


Tgt Ion:188 Resp: 92732
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 13.9 9.0 13.4#



#20
4,6-Dinitro-2-methylphenol
Concen: 0.45 ng
RT: 15.474 min Scan# 1278
Delta R.T. 0.000 min
Lab File: BN015375.D
Acq: 07 Jul 2021 15:58

Tgt Ion:198 Resp: 448
Ion Ratio Lower Upper
198 100
182 31.2 34.5 51.7#
77 0.0 0.0 0.0









#23
 Atrazine
 Concen: 0.18 ng
 RT: 16.555 min Scan# 1365
 Delta R.T. 0.012 min
 Lab File: BN015375.D
 Acq: 07 Jul 2021 15:58




Instrument :
 BNA_N
 ClientSampleId :
 MW-09-6.5-11.5-070121


Tgt Ion:	200	Resp:	562
Ion Ratio	Lower	Upper	
200	100		
173	58.8	21.7	32.5#
215	59.1	43.1	64.7



#24
 Pentachlorophenol
 Concen: 0.35 ng
 RT: 16.738 min Scan# 1380
 Delta R.T. 0.000 min
 Lab File: BN015375.D
 Acq: 07 Jul 2021 15:58


Tgt Ion:	266	Resp:	1182
Ion Ratio	Lower	Upper	
266	100		
264	60.6	51.0	76.4
268	60.0	50.6	76.0








#25
Phenanthrene
Concen: 0.03 ng
RT: 17.127 min Scan# 1412
Delta R.T. 0.000 min
Lab File: BN015375.D
Acq: 07 Jul 2021 15:58

Instrument :
BNA_N
ClientSampleId :
MW-09-6.5-11.5-070121







Tgt Ion:178 Resp: 7567
Ion Ratio Lower Upper
178 100
176 21.5 15.6 23.4
179 15.8 12.1 18.1



#27
Fluoranthene-d10
Concen: 0.44 ng
RT: 19.123 min Scan# 1708
Delta R.T. 0.000 min
Lab File: BN015375.D
Acq: 07 Jul 2021 15:58

Tgt Ion:212 Resp: 119735
Ion Ratio Lower Upper
212 100
106 14.2 7.0 10.6#
104 7.8 4.1 6.1#









#29
Chrysene-d12
Concen: 0.40 ng
RT: 21.291 min Scan# 2007
Delta R.T. 0.000 min
Lab File: BN015375.D
Acq: 07 Jul 2021 15:58




Instrument :
BNA_N
ClientSampleId :
MW-09-6.5-11.5-070121


Tgt Ion:240 Resp: 84534
Ion Ratio Lower Upper
240 100
120 11.2 4.2 6.4#
236 26.8 21.4 32.2



#31
Terphenyl-d14
Concen: 0.49 ng
RT: 19.728 min Scan# 1830
Delta R.T. 0.000 min
Lab File: BN015375.D
Acq: 07 Jul 2021 15:58

Tgt Ion:244 Resp: 96269
Ion Ratio Lower Upper
244 100
212 7.8 6.3 9.5
122 13.5 6.2 9.2#









#34
 Bis(2-ethylhexyl)phthalate
 Concen: 0.52 ng
 RT: 21.217 min Scan# 2000
 Delta R.T. 0.011 min
 Lab File: BN015375.D
 Acq: 07 Jul 2021 15:58

Instrument :
 BNA_N
 ClientSampleId :
 MW-09-6.5-11.5-070121

Tgt Ion:149 Resp: 39288
 Ion Ratio Lower Upper
 149 100
 167 28.4 28.9 43.3#
 279 3.8 4.9 7.3#



#35
 Perylene-d12
 Concen: 0.40 ng
 RT: 23.539 min Scan# 2443
 Delta R.T. 0.010 min
 Lab File: BN015375.D
 Acq: 07 Jul 2021 15:58

Tgt Ion:264 Resp: 82402
 Ion Ratio Lower Upper
 264 100
 260 25.0 20.6 31.0
 265 23.0 21.4 32.2

