

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN070721\
 Data File : BN015376.D
 Acq On : 07 Jul 2021 16:35
 Operator : CG/JU
 Sample : M2923-09
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 MW-12B-070121

Quant Time: Jul 07 17:08:17 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN063021.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jul 07 11:11:38 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.725	152	18489	0.400	ng	# 0.00
7) Naphthalene-d8	10.483	136	86083	0.400	ng	# 0.00
13) Acenaphthene-d10	14.332	164	48230	0.400	ng	0.00
19) Phenanthrene-d10	17.078	188	94402	0.400	ng	# 0.00
29) Chrysene-d12	21.291	240	86132	0.400	ng	# 0.00
35) Perylene-d12	23.543	264	84076	0.400	ng	0.01
System Monitoring Compounds						
4) 2-Fluorophenol	5.365	112	8309	0.176	ng	0.03
5) Phenol-d6	6.905	99	6006	0.101	ng	0.00
8) Nitrobenzene-d5	8.861	82	24558	0.509	ng	0.00
11) 2-Methylnaphthalene-d10	12.078	152	53727	0.377	ng	0.00
14) 2,4,6-Tribromophenol	15.829	330	6512	0.533	ng	0.00
15) 2-Fluorobiphenyl	12.962	172	71896	0.367	ng	0.00
27) Fluoranthene-d10	19.123	212	113745	0.408	ng	0.00
31) Terphenyl-d14	19.728	244	88139	0.437	ng	0.00
Target Compounds						
24) Pentachlorophenol	16.726	266	446	0.282	ng	# 40
25) Phenanthrene	17.127	178	10043	0.033	ng	97
34) Bis(2-ethylhexyl)phtha...	21.217	149	62861	0.721	ng	# 88


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN070721\
Data File : BN015376.D
Acq On : 07 Jul 2021 16:35
Operator : CG/JU
Sample : M2923-09
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
MW-12B-070121

Quant Time: Jul 07 17:08:17 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN063021.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jul 07 11:11:38 2021
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 7.725 min Scan# 504
 Delta R.T. 0.000 min
 Lab File: BN015376.D
 Acq: 07 Jul 2021 16:35




Instrument :
 BNA_N
 ClientSampleId :
 MW-12B-070121


Tgt Ion:152 Resp: 18489
 Ion Ratio Lower Upper
 152 100
 150 155.3 119.0 178.6
 115 59.8 62.2 93.4#



#4
 2-Fluorophenol
 Concen: 0.176 ng
 RT: 5.365 min Scan# 248
 Delta R.T. 0.028 min
 Lab File: BN015376.D
 Acq: 07 Jul 2021 16:35

Tgt Ion:112 Resp: 8309
 Ion Ratio Lower Upper
 112 100
 64 55.9 39.0 58.6
 63 27.9 20.6 30.8









#5
Phenol-d6
Concen: 0.101 ng
RT: 6.905 min Scan# 415
Delta R.T. 0.009 min
Lab File: BN015376.D
Acq: 07 Jul 2021 16:35




Instrument :
BNA_N
ClientSampleId :
MW-12B-070121


Tgt Ion: 99 Resp: 6006
Ion Ratio Lower Upper
99 100
42 19.6 8.9 13.3#
71 37.3 35.6 53.4



#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.483 min Scan# 739
Delta R.T. 0.000 min
Lab File: BN015376.D
Acq: 07 Jul 2021 16:35

Tgt Ion:136 Resp: 86083
Ion Ratio Lower Upper
136 100
137 11.0 9.8 14.8
54 9.3 5.4 8.2#
68 7.5 4.9 7.3#









#8
Nitrobenzene-d5
Concen: 0.509 ng
RT: 8.861 min Scan# 611
Delta R.T. 0.000 min
Lab File: BN015376.D
Acq: 07 Jul 2021 16:35




Instrument :
BNA_N
ClientSampleId :
MW-12B-070121


Tgt Ion	Ratio	Lower	Upper
82	100		
128	41.2	31.6	47.4
54	48.8	29.0	43.4



#11
2-Methylnaphthalene-d10
Concen: 0.377 ng
RT: 12.078 min Scan# 948
Delta R.T. 0.000 min
Lab File: BN015376.D
Acq: 07 Jul 2021 16:35

Tgt Ion	Ratio	Lower	Upper
152	100		
151	20.4	16.7	25.1









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.332 min Scan# 1188
Delta R.T. 0.000 min
Lab File: BN015376.D
Acq: 07 Jul 2021 16:35




Instrument :
BNA_N
ClientSampleId :
MW-12B-070121


Tgt Ion:164 Resp: 48230
Ion Ratio Lower Upper
164 100
162 104.0 83.8 125.6
160 48.1 37.4 56.0



#14
2,4,6-Tribromophenol
Concen: 0.533 ng
RT: 15.829 min Scan# 1306
Delta R.T. 0.000 min
Lab File: BN015376.D
Acq: 07 Jul 2021 16:35

Tgt Ion:330 Resp: 6512
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 38.9 22.4 33.6#









#15
2-Fluorobiphenyl
Concen: 0.367 ng
RT: 12.962 min Scan# 1080
Delta R.T. 0.000 min
Lab File: BN015376.D
Acq: 07 Jul 2021 16:35




Instrument :
BNA_N
ClientSampleId :
MW-12B-070121


Tgt Ion:172 Resp: 71896
Ion Ratio Lower Upper
172 100
171 33.7 30.6 45.8
170 21.9 20.2 30.4



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.078 min Scan# 1408
Delta R.T. 0.000 min
Lab File: BN015376.D
Acq: 07 Jul 2021 16:35

Tgt Ion:188 Resp: 94402
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 14.5 9.0 13.4#









#24
 Pentachlorophenol
 Concen: 0.282 ng
 RT: 16.726 min Scan# 1379
 Delta R.T. -0.012 min
 Lab File: BN015376.D
 Acq: 07 Jul 2021 16:35




Instrument :
 BNA_N
 ClientSampleId :
 MW-12B-070121


Tgt Ion:	266	Resp:	446
Ion	Ratio	Lower	Upper
266	100		
264	18.2	51.0	76.4#
268	15.2	50.6	76.0#



#25
 Phenanthrene
 Concen: 0.033 ng
 RT: 17.127 min Scan# 1412
 Delta R.T. 0.000 min
 Lab File: BN015376.D
 Acq: 07 Jul 2021 16:35

Tgt Ion:	178	Resp:	10043
Ion	Ratio	Lower	Upper
178	100		
176	20.9	15.6	23.4
179	16.1	12.1	18.1









#27
Fluoranthene-d10
Concen: 0.408 ng
RT: 19.123 min Scan# 1708
Delta R.T. 0.000 min
Lab File: BN015376.D
Acq: 07 Jul 2021 16:35




Instrument :
BNA_N
ClientSampleId :
MW-12B-070121


Tgt Ion:212 Resp: 113745
Ion Ratio Lower Upper
212 100
106 14.2 7.0 10.6#
104 7.8 4.1 6.1#



#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.291 min Scan# 2007
Delta R.T. 0.000 min
Lab File: BN015376.D
Acq: 07 Jul 2021 16:35

Tgt Ion:240 Resp: 86132
Ion Ratio Lower Upper
240 100
120 13.1 4.2 6.4#
236 26.8 21.4 32.2









#31
 Terphenyl-d14
 Concen: 0.437 ng
 RT: 19.728 min Scan# 1830
 Delta R.T. 0.000 min
 Lab File: BN015376.D
 Acq: 07 Jul 2021 16:35




Instrument :
 BNA_N
 ClientSampleId :
 MW-12B-070121


Tgt Ion:244 Resp: 88139
 Ion Ratio Lower Upper
 244 100
 212 7.8 6.3 9.5
 122 14.0 6.2 9.2#



#34
 Bis(2-ethylhexyl)phthalate
 Concen: 0.721 ng
 RT: 21.217 min Scan# 2000
 Delta R.T. 0.011 min
 Lab File: BN015376.D
 Acq: 07 Jul 2021 16:35


Tgt Ion:149 Resp: 62861
 Ion Ratio Lower Upper
 149 100
 167 28.3 28.9 43.3#
 279 3.6 4.9 7.3#





#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.543 min Scan# 2444
 Delta R.T. 0.014 min
 Lab File: BN015376.D
 Acq: 07 Jul 2021 16:35

Instrument :
 BNA_N
 ClientSampleId :
 MW-12B-070121



Tgt Ion:264	Resp:	84076
Ion Ratio	Lower	Upper
264	100	
260	25.2	20.6 31.0
265	22.8	21.4 32.2

