

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN071020\
 Data File : BN011136.D
 Acq On : 09 Jul 2020 17:26
 Operator : CG/JU
 Sample : L3239-02
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 OUTFALL001-200707

Quant Time: Jul 09 17:56:44 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN063020.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 09 15:33:27 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.52	152	1796	0.40	ng	0.00
7) Naphthalene-d8	10.27	136	6325	0.40	ng	0.01
13) Acenaphthene-d10	14.13	164	3339	0.40	ng	0.00
19) Phenanthrene-d10	16.90	188	7523	0.40	ng	0.01
29) Chrysene-d12	21.10	240	5386	0.40	ng	0.00
36) Perylene-d12	23.24	264	5421	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.18	112	596	0.13	ng	0.00
5) Phenol-d6	6.74	99	362	0.07	ng	0.02
8) Nitrobenzene-d5	8.67	82	1576	0.29	ng	0.01
11) 2-Methylnaphthalene-d10	11.86	152	2598	0.24	ng	0.00
14) 2,4,6-Tribromophenol	15.65	330	434	0.31	ng	0.01
15) 2-Fluorobiphenyl	12.76	172	4902	0.31	ng	0.01
27) Fluoranthene-d10	18.93	212	6511	0.29	ng	0.00
31) Terphenyl-d14	19.55	244	6647	0.47	ng	0.00
Target Compounds						Qvalue
34) Bis(2-ethylhexyl)phthalate	21.04	149	527	0.072	ng	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN071020\
Data File : BN011136.D
Acq On : 09 Jul 2020 17:26
Operator : CG/JU
Sample : L3239-02
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
OUTFALL001-200707

Quant Time: Jul 09 17:56:44 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN063020.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jul 09 15:33:27 2020
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.52 min Scan# 582
Delta R.T. 0.01 min
Lab File: BN011136.D
Acq: 09 Jul 2020 17:26

Instrument :
BNA_N
ClientSampleId :
OUTFALL001-200707

Tot Ion:152 Resp: 1796
Ion Ratio Lower Upper
152 100
150 147.3 117.4 176.0
115 60.2 47.9 71.9




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#4


2-Fluorophenol
Concen: 0.133 ng
RT: 5.18 min Scan# 292
Delta R.T. -0.00 min
Lab File: BN011136.D
Acq: 09 Jul 2020 17:26

Tgt Ion:112 Resp: 596
Ion Ratio Lower Upper
112 100
64 43.3 36.5 54.7
63 25.3 20.6 30.8



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BNC
Ion 63.00 (62.70 to 63.70): BNC





#5

Phenol-d6

Concen: 0.070 ng

RT: 6.74 min Scan# 485

Delta R.T. 0.02 min

Lab File: BN011136.D

Acq: 09 Jul 2020 17:26

Instrument :

BNA_N

ClientSampleId :

OUTFALL001-200707


Tot Ion: 99 Resp: 362

Ion Ratio Lower Upper

99 100

42 6.4 9.8 14.8#


71 38.4 30.7 46.1





Abundance Ion 99.00 (98.70 to 99.70): BN011075.D (-475) (-)

Ion 42.00 (41.70 to 42.70): BN011075.D (-475) (-)

Ion 71.00 (70.70 to 71.70): BN011075.D (-475) (-)



Time-->



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.27 min Scan# 835

Delta R.T. 0.01 min

Lab File: BN011136.D

Acq: 09 Jul 2020 17:26

Tgt Ion: 136 Resp: 6325


Ion Ratio Lower Upper

136 100

137 12.7 9.6 14.4

54 5.6 3.8 5.6

68 5.7 4.3 6.5




Abundance Ion 136.00 (135.70 to 136.70): BN011075.D (-830) (-)


Ion 137.00 (136.70 to 137.70): BN011075.D (-830) (-)


Ion 54.00 (53.70 to 54.70): BN011075.D (-830) (-)

Ion 68.00 (67.70 to 68.70): BN011075.D (-830) (-)



Time-->





#8

Nitrobenzene-d5

Concen: 0.293 ng

RT: 8.67 min Scan# 709

Delta R.T. 0.01 min

Lab File: BN011136.D

Acq: 09 Jul 2020 17:26

Instrument :

BNA_N

ClientSampleId :

OUTFALL001-200707


Tot Ion: 82 Resp: 1576

Ion Ratio Lower Upper

82 100

128 49.1 34.2 51.2




54 38.7 29.4 44.0



Abundance Ion 82.00 (81.70 to 82.70): BN011075.D (-704) (-)

Ion 128.00 (127.70 to 128.70): BN011075.D (-704) (-)

Ion 54.00 (53.70 to 54.70): BN011075.D (-704) (-)



#11

2-Methylnaphthalene-d10

Concen: 0.237 ng

RT: 11.86 min Scan# 1013

Delta R.T. 0.01 min

Lab File: BN011136.D


Acq: 09 Jul 2020 17:26

Tgt Ion: 152 Resp: 2598

Ion Ratio Lower Upper



152 100


151 18.6 16.6 24.8



Abundance Ion 152.00 (151.70 to 152.70): BN011075.D (-997) (-)

Ion 151.00 (150.70 to 151.70): BN011075.D (-997) (-)





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.13 min Scan# 1286

Delta R.T. -0.00 min

Lab File: BN011136.D

Acq: 09 Jul 2020 17:26

Instrument :

BNA_N

ClientSampleId :

OUTFALL001-200707


Tot Ion:164 Resp: 3339

Ion Ratio Lower Upper

164 100

162 103.6 82.3 123.5

160 52.1 40.6 61.0



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E

2500

2000

1500



1000

500

0

14.00 14.10 14.20 14.30

Time-->



#14

2,4,6-Tribromophenol

Concen: 0.309 ng

RT: 15.65 min Scan# 1406

Delta R.T. 0.01 min

Lab File: BN011136.D

Acq: 09 Jul 2020 17:26


Tgt Ion:330 Resp: 434

Ion Ratio Lower Upper

330 100

332 0.0 0.0 0.0

141 43.1 32.6 49.0



Abundance Ion 330.00 (329.70 to 330.70): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E

250

200

150


100


50

0

15.60 15.70 15.80

Time-->









#15
2-Fluorobiphenyl
Concen: 0.312 ng
RT: 12.76 min Scan# 1178
Delta R.T. 0.01 min
Lab File: BN011136.D
Acq: 09 Jul 2020 17:26




Instrument :
BNA_N
ClientSampleId :
OUTFALL001-200707


Tot Ion:172 Resp: 4902
Ion Ratio Lower Upper
172 100
171 35.5 27.9 41.9
170 23.8 18.7 28.1



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 16.90 min Scan# 1507
Delta R.T. 0.01 min
Lab File: BN011136.D
Acq: 09 Jul 2020 17:26

Tgt Ion:188 Resp: 7523
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 6.9 5.3 7.9





#27

Fluoranthene-d10

Concen: 0.286 ng

RT: 18.93 min Scan# 1783

Delta R.T. 0.00 min

Lab File: BN011136.D

Acq: 09 Jul 2020 17:26

Instrument :

BNA_N

ClientSampleId :

OUTFALL001-200707


Tot Ion:212 Resp: 6511

Ion Ratio Lower Upper

212 100

106 8.2 7.1 10.7




104 4.9 4.2 6.4



Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E



#29

Chrysene-d12

Concen: 0.400 ng

RT: 21.10 min Scan# 2103

Delta R.T. -0.00 min

Lab File: BN011136.D

Acq: 09 Jul 2020 17:26


Tgt Ion:240 Resp: 5386

Ion Ratio Lower Upper

240 100

120 12.2 6.5 9.7#



236 29.5 21.9 32.9




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#31

Terphenyl-d14

Concen: 0.474 ng

RT: 19.55 min Scan# 1907

Delta R.T. -0.00 min

Lab File: BN011136.D

Acq: 09 Jul 2020 17:26

Instrument :

BNA_N

ClientSampleId :

OUTFALL001-200707


Tot Ion:244 Resp: 6647

Ion Ratio Lower Upper




244 100

212 9.2 7.5 11.3

122 9.0 8.2 12.4



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#34

Bis(2-ethylhexyl)phthalate

Concen: 0.072 ng

RT: 21.04 min Scan# 2097

Delta R.T. -0.00 min

Lab File: BN011136.D

Acq: 09 Jul 2020 17:26


Tgt Ion:149 Resp: 527

Ion Ratio Lower Upper



149 100




167 25.4 22.2 33.4

279 6.5 4.5 6.7



Abundance Ion 149.00 (148.70 to 149.70): E
Ion 167.00 (166.70 to 167.70): E
Ion 279.00 (278.70 to 279.70): E





#36

Pervlene-d12

Concen: 0.400 ng

RT: 23.24 min Scan# 2470

Delta R.T. 0.00 min

Lab File: BN011136.D

Acq: 09 Jul 2020 17:26

Instrument :

BNA_N

ClientSampleId :

OUTFALL001-200707

Tot Ion: 264 Resp: 5421

Ion Ratio Lower Upper

264 100

260 25.7 20.4 30.6

265 102.6 83.0 124.6

