

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN071522\
 Data File : BN020747.D
 Acq On : 15 Jul 2022 15:20
 Operator : CG/JU
 Sample : PB146246BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 PB146246BL

Quant Time: Jul 16 03:23:19 2022
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN062622.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Jul 16 03:21:59 2022
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.811	152	2810	0.400	ng	0.00
7) Naphthalene-d8	10.616	136	10255	0.400	ng	# 0.00
13) Acenaphthene-d10	14.463	164	6198	0.400	ng	0.00
19) Phenanthrene-d10	17.225	188	13737	0.400	ng	# 0.01
29) Chrysene-d12	21.440	240	11234	0.400	ng	# 0.00
35) Perylene-d12	23.787	264	10031	0.400	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.399	112	2702	0.346	ng	0.00
5) Phenol-d6	7.017	99	3174	0.341	ng	0.00
8) Nitrobenzene-d5	8.982	82	1994	0.240	ng	0.01
11) 2-Methylnaphthalene-d10	12.216	152	5719	0.325	ng	0.00
14) 2,4,6-Tribromophenol	15.984	330	474	0.203	ng	0.01
15) 2-Fluorobiphenyl	13.095	172	8125	0.318	ng	0.00
27) Fluoranthene-d10	19.265	212	13423	0.329	ng	0.00
31) Terphenyl-d14	19.868	244	9810	0.365	ng	0.00
Target Compounds						Qvalue
24) Pentachlorophenol	16.907	266	61	0.206	ng	90
34) Bis(2-ethylhexyl)phtha...	21.351	149	874	0.039	ng	# 99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN071522\
Data File : BN020747.D
Acq On : 15 Jul 2022 15:20
Operator : CG/JU
Sample : PB146246BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
PB146246BL


Quant Time: Jul 16 03:23:19 2022
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN062622.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Jul 16 03:21:59 2022
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.811 min Scan# 61
Delta R.T. -0.000 min
Lab File: BN020747.D
Acq: 15 Jul 2022 15:20

Instrument :
BNA_N
ClientSampleId :
PB146246BL






Tgt Ion:152 Resp: 2810
Ion Ratio Lower Upper
152 100
150 158.5 127.9 191.9
115 66.9 51.4 77.2



#4
2-Fluorophenol
Concen: 0.346 ng
RT: 5.399 min Scan# 321
Delta R.T. -0.000 min
Lab File: BN020747.D
Acq: 15 Jul 2022 15:20

Tgt Ion:112 Resp: 2702
Ion Ratio Lower Upper
112 100
64 63.8 49.1 73.7
63 34.3 26.3 39.5








#5
Phenol-d6
Concen: 0.341 ng
RT: 7.017 min Scan# 54
Delta R.T. 0.007 min
Lab File: BN020747.D
Acq: 15 Jul 2022 15:20




Instrument :
BNA_N
ClientSampleId :
PB146246BL

Tgt Ion:	99	Resp:	3174
Ion	Ratio	Lower	Upper
99	100		
42	20.5	19.3	28.9
71	35.0	27.5	41.3



#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.616 min Scan# 940
Delta R.T. -0.000 min
Lab File: BN020747.D
Acq: 15 Jul 2022 15:20

Tgt Ion:	136	Resp:	10255
Ion	Ratio	Lower	Upper
136	100		
137	11.7	9.0	13.6
54	10.0	6.2	9.2#
68	7.0	4.4	6.6#









#8
 Nitrobenzene-d5
 Concen: 0.240 ng
 RT: 8.982 min Scan# 71
 Delta R.T. 0.011 min
 Lab File: BN020747.D
 Acq: 15 Jul 2022 15:20




Instrument :
 BNA_N
 ClientSampleId :
 PB146246BL

Tgt Ion: 82 Resp: 1994
 Ion Ratio Lower Upper
 82 100
 128 40.9 35.0 52.6
 54 67.8 46.2 69.4



#11
 2-Methylnaphthalene-d10
 Concen: 0.325 ng
 RT: 12.216 min Scan# 1210
 Delta R.T. 0.004 min
 Lab File: BN020747.D
 Acq: 15 Jul 2022 15:20

Tgt Ion: 152 Resp: 5719
 Ion Ratio Lower Upper
 152 100
 151 20.2 16.2 24.4









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.463 min Scan# 14
Delta R.T. -0.000 min
Lab File: BN020747.D
Acq: 15 Jul 2022 15:20




Instrument :
BNA_N
ClientSampleId :
PB146246BL

Tgt Ion:164 Resp: 6198
Ion Ratio Lower Upper
164 100
162 106.2 82.1 123.1
160 49.1 38.6 58.0



#14
2,4,6-Tribromophenol
Concen: 0.203 ng
RT: 15.984 min Scan# 1613
Delta R.T. 0.010 min
Lab File: BN020747.D
Acq: 15 Jul 2022 15:20

Tgt Ion:330 Resp: 474
Ion Ratio Lower Upper
330 100
332 94.9 77.6 116.4
141 59.9 41.0 61.4








#15
2-Fluorobiphenyl
Concen: 0.318 ng
RT: 13.095 min Scan# 11
Delta R.T. -0.000 min
Lab File: BN020747.D
Acq: 15 Jul 2022 15:20




Instrument :
BNA_N
ClientSampleId :
PB146246BL


Tgt Ion:172	Resp:	8125
Ion Ratio	Lower	Upper
172	100	
171	35.4	27.2 40.8
170	23.8	18.2 27.4



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.225 min Scan# 1734
Delta R.T. 0.010 min
Lab File: BN020747.D
Acq: 15 Jul 2022 15:20


Tgt Ion:188	Resp:	13737
Ion Ratio	Lower	Upper
188	100	
94	0.0	0.0 0.0
80	12.7	7.4 11.2#








#24
Pentachlorophenol
Concen: 0.206 ng
RT: 16.907 min Scan# 11
Delta R.T. 0.020 min
Lab File: BN020747.D
Acq: 15 Jul 2022 15:20

Instrument :
BNA_N
ClientSampleId :
PB146246BL







Tgt Ion:266 Resp: 61
Ion Ratio Lower Upper
266 100
264 59.0 51.3 76.9
268 77.0 52.6 79.0



#27
Fluoranthene-d10
Concen: 0.329 ng
RT: 19.265 min Scan# 2109
Delta R.T. 0.004 min
Lab File: BN020747.D
Acq: 15 Jul 2022 15:20

Tgt Ion:212 Resp: 13423
Ion Ratio Lower Upper
212 100
106 16.1 12.6 19.0
104 9.1 7.2 10.8









#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.440 min Scan# 2445
Delta R.T. 0.009 min
Lab File: BN020747.D
Acq: 15 Jul 2022 15:20




Instrument :
BNA_N
ClientSampleId :
PB146246BL


Tgt Ion:240 Resp: 11234
Ion Ratio Lower Upper
240 100
120 12.4 14.6 21.8#
236 27.5 22.6 33.8



#31
Terphenyl-d14
Concen: 0.365 ng
RT: 19.868 min Scan# 2252
Delta R.T. 0.004 min
Lab File: BN020747.D
Acq: 15 Jul 2022 15:20

Tgt Ion:244 Resp: 9810
Ion Ratio Lower Upper
244 100
212 9.3 7.1 10.7
122 0.0 0.0 0.0









#34
 Bis(2-ethylhexyl)phthalate
 Concen: 0.039 ng
 RT: 21.351 min Scan# 24
 Delta R.T. -0.000 min
 Lab File: BN020747.D
 Acq: 15 Jul 2022 15:20

Instrument :
 BNA_N
 ClientSampleId :
 PB146246BL

Tgt Ion:149 Resp: 874
 Ion Ratio Lower Upper
 149 100
 167 26.5 21.7 32.5
 279 3.7 2.2 3.2#



#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.787 min Scan# 3025
 Delta R.T. 0.009 min
 Lab File: BN020747.D
 Acq: 15 Jul 2022 15:20

Tgt Ion:264 Resp: 10031
 Ion Ratio Lower Upper
 264 100
 260 26.9 20.9 31.3
 265 37.5 28.0 42.0

