

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN072219\
 Data File : BN006954.D
 Acq On : 22 Jul 2019 22:53
 Operator : HP/JU
 Sample : K3890-03
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 A52S1

Manual Integrations
 APPROVED

mohammad

7/23/2019 8:42:30 AM

Quant Time: Jul 23 07:06:06 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\SOM-EPA-SIM-BN062719.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jul 23 04:22:37 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.58	152	2591	0.40	ng/ul	-0.03
2) Naphthalene-d8	10.35	136	8913	0.40	ng/ul	-0.03
6) Acenaphthene-d10	14.23	164	4689	0.40	ng/ul	0.00
10) Phenanthrene-d10	17.00	188	10043m	0.40	ng/ul	-0.02
16) Chrysene-d12	21.23	240	7941m	0.40	ng/ul	0.00
20) Perylene-d12	23.45	264	6391m	0.40	ng/ul	-0.02
System Monitoring Compounds						
4) 2-Methylnaphthalene-d10	11.96	152	4763	0.35	ng/ul	-0.03
14) Fluoranthene-d10	19.05	212	11038m	0.38	ng/ul	0.00
Target Compounds						
3) Naphthalene	10.40	128	1037	0.041	ng/ul#	Ovalue 73

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN072219\
Data File : BN006954.D
Acq On : 22 Jul 2019 22:53
Operator : HP/JU
Sample : K3890-03
Misc :
ALS Vial : 14 Sample Multiplier: 1


Instrument :
BNA_N
ClientSampleId :
A52S1




Manual Integrations
APPROVED

mohammad

7/23/2019 8:42:30 AM

Quant Time: Jul 23 07:06:06 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\SOM-EPA-SIM-BN062719.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jul 23 04:22:37 2019
Response via : Initial Calibration





#3

Naphthalene

Concen: 0.041 ng/ul

RT: 10.40 min Scan# 2323

Delta R.T. -0.02 min

Lab File: BN006954.D

Acq: 22 Jul 2019 22:53

Instrument :

BNA_N

ClientSampleId :

A52S1

Tot Ion:128 Resp: 1037

Ion Ratio Lower Upper

128 100

129 24.7 9.4 14.0#

127 22.0 10.6 16.0#

Manual Integrations
APPROVED

mohammad

7/23/2019 8:42:30 AM

