

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN072221\
 Data File : BN015649.D
 Acq On : 21 Jul 2021 18:03
 Operator : CG/JU
 Sample : PB137773BL
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :

Quant Time: Jul 21 18:37:35 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN072221.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jul 21 16:45:21 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.744	152	13643	0.400	ng	0.00
7) Naphthalene-d8	10.521	136	59762	0.400	ng	0.00
13) Acenaphthene-d10	14.370	164	31065	0.400	ng	0.00
19) Phenanthrene-d10	17.115	188	59190	0.400	ng	#-0.01
29) Chrysene-d12	21.323	240	52752	0.400	ng	0.00
35) Perylene-d12	23.635	264	49145	0.400	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.347	112	12657	0.312	ng	0.00
5) Phenol-d6	6.914	99	13957	0.287	ng	0.00
8) Nitrobenzene-d5	8.886	82	13923	0.314	ng	0.00
11) 2-Methylnaphthalene-d10	12.118	152	35997	0.359	ng	0.00
14) 2,4,6-Tribromophenol	15.867	330	2649	0.182	ng	0.00
15) 2-Fluorobiphenyl	13.000	172	47349	0.385	ng	0.00
27) Fluoranthene-d10	19.162	212	67387	0.364	ng	0.00
31) Terphenyl-d14	19.763	244	54448	0.440	ng	0.00
Target Compounds						
						Qvalue
20) 4,6-Dinitro-2-methylph...	15.474	198	7	0.291	ng	# 1
24) Pentachlorophenol	16.786	266	9	0.273	ng	# 54


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN072221\
Data File : BN015649.D
Acq On : 21 Jul 2021 18:03
Operator : CG/JU
Sample : PB137773BL
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :

Quant Time: Jul 21 18:37:35 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN072221.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jul 21 16:45:21 2021
Response via : Initial Calibration









1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 7.744 min Scan# 506
 Delta R.T. -0.000 min
 Lab File: BN015649.D
 Acq: 21 Jul 2021 18:03




Instrument :
 BNA_N
 ClientSampleId :


Tgt Ion:	152	Resp:	13643
Ion	Ratio	Lower	Upper
152	100		
150	154.9	123.4	185.2
115	60.4	47.0	70.6



2-Fluorophenol
 Concen: 0.312 ng
 RT: 5.347 min Scan# 246
 Delta R.T. 0.000 min
 Lab File: BN015649.D
 Acq: 21 Jul 2021 18:03

Tgt Ion:	112	Resp:	12657
Ion	Ratio	Lower	Upper
112	100		
64	55.4	44.2	66.4
63	27.5	22.1	33.1









Phenol-d6
Concen: 0.287 ng
RT: 6.914 min Scan# 416
Delta R.T. 0.000 min
Lab File: BN015649.D
Acq: 21 Jul 2021 18:03




Instrument :
BNA_N
ClientSampleId :


Tgt Ion:	99	Resp:	13957
Ion	Ratio	Lower	Upper
99	100		
42	15.7	13.0	19.6
71	30.1	24.4	36.6



Naphthalene-d8
Concen: 0.400 ng
RT: 10.521 min Scan# 742
Delta R.T. 0.000 min
Lab File: BN015649.D
Acq: 21 Jul 2021 18:03

Tgt Ion:	136	Resp:	59762
Ion	Ratio	Lower	Upper
136	100		
137	11.0	8.8	13.2
54	7.8	5.7	8.5
68	6.5	4.8	7.2









Nitrobenzene-d5
Concen: 0.314 ng
RT: 8.886 min Scan# 613
Delta R.T. 0.000 min
Lab File: BN015649.D
Acq: 21 Jul 2021 18:03




Instrument :
BNA_N
ClientSampleId :

Tgt Ion:	82	Resp:	13923
Ion	Ratio	Lower	Upper
82	100		
128	36.4	32.2	48.4
54	52.6	39.0	58.6



2-Methylnaphthalene-d10
Concen: 0.359 ng
RT: 12.118 min Scan# 957
Delta R.T. 0.000 min
Lab File: BN015649.D
Acq: 21 Jul 2021 18:03


Tgt Ion:	152	Resp:	35997
Ion	Ratio	Lower	Upper
152	100		
151	20.5	16.2	24.4





Abundance Scan 1191 (14.370 min): BN015643.D\data.ms (-1191) (-)

Acenaphthene-d10
Concen: 0.400 ng
RT: 14.370 min Scan# 1191
Delta R.T. 0.000 min
Lab File: BN015649.D
Acq: 21 Jul 2021 18:03


Instrument :
BNA_N
ClientSampleId :



Tgt Ion:	164	Resp:	31065
Ion Ratio	Lower	Upper	
164	100		
162	102.3	82.4	123.6
160	46.4	37.3	55.9





Abundance Scan 1191 (14.370 min): BN015649.D\data.ms (-1175) (-)




Abundance Scan 1309 (15.867 min): BN015643.D\data.ms (-1309) (-)

2,4,6-Tribromophenol
Concen: 0.182 ng
RT: 15.867 min Scan# 1309
Delta R.T. 0.000 min
Lab File: BN015649.D
Acq: 21 Jul 2021 18:03


Tgt Ion:	330	Resp:	2649
Ion Ratio	Lower	Upper	
330	100		
332	0.0	0.0	0.0
141	37.4	29.0	43.6



Abundance Scan 1309 (15.867 min): BN015649.D\data.ms (-1301) (-)





Abundance Scan 1083 (13.000 min): BN015643.D\data.ms (-1075) (-)




2-Fluorobiphenyl
Concen: 0.385 ng
RT: 13.000 min Scan# 1083
Delta R.T. 0.000 min
Lab File: BN015649.D
Acq: 21 Jul 2021 18:03

Instrument :
BNA_N
ClientSampleId :


Tgt Ion:	172	Resp:	47349
Ion	Ratio	Lower	Upper
172	100		
171	34.1	27.2	40.8
170	22.2	17.8	26.6



Abundance Scan 1083 (13.000 min): BN015649.D\data.ms (-1075) (-)





Abundance Scan 1412 (17.127 min): BN015643.D\data.ms (-1396) (-)




Phenanthrene-d10
Concen: 0.400 ng
RT: 17.115 min Scan# 1411
Delta R.T. -0.012 min
Lab File: BN015649.D
Acq: 21 Jul 2021 18:03


Tgt Ion:	188	Resp:	59190
Ion	Ratio	Lower	Upper
188	100		
94	0.0	0.0	0.0
80	13.8	5.3	7.9#



Abundance Scan 1411 (17.115 min): BN015649.D\data.ms (-1396) (-)






Abundance Scan 1281 (15.512 min): BN015643.D\data.ms (-1270) (-)




4,6-Dinitro-2-methylphenol
Concen: 0.291 ng
RT: 15.474 min Scan# 1278
Delta R.T. -0.038 min
Lab File: BN015649.D
Acq: 21 Jul 2021 18:03

Instrument :
BNA_N
ClientSampleId :

Tgt Ion:	198	Resp:	7
Ion	Ratio	Lower	Upper
198	100		
182	100.0	14.0	21.0#
77	0.0	0.0	0.0






Abundance Scan 1384 (16.786 min): BN015643.D\data.ms (-1379) (-)



Pentachlorophenol
Concen: 0.273 ng
RT: 16.786 min Scan# 1384
Delta R.T. 0.000 min
Lab File: BN015649.D
Acq: 21 Jul 2021 18:03


Tgt Ion:	266	Resp:	9
Ion	Ratio	Lower	Upper
266	100		
264	0.0	50.2	75.4#
268	55.6	51.6	77.4






Abundance Scan 1716 (19.162 min): BN015643.D\data.ms (-1727) (-)

Fluoranthene-d10
Concen: 0.364 ng
RT: 19.162 min Scan# 1716
Delta R.T. 0.000 min
Lab File: BN015649.D
Acq: 21 Jul 2021 18:03

Instrument :
BNA_N
ClientSampled :




Tgt Ion:	212	Resp:	67387
Ion Ratio	Lower	Upper	
212	100		
106	14.4	11.3	16.9
104	7.8	6.1	9.1






Abundance Scan 2010 (21.323 min): BN015643.D\data.ms (-2029) (-)


Chrysene-d12
Concen: 0.400 ng
RT: 21.323 min Scan# 2010
Delta R.T. 0.000 min
Lab File: BN015649.D
Acq: 21 Jul 2021 18:03



Tgt Ion:	240	Resp:	52752
Ion Ratio	Lower	Upper	
240	100		
120	7.6	7.1	10.7
236	25.6	20.7	31.1





Abundance Scan 1838 (19.768 min): BN015643.D\data.ms (-1838) (-)




Terphenyl-d14
Concen: 0.440 ng
RT: 19.763 min Scan# 1837
Delta R.T. -0.005 min
Lab File: BN015649.D
Acq: 21 Jul 2021 18:03

Instrument :
BNA_N
ClientSampleId :


Tgt Ion:	244	Resp:	54448
Ion	Ratio	Lower	Upper
244	100		
212	7.7	6.1	9.1
122	13.9	9.4	14.2



Abundance Scan 1837 (19.763 min): BN015649.D\data.ms (-1808) (-)





Abundance Scan 2471 (23.635 min): BN015643.D\data.ms (-2435) (-)



Perylene-d12
Concen: 0.400 ng
RT: 23.635 min Scan# 2471
Delta R.T. 0.000 min
Lab File: BN015649.D
Acq: 21 Jul 2021 18:03

Tgt Ion:	264	Resp:	49145
Ion	Ratio	Lower	Upper
264	100		
260	25.1	19.7	29.5
265	25.2	20.0	30.0



Abundance Scan 2471 (23.635 min): BN015649.D\data.ms (-2427) (-)

