

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN072221\
 Data File : BN015647.D
 Acq On : 21 Jul 2021 16:06
 Operator : CG/JU
 Sample : SSTDIC5.0
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 SSTDIC5.0

Quant Time: Jul 21 16:37:23 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN072221.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jul 21 16:04:33 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.744	152	14526	0.400	ng	0.00
7) Naphthalene-d8	10.521	136	57939	0.400	ng	0.00
13) Acenaphthene-d10	14.370	164	31501	0.400	ng	0.00
19) Phenanthrene-d10	17.115	188	62160	0.400	ng	#-0.01
29) Chrysene-d12	21.323	240	57539	0.400	ng	0.00
35) Perylene-d12	23.632	264	58151	0.400	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.346	112	194083	4.658	ng	0.00
5) Phenol-d6	6.914	99	236541	4.776	ng	0.00
8) Nitrobenzene-d5	8.886	82	230750	5.537	ng	0.00
11) 2-Methylnaphthalene-d10	12.118	152	450272	4.723	ng	0.00
14) 2,4,6-Tribromophenol	15.867	330	86297	7.568	ng	0.00
15) 2-Fluorobiphenyl	13.000	172	582590	4.582	ng	0.00
27) Fluoranthene-d10	19.162	212	909387	4.841	ng	0.00
31) Terphenyl-d14	19.763	244	646659	4.738	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	3.281	88	23975	3.374	ng	# 42
3) n-Nitrosodimethylamine	3.631	42	60690	5.068	ng	99
6) bis(2-Chloroethyl)ether	7.172	93	196028	4.426	ng	99
9) Naphthalene	10.571	128	772425	4.592	ng	100
10) Hexachlorobutadiene	10.863	225	145828	4.645	ng	# 100
12) 2-Methylnaphthalene	12.190	142	495861	4.649	ng	99
16) Acenaphthylene	14.091	152	776276	5.297	ng	100
17) Acenaphthene	14.434	154	479253	4.894	ng	96
18) Fluorene	15.423	166	582652	4.959	ng	98
20) 4,6-Dinitro-2-methylph...	15.512	198	53084	21.211	ng	# 72
21) 4-Bromophenyl-phenylether	16.312	248	192598	4.879	ng	# 69
22) Hexachlorobenzene	16.433	284	197180	4.442	ng	99
23) Atrazine	16.592	200	170353	5.976	ng	99
24) Pentachlorophenol	16.774	266	81698	8.612	ng	99
25) Phenanthrene	17.164	178	918886	4.575	ng	100
26) Anthracene	17.249	178	876821	5.083	ng	100
28) Fluoranthene	19.192	202	1014034	4.660	ng	100
30) Pyrene	19.554	202	1058800	4.786	ng	100
32) Benzo(a)anthracene	21.302	228	1061048	5.279	ng	100
33) Chrysene	21.355	228	989247	4.647	ng	99
34) Bis(2-ethylhexyl)phtha...	21.249	149	721979	8.380	ng	100
36) Indeno(1,2,3-cd)pyrene	26.007	276	1145705	5.518	ng	100
37) Benzo(b)fluoranthene	22.933	252	1056975	4.633	ng	99
38) Benzo(k)fluoranthene	22.981	252	1030873	4.477	ng	99
39) Benzo(a)pyrene	23.532	252	976336	4.971	ng	99
40) Dibenzo(a,h)anthracene	26.028	278	925533	5.673	ng	99
41) Benzo(g,h,i)perylene	26.736	276	1007726	5.723	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN072221\
Data File : BN015647.D
Acq On : 21 Jul 2021 16:06
Operator : CG/JU
Sample : SSTDIC5.0
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
SSTDIC5.0

Quant Time: Jul 21 16:37:23 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN072221.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jul 21 16:04:33 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.744 min Scan# 506
Delta R.T. -0.000 min
Lab File: BN015647.D
Acq: 21 Jul 2021 16:06




Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0


Tgt Ion:152 Resp: 14526
Ion Ratio Lower Upper
152 100
150 157.5 123.4 185.2
115 59.7 47.0 70.6



#2
1,4-Dioxane
Concen: 3.374 ng
RT: 3.281 min Scan# 22
Delta R.T. 0.000 min
Lab File: BN015647.D
Acq: 21 Jul 2021 16:06

Tgt Ion: 88 Resp: 23975
Ion Ratio Lower Upper
88 100
43 28.1 105.4 158.0#
58 76.4 72.6 108.8









#3
n-Nitrosodimethylamine
Concen: 5.068 ng
RT: 3.631 min Scan# 60
Delta R.T. -0.018 min
Lab File: BN015647.D
Acq: 21 Jul 2021 16:06




Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0


Tgt Ion: 42 Resp: 60690
Ion Ratio Lower Upper
42 100
74 156.6 123.8 185.8
44 6.7 5.9 8.9



#4
2-Fluorophenol
Concen: 4.658 ng
RT: 5.346 min Scan# 246
Delta R.T. 0.000 min
Lab File: BN015647.D
Acq: 21 Jul 2021 16:06

Tgt Ion: 112 Resp: 194083
Ion Ratio Lower Upper
112 100
64 55.7 44.2 66.4
63 27.5 22.1 33.1









#5
Phenol-d6
Concen: 4.776 ng
RT: 6.914 min Scan# 416
Delta R.T. 0.000 min
Lab File: BN015647.D
Acq: 21 Jul 2021 16:06




Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0


Tgt Ion: 99 Resp: 236541
Ion Ratio Lower Upper
99 100
42 16.2 13.0 19.6
71 30.2 24.4 36.6



#6
bis(2-Chloroethyl)ether
Concen: 4.426 ng
RT: 7.172 min Scan# 444
Delta R.T. 0.000 min
Lab File: BN015647.D
Acq: 21 Jul 2021 16:06

Tgt Ion: 93 Resp: 196028
Ion Ratio Lower Upper
93 100
63 73.3 59.1 88.7
95 32.6 26.3 39.5









#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.521 min Scan# 742
Delta R.T. 0.000 min
Lab File: BN015647.D
Acq: 21 Jul 2021 16:06




Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0


Tgt Ion:	136	Resp:	57939
Ion	Ratio	Lower	Upper
136	100		
137	11.1	8.8	13.2
54	7.4	5.7	8.5
68	6.2	4.8	7.2



#8
Nitrobenzene-d5
Concen: 5.537 ng
RT: 8.886 min Scan# 613
Delta R.T. 0.000 min
Lab File: BN015647.D
Acq: 21 Jul 2021 16:06

Tgt Ion:	82	Resp:	230750
Ion	Ratio	Lower	Upper
82	100		
128	42.2	32.2	48.4
54	47.6	39.0	58.6









#9
Naphthalene
Concen: 4.592 ng
RT: 10.571 min Scan# 746
Delta R.T. 0.000 min
Lab File: BN015647.D
Acq: 21 Jul 2021 16:06




Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0


Tgt Ion:128 Resp: 772425
Ion Ratio Lower Upper
128 100
129 11.0 8.7 13.1
127 12.8 10.4 15.6



#10
Hexachlorobutadiene
Concen: 4.645 ng
RT: 10.863 min Scan# 769
Delta R.T. 0.000 min
Lab File: BN015647.D
Acq: 21 Jul 2021 16:06

Tgt Ion:225 Resp: 145828
Ion Ratio Lower Upper
225 100
223 0.0 0.0 0.0
227 63.9 51.1 76.7









#11
2-Methylnaphthalene-d10
Concen: 4.723 ng
RT: 12.118 min Scan# 957
Delta R.T. 0.000 min
Lab File: BN015647.D
Acq: 21 Jul 2021 16:06




Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0


Tgt Ion:152 Resp: 450272
Ion Ratio Lower Upper
152 100
151 20.2 16.2 24.4



#12
2-Methylnaphthalene
Concen: 4.649 ng
RT: 12.190 min Scan# 973
Delta R.T. 0.000 min
Lab File: BN015647.D
Acq: 21 Jul 2021 16:06

Tgt Ion:142 Resp: 495861
Ion Ratio Lower Upper
142 100
141 87.6 71.1 106.7
115 33.0 26.8 40.2









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.370 min Scan# 1191
Delta R.T. 0.000 min
Lab File: BN015647.D
Acq: 21 Jul 2021 16:06




Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0


Tgt Ion:164 Resp: 31501
Ion Ratio Lower Upper
164 100
162 102.6 82.4 123.6
160 46.5 37.3 55.9



#14
2,4,6-Tribromophenol
Concen: 7.568 ng
RT: 15.867 min Scan# 1309
Delta R.T. 0.000 min
Lab File: BN015647.D
Acq: 21 Jul 2021 16:06

Tgt Ion:330 Resp: 86297
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 34.8 29.0 43.6









#15
2-Fluorobiphenyl
Concen: 4.582 ng
RT: 13.000 min Scan# 1083
Delta R.T. 0.000 min
Lab File: BN015647.D
Acq: 21 Jul 2021 16:06




Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0


Tgt Ion:172 Resp: 582590
Ion Ratio Lower Upper
172 100
171 33.7 27.2 40.8
170 21.8 17.8 26.6



#16
Acenaphthylene
Concen: 5.297 ng
RT: 14.091 min Scan# 1169
Delta R.T. 0.000 min
Lab File: BN015647.D
Acq: 21 Jul 2021 16:06

Tgt Ion:152 Resp: 776276
Ion Ratio Lower Upper
152 100
151 19.4 15.6 23.4
153 13.1 10.3 15.5









#17
Acenaphthene
Concen: 4.894 ng
RT: 14.434 min Scan# 1196
Delta R.T. 0.000 min
Lab File: BN015647.D
Acq: 21 Jul 2021 16:06




Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0


Tgt Ion:154 Resp: 479253
Ion Ratio Lower Upper
154 100
153 109.1 90.2 135.2
152 51.6 43.7 65.5



#18
Fluorene
Concen: 4.959 ng
RT: 15.423 min Scan# 1274
Delta R.T. 0.000 min
Lab File: BN015647.D
Acq: 21 Jul 2021 16:06

Tgt Ion:166 Resp: 582652
Ion Ratio Lower Upper
166 100
165 96.6 78.6 118.0
167 13.5 10.7 16.1









#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.115 min Scan# 1411
Delta R.T. -0.012 min
Lab File: BN015647.D
Acq: 21 Jul 2021 16:06




Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0


Tgt Ion:188 Resp: 62160
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 13.6 5.3 7.9#



#20
4,6-Dinitro-2-methylphenol
Concen: 21.211 ng
RT: 15.512 min Scan# 1281
Delta R.T. 0.000 min
Lab File: BN015647.D
Acq: 21 Jul 2021 16:06

Tgt Ion:198 Resp: 53084
Ion Ratio Lower Upper
198 100
182 5.2 14.0 21.0#
77 0.0 0.0 0.0









#21
4-Bromophenyl-phenylether
Concen: 4.879 ng
RT: 16.312 min Scan# 1345
Delta R.T. -0.012 min
Lab File: BN015647.D
Acq: 21 Jul 2021 16:06




Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0


Tgt Ion:248 Resp: 192598
Ion Ratio Lower Upper
248 100
250 88.7 82.1 123.1
141 82.8 28.5 42.7#



#22
Hexachlorobenzene
Concen: 4.442 ng
RT: 16.433 min Scan# 1355
Delta R.T. 0.000 min
Lab File: BN015647.D
Acq: 21 Jul 2021 16:06

Tgt Ion:284 Resp: 197180
Ion Ratio Lower Upper
284 100
142 34.2 27.1 40.7
249 31.4 24.7 37.1









#23
Atrazine
Concen: 5.976 ng
RT: 16.592 min Scan# 1368
Delta R.T. 0.000 min
Lab File: BN015647.D
Acq: 21 Jul 2021 16:06




Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0


Tgt Ion:200 Resp: 170353
Ion Ratio Lower Upper
200 100
173 25.8 21.2 31.8
215 47.7 38.8 58.2



#24
Pentachlorophenol
Concen: 8.612 ng
RT: 16.774 min Scan# 1383
Delta R.T. -0.012 min
Lab File: BN015647.D
Acq: 21 Jul 2021 16:06

Tgt Ion:266 Resp: 81698
Ion Ratio Lower Upper
266 100
264 63.1 50.2 75.4
268 63.8 51.6 77.4









#25
Phenanthrene
Concen: 4.575 ng
RT: 17.164 min Scan# 1415
Delta R.T. 0.000 min
Lab File: BN015647.D
Acq: 21 Jul 2021 16:06




Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0


Tgt Ion:178 Resp: 918886
Ion Ratio Lower Upper
178 100
176 18.8 15.0 22.6
179 15.3 12.3 18.5



#26
Anthracene
Concen: 5.083 ng
RT: 17.249 min Scan# 1422
Delta R.T. -0.012 min
Lab File: BN015647.D
Acq: 21 Jul 2021 16:06

Tgt Ion:178 Resp: 876821
Ion Ratio Lower Upper
178 100
176 18.3 14.5 21.7
179 15.5 12.2 18.4









#27
Fluoranthene-d10
Concen: 4.841 ng
RT: 19.162 min Scan# 1716
Delta R.T. 0.000 min
Lab File: BN015647.D
Acq: 21 Jul 2021 16:06




Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0


Tgt Ion:212 Resp: 909387
Ion Ratio Lower Upper
212 100
106 14.3 11.3 16.9
104 7.8 6.1 9.1



#28
Fluoranthene
Concen: 4.660 ng
RT: 19.192 min Scan# 1722
Delta R.T. 0.000 min
Lab File: BN015647.D
Acq: 21 Jul 2021 16:06

Tgt Ion:202 Resp: 1014034
Ion Ratio Lower Upper
202 100
101 11.7 9.3 13.9
203 17.5 13.8 20.6









#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.323 min Scan# 2010
Delta R.T. 0.000 min
Lab File: BN015647.D
Acq: 21 Jul 2021 16:06




Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0


Tgt Ion:240 Resp: 57539
Ion Ratio Lower Upper
240 100
120 7.4 7.1 10.7
236 26.1 20.7 31.1



#30
Pyrene
Concen: 4.786 ng
RT: 19.554 min Scan# 1795
Delta R.T. 0.000 min
Lab File: BN015647.D
Acq: 21 Jul 2021 16:06

Tgt Ion:202 Resp: 1058800
Ion Ratio Lower Upper
202 100
200 20.6 16.4 24.6
203 17.7 13.9 20.9









#31
Terphenyl-d14
Concen: 4.738 ng
RT: 19.763 min Scan# 1837
Delta R.T. -0.005 min
Lab File: BN015647.D
Acq: 21 Jul 2021 16:06




Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0


Tgt Ion:244 Resp: 646659
Ion Ratio Lower Upper
244 100
212 7.7 6.1 9.1
122 13.7 9.4 14.2



#32
Benzo(a)anthracene
Concen: 5.279 ng
RT: 21.302 min Scan# 2008
Delta R.T. 0.000 min
Lab File: BN015647.D
Acq: 21 Jul 2021 16:06

Tgt Ion:228 Resp: 1061048
Ion Ratio Lower Upper
228 100
226 27.4 22.1 33.1
229 19.4 15.3 22.9









#33
Chrysene
Concen: 4.647 ng
RT: 21.355 min Scan# 2013
Delta R.T. 0.000 min
Lab File: BN015647.D
Acq: 21 Jul 2021 16:06




Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0


Tgt Ion:228 Resp: 989247
Ion Ratio Lower Upper
228 100
226 30.1 24.3 36.5
229 19.6 15.5 23.3



#34
Bis(2-ethylhexyl)phthalate
Concen: 8.380 ng
RT: 21.249 min Scan# 2003
Delta R.T. 0.000 min
Lab File: BN015647.D
Acq: 21 Jul 2021 16:06


Tgt Ion:149 Resp: 721979
Ion Ratio Lower Upper
149 100
167 28.5 23.0 34.4
279 3.8 2.9 4.3








#35
Perylene-d12
Concen: 0.400 ng
RT: 23.632 min Scan# 2470
Delta R.T. -0.003 min
Lab File: BN015647.D
Acq: 21 Jul 2021 16:06

Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0







Tgt Ion:264 Resp: 58151
Ion Ratio Lower Upper
264 100
260 25.0 19.7 29.5
265 24.6 20.0 30.0



#36
Indeno(1,2,3-cd)pyrene
Concen: 5.518 ng
RT: 26.007 min Scan# 3164
Delta R.T. 0.000 min
Lab File: BN015647.D
Acq: 21 Jul 2021 16:06


Tgt Ion:276 Resp: 1145705
Ion Ratio Lower Upper
276 100
138 27.2 21.8 32.6
277 25.1 20.0 30.0








#37
Benzo(b)fluoranthene
Concen: 4.633 ng
RT: 22.933 min Scan# 2266
Delta R.T. -0.003 min
Lab File: BN015647.D
Acq: 21 Jul 2021 16:06

Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0







Tgt Ion:252 Resp: 1056975
Ion Ratio Lower Upper
252 100
253 21.8 17.8 26.8
125 10.7 8.9 13.3



#38
Benzo(k)fluoranthene
Concen: 4.477 ng
RT: 22.981 min Scan# 2280
Delta R.T. 0.000 min
Lab File: BN015647.D
Acq: 21 Jul 2021 16:06


Tgt Ion:252 Resp: 1030873
Ion Ratio Lower Upper
252 100
253 21.9 17.8 26.6
125 10.6 8.9 13.3








#39
Benzo(a)pyrene
Concen: 4.971 ng
RT: 23.532 min Scan# 2441
Delta R.T. 0.000 min
Lab File: BN015647.D
Acq: 21 Jul 2021 16:06


Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0





Tgt Ion:252 Resp: 976336
Ion Ratio Lower Upper
252 100
253 22.0 17.6 26.4
125 11.7 10.1 15.1




#40
Dibenzo(a,h)anthracene
Concen: 5.673 ng
RT: 26.028 min Scan# 3170
Delta R.T. 0.004 min
Lab File: BN015647.D
Acq: 21 Jul 2021 16:06



Tgt Ion:278 Resp: 925533
Ion Ratio Lower Upper
278 100
139 17.8 14.7 22.1
279 23.5 19.0 28.6





#41
Benzo(g,h,i)perylene
Concen: 5.723 ng
RT: 26.736 min Scan# 3377
Delta R.T. 0.004 min
Lab File: BN015647.D
Acq: 21 Jul 2021 16:06

Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0

Tgt Ion:276 Resp: 1007726
Ion Ratio Lower Upper
276 100
277 23.7 19.0 28.6
138 23.6 18.5 27.7

