

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN072324\
 Data File : BN032949.D
 Acq On : 24 Jul 2024 15:24
 Operator : MA/JU
 Sample : P3238-04DL 5X
 Misc :
 ALS Vial : 60 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 A4BE7DL

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 07/25/2024
 Supervised By :mohammad ahmed 07/26/2024

Quant Time: Jul 24 16:20:01 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-SIM-BN071224.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Jul 20 01:52:15 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.523	152	4322	0.400	ng/ul	-0.01
4) Naphthalene-d8	10.293	136	14039	0.400	ng/ul	-0.02
9) Acenaphthene-d10	14.174	164	7514	0.400	ng/ul	-0.01
13) Phenanthrene-d10	16.940	188	11957	0.400	ng/ul	-0.02
17) Chrysene-d12	21.158	240	10734	0.400	ng/ul	# 0.00
23) Perylene-d12	23.353	264	13053	0.400	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.084	96	3037	0.585	ng/ul	0.00
6) 2-Methylnaphthalene-d10	11.910	152	788	0.037	ng/ul	-0.02
18) Fluoranthene-d10	18.980	212	1278	0.037	ng/ul	-0.02
Target Compounds						
					Qvalue	
5) Naphthalene	10.343	128	4272	0.113	ng/ul#	94
7) 2-Methylnaphthalene	11.987	142	1039	0.044	ng/ul	100
8) 1-Methylnaphthalene	12.202	142	784	0.032	ng/ul	98
10) Acenaphthylene	13.896	152	2609	0.086	ng/ul#	88
11) Acenaphthene	14.239	153	4706	0.187	ng/ul	99
12) Fluorene	15.238	166	5364	0.187	ng/ul	99
15) Phenanthrene	16.982	178	88583	2.720	ng/ul	98
16) Anthracene	17.075	178	15755	0.592	ng/ul#	96
19) Fluoranthene	19.012	202	141273	3.237	ng/ul	98
20) Pyrene	19.379	202	96523	2.137	ng/ul	98
21) Benzo(a)anthracene	21.141	228	60497	1.771	ng/ul	98
22) Chrysene	21.196	228	58161	1.177	ng/ul	98
24) Benzo(b)fluoranthene	22.698	252	78460m	1.704	ng/ul	
25) Benzo(k)fluoranthene	22.733	252	34093m	0.607	ng/ul	
26) Benzo(a)pyrene	23.257	252	32488	0.815	ng/ul	96
27) Indeno(1,2,3-cd)pyrene	25.565	276	30443	0.564	ng/ul#	92
28) Dibenzo(a,h)anthracene	25.558	278	9735	0.233	ng/ul#	63
29) Benzo(g,h,i)perylene	26.246	276	4358	0.097	ng/ul#	42

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN072324\
Data File : BN032949.D
Acq On : 24 Jul 2024 15:24
Operator : MA/JU
Sample : P3238-04DL 5X
Misc :
ALS Vial : 60 Sample Multiplier: 1


Instrument :
BNA_N
ClientSampleId :
A4BE7DL

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 07/25/2024
Supervised By :mohammad ahmed 07/26/2024


Quant Time: Jul 24 16:20:01 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-SIM-BN071224.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Jul 20 01:52:15 2024
Response via : Initial Calibration





#5
Naphthalene
Concen: 0.113 ng/ul
RT: 10.343 min Scan# 1729
Delta R.T. -0.021 min
Lab File: BN032949.D
Acq: 24 Jul 2024 15:24




Instrument :
BNA_N
ClientSampleId :
A4BE7DL




Tgt Ion:128 Resp: 4272
Ion Ratio Lower Upper
128 100
129 15.9 10.0 15.0
127 15.9 11.6 17.4

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 07/25/2024
Supervised By :mohammad ahmed 07/26/2024




#7
2-Methylnaphthalene
Concen: 0.044 ng/ul
RT: 11.987 min Scan# 2028
Delta R.T. -0.010 min
Lab File: BN032949.D
Acq: 24 Jul 2024 15:24



Tgt Ion:142 Resp: 1039
Ion Ratio Lower Upper
142 100
141 93.0 74.0 111.0





#8

1-Methylnaphthalene

Concen: 0.032 ng/ul

RT: 12.202 min Scan# 2067

Delta R.T. -0.010 min

Lab File: BN032949.D

Acq: 24 Jul 2024 15:24

Instrument :

BNA_N

ClientSampleId :

A4BE7DL

Tgt Ion:142 Resp: 784

Ion Ratio Lower Upper

142 100





141 95.9 75.0 112.4

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 07/25/2024

Supervised By :mohammad ahmed 07/26/2024



#10

Acenaphthylene

Concen: 0.086 ng/ul

RT: 13.896 min Scan# 2392

Delta R.T. -0.017 min

Lab File: BN032949.D

Acq: 24 Jul 2024 15:24




Tgt Ion:152 Resp: 2609


Ion Ratio Lower Upper

152 100

151 25.3 16.3 24.5#


153 19.4 11.3 16.9#





#11
Acenaphthene
Concen: 0.187 ng/ul
RT: 14.239 min Scan# 2466
Delta R.T. -0.013 min
Lab File: BN032949.D
Acq: 24 Jul 2024 15:24




Instrument :
BNA_N
ClientSampleId :
A4BE7DL



Tgt Ion:153 Resp: 4700
Ion Ratio Lower Upper
153 100
152 48.8 40.0 60.0
154 88.2 70.2 105.4




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 07/25/2024
Supervised By :mohammad ahmed 07/26/2024



#12
Fluorene
Concen: 0.187 ng/ul
RT: 15.238 min Scan# 2682
Delta R.T. -0.022 min
Lab File: BN032949.D
Acq: 24 Jul 2024 15:24

Tgt Ion:166 Resp: 5364
Ion Ratio Lower Upper
166 100
165 98.5 79.7 119.5
167 15.7 11.4 17.2





#15

Phenanthrene

Concen: 2.720 ng/u1

RT: 16.982 min Scan# 3075

Delta R.T. -0.020 min

Lab File: BN032949.D

Acq: 24 Jul 2024 15:24

Instrument :

BNA_N

ClientSampleId :

A4BE7DL





Tgt Ion:178	Resp:	8858
Ion Ratio	Lower	Upper
178	100	
179	15.7	13.0 19.4
176	18.7	15.6 23.4

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 07/25/2024

Supervised By :mohammad ahmed 07/26/2024



#16

Anthracene

Concen: 0.592 ng/u1




RT: 17.075 min Scan# 3097


Delta R.T. -0.024 min

Lab File: BN032949.D

Acq: 24 Jul 2024 15:24


Tgt Ion:178	Resp:	15755
Ion Ratio	Lower	Upper
178	100	
179	20.2	13.4 20.2#
176	19.0	15.4 23.0





#19
Fluoranthene
Concen: 3.237 ng/u1
RT: 19.012 min Scan# 3545
Delta R.T. -0.013 min
Lab File: BN032949.D
Acq: 24 Jul 2024 15:24




Instrument :
BNA_N
ClientSampleId :
A4BE7DL




Tgt Ion:202 Resp: 14127
Ion Ratio Lower Upper
202 100
101 11.7 9.8 14.8
100 8.7 7.9 11.9

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 07/25/2024
Supervised By :mohammad ahmed 07/26/2024




#20
Pyrene
Concen: 2.137 ng/u1
RT: 19.379 min Scan# 3624
Delta R.T. -0.013 min
Lab File: BN032949.D
Acq: 24 Jul 2024 15:24




Tgt Ion:202 Resp: 96523
Ion Ratio Lower Upper
202 100
101 13.8 11.8 17.6
100 11.1 9.6 14.4





#21
Benzo(a)anthracene
Concen: 1.771 ng/ul
RT: 21.141 min Scan# 4087
Delta R.T. -0.009 min
Lab File: BN032949.D
Acq: 24 Jul 2024 15:24




Instrument :
BNA_N
ClientSampleId :
A4BE7DL



Tgt Ion:228 Resp: 6049
Ion Ratio Lower Upper
228 100
229 22.0 16.1 24.1
226 27.6 21.9 32.9




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 07/25/2024
Supervised By :mohammad ahmed 07/26/2024



#22
Chrysene
Concen: 1.177 ng/ul
RT: 21.196 min Scan# 4103
Delta R.T. -0.006 min
Lab File: BN032949.D
Acq: 24 Jul 2024 15:24


Tgt Ion:228 Resp: 58161
Ion Ratio Lower Upper
228 100
226 30.1 24.0 36.0
229 22.2 15.8 23.6





#24
Benzo(b)fluoranthene
Concen: 1.704 ng/ul m
RT: 22.698 min Scan# 4617
Delta R.T. -0.001 min
Lab File: BN032949.D
Acq: 24 Jul 2024 15:24




Instrument :
BNA_N
ClientSampleId :
A4BE7DL




Tgt Ion:252 Resp: 78460
Ion Ratio Lower Upper
252 100
253 24.9 0.0 54.0
125 17.5 0.0 36.0

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 07/25/2024
Supervised By :mohammad ahmed 07/26/2024




#25
Benzo(k)fluoranthene
Concen: 0.607 ng/ul m
RT: 22.733 min Scan# 4629
Delta R.T. -0.006 min
Lab File: BN032949.D
Acq: 24 Jul 2024 15:24




Tgt Ion:252 Resp: 34093
Ion Ratio Lower Upper
252 100
253 27.6 21.2 31.8
125 21.8 14.8 22.2





#26
Benzo(a)pyrene
Concen: 0.815 ng/ul
RT: 23.257 min Scan# 4808
Delta R.T. -0.007 min
Lab File: BN032949.D
Acq: 24 Jul 2024 15:24




Instrument :
BNA_N
ClientSampleId :
A4BE7DL




Tgt Ion:252 Resp: 32488
Ion Ratio Lower Upper
252 100
253 29.2 25.4 38.0
125 24.1 20.6 30.8

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 07/25/2024
Supervised By :mohammad ahmed 07/26/2024




#27
Indeno(1,2,3-cd)pyrene
Concen: 0.564 ng/ul
RT: 25.565 min Scan# 5573
Delta R.T. -0.004 min
Lab File: BN032949.D
Acq: 24 Jul 2024 15:24



Tgt Ion:276 Resp: 30443
Ion Ratio Lower Upper
276 100
138 22.7 21.6 32.4
227 0.3 0.0 0.0






#28
Dibenzo(a,h)anthracene
Concen: 0.233 ng/ul
RT: 25.558 min Scan# 5577
Delta R.T. -0.011 min
Lab File: BN032949.D
Acq: 24 Jul 2024 15:24

Instrument :

BNA_N

ClientSampleId :

A4BE7DL






Tgt Ion:278 Resp: 973
Ion Ratio Lower Upper
278 100
139 44.1 16.6 24.8
279 44.1 23.7 35.5

Manual Integrations


APPROVED

Reviewed By :Yogesh Patel 07/25/2024

Supervised By :mohammad ahmed 07/26/2024



#29
Benzo(g,h,i)perylene
Concen: 0.097 ng/ul
RT: 26.246 min Scan# 5776
Delta R.T. -0.004 min
Lab File: BN032949.D
Acq: 24 Jul 2024 15:24



Tgt Ion:276 Resp: 4358
Ion Ratio Lower Upper
276 100
138 62.0 21.0 31.4#
277 49.6 20.6 31.0#

