

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN072420\
 Data File : BN011263.D
 Acq On : 25 Jul 2020 05:25
 Operator : CG/JU
 Sample : L3388-08
 Misc :
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 C0AD4

Quant Time: Jul 25 06:33:42 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN071520MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Jul 25 04:23:15 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.48	152	262740	20.00	ng/ul	0.00
18) Naphthalene-d8	10.23	136	1115769	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.11	164	750274	20.00	ng/ul	0.00
62) Phenanthrene-d10	16.86	188	1648671	20.00	ng/ul	0.00
78) Chrysene-d12	21.08	240	1594824	20.00	ng/ul	0.00
86) Perylene-d12	23.21	264	1320878	20.00	ng/ul	0.00

System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.15	96	10684	1.55	ng/uL	0.00
5) Phenol-d5	6.68	99	213093	10.20	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.83	67	118951	10.65	ng/ul	0.00
9) 2-Chlorophenol-d4	7.02	132	176715	9.68	ng/ul	0.00
13) 4-Methylphenol-d8	8.19	113	172632	10.02	ng/ul	0.00
19) Nitrobenzene-d5	8.62	128	93162	10.28	ng/ul	0.00
22) 2-Nitrophenol-d4	9.33	143	98442	10.23	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.86	165	181335	9.71	ng/ul	0.00
29) 4-Chloroaniline-d4	10.38	131	121553	6.18	ng/ul	0.00
44) Dimethylphthalate-d6	13.53	166	632210	10.39	ng/ul	0.00
47) Acenaphthylene-d8	13.80	160	719396	9.96	ng/ul	0.00
52) 4-Nitrophenol-d4	14.33	143	70740	6.51	ng/ul	0.00
58) Fluorene-d10	15.11	176	568878	10.57	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.24	200	69888	6.95	ng/ul	0.00
71) Anthracene-d10	16.96	188	845304	10.53	ng/ul	0.00
79) Pyrene-d10	19.27	212	982539	12.36	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.07	264	722840	10.10	ng/ul	-0.01


Target Compounds					Ovalue	
45) Dimethylphthalate	13.58	163	210604	3.276	ng/ul	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN072420\
Data File : BN011263.D
Acq On : 25 Jul 2020 05:25
Operator : CG/JU
Sample : L3388-08
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
C0AD4

Quant Time: Jul 25 06:33:42 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN071520MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat Jul 25 04:23:15 2020
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 3.276 ng/ul

RT: 13.58 min Scan# 1801

Delta R.T. -0.01 min

Lab File: BN011263.D

Acq: 25 Jul 2020 05:25

Instrument :

BNA_N

ClientSampleId :

C0AD4


Tot Ion:163 Resp: 210604

Ion Ratio Lower Upper

163 100

194 3.9 3.4 5.0

164 9.7 7.8 11.8



Abundance

Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

