

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN072721\
 Data File : BN015704.D
 Acq On : 27 Jul 2021 15:03
 Operator : CG/JU
 Sample : M3186-05MSD
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 AREA-3-(0-9)MSD

Manual Integrations
 APPROVED

mohammad
 7/28/2021 11:34:18 AM

Quant Time: Jul 27 15:33:07 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN072521.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jul 27 13:51:38 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.688	152	14299	0.400	ng	0.00
7) Naphthalene-d8	10.470	136	67476	0.400	ng	0.00
13) Acenaphthene-d10	14.319	164	39552	0.400	ng	0.00
19) Phenanthrene-d10	17.078	188	78093	0.400	ng	0.00
29) Chrysene-d12	21.291	240	68177	0.400	ng	0.01
35) Perylene-d12	23.580	264	69793	0.400	ng	# 0.01
System Monitoring Compounds						
4) 2-Fluorophenol	5.309	112	13495	0.357	ng	0.02
5) Phenol-d6	6.877	99	16547	0.364	ng	0.00
8) Nitrobenzene-d5	8.835	82	18351	0.363	ng	0.00
11) 2-Methylnaphthalene-d10	12.065	152	41908	0.406	ng	0.00
14) 2,4,6-Tribromophenol	15.817	330	6405	0.375	ng	0.00
15) 2-Fluorobiphenyl	12.949	172	51330	0.328	ng	0.00
27) Fluoranthene-d10	19.117	212	78576	0.367	ng	0.00
31) Terphenyl-d14	19.723	244	65217	0.410	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	3.244	88	4734	1.090	ng	# 95
3) n-Nitrosodimethylamine	3.567	42	4376	0.401	ng	# 96
6) bis(2-Chloroethyl)ether	7.126	93	16300	0.400	ng	99
9) Naphthalene	10.521	128	102209	0.570	ng	100
10) Hexachlorobutadiene	10.812	225	12028	0.358	ng	# 100
12) 2-Methylnaphthalene	12.141	142	64290	0.545	ng	99
16) Acenaphthylene	14.040	152	237786	1.391	ng	99
17) Acenaphthene	14.383	154	53522	0.469	ng	97
18) Fluorene	15.372	166	78971	0.566	ng	92
20) 4,6-Dinitro-2-methylph...	15.461	198	630	0.296	ng	# 65
21) 4-Bromophenyl-phenylether	16.275	248	16467	0.364	ng	97
22) Hexachlorobenzene	16.385	284	17094	0.344	ng	99
23) Atrazine	16.543	200	15502	0.453	ng	97
24) Pentachlorophenol	16.738	266	9479	0.536	ng	99
25) Phenanthrene	17.115	178	429904	1.865	ng	100
26) Anthracene	17.200	178	204081	1.008	ng	99
28) Fluoranthene	19.147	202	698618	2.721	ng	99
30) Pyrene	19.510	202	751448	3.162	ng	# 96
32) Benzo(a)anthracene	21.270	228	524512m	2.273	ng	
33) Chrysene	21.323	228	502427	2.183	ng	97
34) Bis(2-ethylhexyl)phtha...	21.217	149	84729	0.709	ng	100
36) Indeno(1,2,3-cd)pyrene	25.918	276	381115	1.428	ng	95
37) Benzo(b)fluoranthene	22.892	252	607795	2.503	ng	98
38) Benzo(k)fluoranthene	22.933	252	280973m	1.131	ng	
39) Benzo(a)pyrene	23.481	252	546609	2.503	ng	99
40) Dibenzo(a,h)anthracene	25.935	278	151272	0.693	ng	97
41) Benzo(g,h,i)perylene	26.637	276	398247	1.787	ng	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN072721\
Data File : BN015704.D
Acq On : 27 Jul 2021 15:03
Operator : CG/JU
Sample : M3186-05MSD
Misc :
ALS Vial : 6 Sample Multiplier: 1


Instrument :
BNA_N
ClientSampleId :
AREA-3-(0-9)MSD

Manual Integrations
APPROVED

mohammad
7/28/2021 11:34:18 AM


Quant Time: Jul 27 15:33:07 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN072521.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jul 27 13:51:38 2021
Response via : Initial Calibration





#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 7.688 min Scan# 500
 Delta R.T. -0.001 min
 Lab File: BN015704.D
 Acq: 27 Jul 2021 15:03




Instrument :
 BNA_N
 ClientSampleId :
 AREA-3-(0-9)MSD




Tgt Ion:152 Resp: 14299
 Ion Ratio Lower Upper
 152 100
 150 157.2 125.2 187.8
 115 61.6 48.6 73.0

Manual Integrations
 APPROVED



mohammad
 7/28/2021 11:34:18 AM




#2
 1,4-Dioxane
 Concen: 1.090 ng
 RT: 3.244 min Scan# 18
 Delta R.T. 0.018 min
 Lab File: BN015704.D
 Acq: 27 Jul 2021 15:03



Tgt Ion: 88 Resp: 4734
 Ion Ratio Lower Upper
 88 100
 43 40.8 0.0 0.0#
 58 62.9 53.8 80.6









#3
n-Nitrosodimethylamine
Concen: 0.401 ng
RT: 3.567 min Scan# 53
Delta R.T. -0.019 min
Lab File: BN015704.D
Acq: 27 Jul 2021 15:03

Tgt Ion: 42 Resp: 4376
Ion Ratio Lower Upper
42 100
74 162.5 126.7 190.1
44 0.0 5.8 8.8#

Instrument :
BNA_N
ClientSampleId :
AREA-3-(0-9)MSD




Manual Integrations
APPROVED


mohammad
7/28/2021 11:34:18 AM



#4
2-Fluorophenol
Concen: 0.357 ng
RT: 5.309 min Scan# 242
Delta R.T. 0.018 min
Lab File: BN015704.D
Acq: 27 Jul 2021 15:03

Tgt Ion: 112 Resp: 13495
Ion Ratio Lower Upper
112 100
64 56.8 44.8 67.2
63 28.9 22.2 33.4









#5
Phenol-d6
Concen: 0.364 ng
RT: 6.877 min Scan# 412
Delta R.T. 0.009 min
Lab File: BN015704.D
Acq: 27 Jul 2021 15:03

Instrument :
BNA_N
ClientSampleId :
AREA-3-(0-9)MSD

Tgt Ion: 99 Resp: 16547
Ion Ratio Lower Upper
99 100
42 17.2 13.4 20.0
71 31.7 24.5 36.7




Manual Integrations
APPROVED


mohammad
7/28/2021 11:34:18 AM



#6
bis(2-Chloroethyl)ether
Concen: 0.400 ng
RT: 7.126 min Scan# 439
Delta R.T. -0.000 min
Lab File: BN015704.D
Acq: 27 Jul 2021 15:03


Tgt Ion: 93 Resp: 16300
Ion Ratio Lower Upper
93 100
63 73.4 59.8 89.8
95 32.9 26.4 39.6





#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.470 min Scan# 738
Delta R.T. -0.000 min
Lab File: BN015704.D
Acq: 27 Jul 2021 15:03



Instrument :
BNA_N
ClientSampleId :
AREA-3-(0-9)MSD




Tgt Ion:	136	Resp:	67476
Ion	Ratio	Lower	Upper
136	100		
137	11.0	8.9	13.3
54	7.1	5.0	7.4
68	5.9	4.3	6.5

Manual Integrations
APPROVED



mohammad
7/28/2021 11:34:18 AM




#8
Nitrobenzene-d5
Concen: 0.363 ng
RT: 8.835 min Scan# 609
Delta R.T. -0.000 min
Lab File: BN015704.D
Acq: 27 Jul 2021 15:03



Tgt Ion:	82	Resp:	18351
Ion	Ratio	Lower	Upper
82	100		
128	40.7	32.0	48.0
54	49.0	38.9	58.3









#9
Naphthalene
Concen: 0.570 ng
RT: 10.521 min Scan# 742
Delta R.T. -0.000 min
Lab File: BN015704.D
Acq: 27 Jul 2021 15:03

Tgt Ion:	128	Resp:	102209
Ion	Ratio	Lower	Upper
128	100		
129	11.2	8.9	13.3
127	12.9	10.4	15.6

Instrument :
BNA_N
ClientSampleId :
AREA-3-(0-9)MSD




Manual Integrations
APPROVED


mohammad
7/28/2021 11:34:18 AM



#10
Hexachlorobutadiene
Concen: 0.358 ng
RT: 10.812 min Scan# 765
Delta R.T. -0.000 min
Lab File: BN015704.D
Acq: 27 Jul 2021 15:03

Tgt Ion:	225	Resp:	12028
Ion	Ratio	Lower	Upper
225	100		
223	0.0	0.0	0.0
227	64.2	51.1	76.7









#11
2-Methylnaphthalene-d10
Concen: 0.406 ng
RT: 12.065 min Scan# 945
Delta R.T. -0.000 min
Lab File: BN015704.D
Acq: 27 Jul 2021 15:03

Tgt Ion:152 Resp: 41908
Ion Ratio Lower Upper
152 100
151 18.6 16.3 24.5

Instrument :
BNA_N
ClientSampleId :
AREA-3-(0-9)MSD




Manual Integrations
APPROVED


mohammad
7/28/2021 11:34:18 AM



#12
2-Methylnaphthalene
Concen: 0.545 ng
RT: 12.141 min Scan# 962
Delta R.T. -0.000 min
Lab File: BN015704.D
Acq: 27 Jul 2021 15:03


Tgt Ion:142 Resp: 64290
Ion Ratio Lower Upper
142 100
141 88.0 69.4 104.2
115 33.5 25.9 38.9





#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.319 min Scan# 1187
Delta R.T. -0.000 min
Lab File: BN015704.D
Acq: 27 Jul 2021 15:03




Instrument :
BNA_N
ClientSampleId :
AREA-3-(0-9)MSD



Tgt Ion:164 Resp: 39552
Ion Ratio Lower Upper
164 100
162 105.3 83.6 125.4
160 48.1 38.6 58.0




Manual Integrations
APPROVED


mohammad
7/28/2021 11:34:18 AM



#14
2,4,6-Tribromophenol
Concen: 0.375 ng
RT: 15.817 min Scan# 1305
Delta R.T. -0.000 min
Lab File: BN015704.D
Acq: 27 Jul 2021 15:03

Tgt Ion:330 Resp: 6405
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 44.8 28.5 42.7#









#15
2-Fluorobiphenyl
Concen: 0.328 ng
RT: 12.949 min Scan# 1079
Delta R.T. -0.000 min
Lab File: BN015704.D
Acq: 27 Jul 2021 15:03

Tgt Ion:172 Resp: 51330
Ion Ratio Lower Upper
172 100
171 34.6 27.4 41.0
170 22.9 17.9 26.9

Instrument :
BNA_N
ClientSampleId :
AREA-3-(0-9)MSD




Manual Integrations
APPROVED


mohammad
7/28/2021 11:34:18 AM



#16
Acenaphthylene
Concen: 1.391 ng
RT: 14.040 min Scan# 1165
Delta R.T. -0.000 min
Lab File: BN015704.D
Acq: 27 Jul 2021 15:03


Tgt Ion:152 Resp: 237786
Ion Ratio Lower Upper
152 100
151 19.6 15.4 23.2
153 13.3 10.4 15.6





#17
Acenaphthene
Concen: 0.469 ng
RT: 14.383 min Scan# 1192
Delta R.T. -0.000 min
Lab File: BN015704.D
Acq: 27 Jul 2021 15:03




Instrument :
BNA_N
ClientSampleId :
AREA-3-(0-9)MSD



Tgt Ion:154 Resp: 53522
Ion Ratio Lower Upper
154 100
153 114.4 89.0 133.6
152 55.5 43.3 64.9




Manual Integrations
APPROVED


mohammad
7/28/2021 11:34:18 AM



#18
Fluorene
Concen: 0.566 ng
RT: 15.372 min Scan# 1270
Delta R.T. -0.000 min
Lab File: BN015704.D
Acq: 27 Jul 2021 15:03

Tgt Ion:166 Resp: 78971
Ion Ratio Lower Upper
166 100
165 106.0 77.9 116.9
167 14.6 10.8 16.2









#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.078 min Scan# 1408
Delta R.T. -0.000 min
Lab File: BN015704.D
Acq: 27 Jul 2021 15:03

Tgt Ion:188 Resp: 78093
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 7.6 5.3 7.9

Instrument :
BNA_N
ClientSampleId :
AREA-3-(0-9)MSD




Manual Integrations
APPROVED


mohammad
7/28/2021 11:34:18 AM



#20
4,6-Dinitro-2-methylphenol
Concen: 0.296 ng
RT: 15.461 min Scan# 1277
Delta R.T. -0.000 min
Lab File: BN015704.D
Acq: 27 Jul 2021 15:03


Tgt Ion:198 Resp: 630
Ion Ratio Lower Upper
198 100
182 36.8 16.4 24.6#
77 0.0 0.0 0.0





#21
4-Bromophenyl-phenylether
Concen: 0.364 ng
RT: 16.275 min Scan# 1342
Delta R.T. -0.000 min
Lab File: BN015704.D
Acq: 27 Jul 2021 15:03



Instrument :
BNA_N
ClientSampleId :
AREA-3-(0-9)MSD




Tgt Ion	Ratio	Lower	Upper
248	100		
250	101.7	81.6	122.4
141	42.5	29.4	44.0

Manual Integrations
APPROVED



mohammad
7/28/2021 11:34:18 AM




#22
Hexachlorobenzene
Concen: 0.344 ng
RT: 16.385 min Scan# 1351
Delta R.T. -0.000 min
Lab File: BN015704.D
Acq: 27 Jul 2021 15:03




Tgt Ion	Ratio	Lower	Upper
284	100		
142	35.2	27.6	41.4
249	31.4	24.6	37.0





#23
Atrazine
Concen: 0.453 ng
RT: 16.543 min Scan# 1364
Delta R.T. -0.000 min
Lab File: BN015704.D
Acq: 27 Jul 2021 15:03




Instrument :
BNA_N
ClientSampleId :
AREA-3-(0-9)MSD




Tgt Ion:200 Resp: 15502
Ion Ratio Lower Upper
200 100
173 30.5 21.8 32.6
215 46.8 38.2 57.2

Manual Integrations
APPROVED



mohammad
7/28/2021 11:34:18 AM




#24
Pentachlorophenol
Concen: 0.536 ng
RT: 16.738 min Scan# 1380
Delta R.T. 0.012 min
Lab File: BN015704.D
Acq: 27 Jul 2021 15:03



Tgt Ion:266 Resp: 9479
Ion Ratio Lower Upper
266 100
264 63.1 49.9 74.9
268 63.8 50.8 76.2









#25
Phenanthrene
Concen: 1.865 ng
RT: 17.115 min Scan# 1411
Delta R.T. -0.000 min
Lab File: BN015704.D
Acq: 27 Jul 2021 15:03

Tgt Ion:178 Resp: 429904
Ion Ratio Lower Upper
178 100
176 18.8 15.1 22.7
179 15.8 12.4 18.6

Instrument :
BNA_N
ClientSampleId :
AREA-3-(0-9)MSD




Manual Integrations
APPROVED


mohammad
7/28/2021 11:34:18 AM




#26
Anthracene
Concen: 1.008 ng
RT: 17.200 min Scan# 1418
Delta R.T. -0.000 min
Lab File: BN015704.D
Acq: 27 Jul 2021 15:03

Tgt Ion:178 Resp: 204081
Ion Ratio Lower Upper
178 100
176 18.2 14.6 21.8
179 16.0 12.2 18.2









#27
Fluoranthene-d10
Concen: 0.367 ng
RT: 19.117 min Scan# 1707
Delta R.T. 0.005 min
Lab File: BN015704.D
Acq: 27 Jul 2021 15:03





Tgt Ion:212 Resp: 78576
Ion Ratio Lower Upper
212 100
106 14.2 11.5 17.3
104 8.2 6.3 9.5



#28
Fluoranthene
Concen: 2.721 ng
RT: 19.147 min Scan# 1713
Delta R.T. 0.005 min
Lab File: BN015704.D
Acq: 27 Jul 2021 15:03




Tgt Ion:202 Resp: 698618
Ion Ratio Lower Upper
202 100
101 11.7 9.4 14.2
203 17.7 13.8 20.8




Instrument :
BNA_N
ClientSampleId :
AREA-3-(0-9)MSD

Manual Integrations
APPROVED




mohammad
7/28/2021 11:34:18 AM




#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.291 min Scan# 2007
Delta R.T. 0.011 min
Lab File: BN015704.D
Acq: 27 Jul 2021 15:03





Tgt Ion:240 Resp: 68177
Ion Ratio Lower Upper
240 100
120 6.9 4.9 7.3
236 26.5 20.4 30.6



#30
Pyrene
Concen: 3.162 ng
RT: 19.510 min Scan# 1786
Delta R.T. 0.005 min
Lab File: BN015704.D
Acq: 27 Jul 2021 15:03




Tgt Ion:202 Resp: 751448
Ion Ratio Lower Upper
202 100
200 20.8 16.4 24.6
203 21.1 13.9 20.9#



Instrument :
BNA_N
ClientSampleId :
AREA-3-(0-9)MSD


Manual Integrations
APPROVED

mohammad
7/28/2021 11:34:18 AM



#31
Terphenyl-d14
Concen: 0.410 ng
RT: 19.723 min Scan# 1829
Delta R.T. -0.000 min
Lab File: BN015704.D
Acq: 27 Jul 2021 15:03




Instrument :
BNA_N
ClientSampleId :
AREA-3-(0-9)MSD



Tgt Ion:244 Resp: 65217
Ion Ratio Lower Upper
244 100
212 8.1 6.2 9.2
122 13.9 10.9 16.3




Manual Integrations
APPROVED


mohammad
7/28/2021 11:34:18 AM



#32
Benzo(a)anthracene
Concen: 2.273 ng m
RT: 21.270 min Scan# 2005
Delta R.T. 0.011 min
Lab File: BN015704.D
Acq: 27 Jul 2021 15:03


Tgt Ion:228 Resp: 524512
Ion Ratio Lower Upper
228 100
226 36.5 21.2 31.8#
229 21.3 15.5 23.3





#33
Chrysene
Concen: 2.183 ng
RT: 21.323 min Scan# 2010
Delta R.T. 0.011 min
Lab File: BN015704.D
Acq: 27 Jul 2021 15:03




Instrument :
BNA_N
ClientSampleId :
AREA-3-(0-9)MSD




Tgt Ion:228 Resp: 502427
Ion Ratio Lower Upper
228 100
226 29.8 23.4 35.0
229 21.7 15.5 23.3

Manual Integrations
APPROVED



mohammad
7/28/2021 11:34:18 AM




#34
Bis(2-ethylhexyl)phthalate
Concen: 0.709 ng
RT: 21.217 min Scan# 2000
Delta R.T. 0.011 min
Lab File: BN015704.D
Acq: 27 Jul 2021 15:03




Tgt Ion:149 Resp: 84729
Ion Ratio Lower Upper
149 100
167 28.5 22.6 34.0
279 3.8 2.8 4.2





#35
Perylene-d12
Concen: 0.400 ng
RT: 23.580 min Scan# 2455
Delta R.T. 0.010 min
Lab File: BN015704.D
Acq: 27 Jul 2021 15:03



Instrument :
BNA_N
ClientSampleId :
AREA-3-(0-9)MSD




Tgt Ion:264 Resp: 69793
Ion Ratio Lower Upper
264 100
260 25.5 19.8 29.8
265 30.5 19.0 28.6#

Manual Integrations
APPROVED



mohammad
7/28/2021 11:34:18 AM




#36
Indeno(1,2,3-cd)pyrene
Concen: 1.428 ng
RT: 25.918 min Scan# 3138
Delta R.T. 0.010 min
Lab File: BN015704.D
Acq: 27 Jul 2021 15:03



Tgt Ion:276 Resp: 381115
Ion Ratio Lower Upper
276 100
138 24.2 23.0 34.4
277 25.1 20.0 30.0









#37
Benzo(b)fluoranthene
Concen: 2.503 ng
RT: 22.892 min Scan# 2254
Delta R.T. 0.014 min
Lab File: BN015704.D
Acq: 27 Jul 2021 15:03

Tgt Ion:252 Resp: 607795
Ion Ratio Lower Upper
252 100
253 22.8 17.5 26.3
125 11.6 8.9 13.3

Instrument :
BNA_N
ClientSampleId :
AREA-3-(0-9)MSD




Manual Integrations
APPROVED


mohammad
7/28/2021 11:34:18 AM




#38
Benzo(k)fluoranthene
Concen: 1.131 ng m
RT: 22.933 min Scan# 2266
Delta R.T. 0.010 min
Lab File: BN015704.D
Acq: 27 Jul 2021 15:03

Tgt Ion:252 Resp: 280973
Ion Ratio Lower Upper
252 100
253 23.3 17.6 26.4
125 11.9 9.4 14.2









#39
Benzo(a)pyrene
Concen: 2.503 ng
RT: 23.481 min Scan# 2426
Delta R.T. 0.010 min
Lab File: BN015704.D
Acq: 27 Jul 2021 15:03





Tgt Ion:252 Resp: 546609
Ion Ratio Lower Upper
252 100
253 22.5 17.7 26.5
125 11.9 10.2 15.2



#40
Dibenzo(a,h)anthracene
Concen: 0.693 ng
RT: 25.935 min Scan# 3143
Delta R.T. 0.014 min
Lab File: BN015704.D
Acq: 27 Jul 2021 15:03




Tgt Ion:278 Resp: 151272
Ion Ratio Lower Upper
278 100
139 19.5 15.1 22.7
279 25.6 19.0 28.4



Instrument :
BNA_N
ClientSampleId :
AREA-3-(0-9)MSD


Manual Integrations
APPROVED

mohammad
7/28/2021 11:34:18 AM



#41
Benzo(g,h,i)perylene
Concen: 1.787 ng
RT: 26.637 min Scan# 3348
Delta R.T. 0.017 min
Lab File: BN015704.D
Acq: 27 Jul 2021 15:03

Tgt Ion:	276	Resp:	398247
Ion Ratio	Lower	Upper	
276	100		
277	24.1	19.4	29.0
138	23.6	19.0	28.6



Instrument :
BNA_N
ClientSampleId :
AREA-3-(0-9)MSD

Manual Integrations
APPROVED

mohammad
7/28/2021 11:34:18 AM