

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN072921\
 Data File : BN015714.D
 Acq On : 29 Jul 2021 19:01
 Operator : CG/JU
 Sample : SSTDICC0.8
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 SSTDICC0.8

Manual Integrations
 APPROVED

mohammad
 7/30/2021 12:01:24 PM

Quant Time: Jul 30 02:14:39 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN072921.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 29 19:08:51 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.790	152	35391	0.400	ng	0.00
7) Naphthalene-d8	10.571	136	156624	0.400	ng	0.00
13) Acenaphthene-d10	14.421	164	90690	0.400	ng	0.00
19) Phenanthrene-d10	17.164	188	179078	0.400	ng	#-0.01
29) Chrysene-d12	21.376	240	172165	0.400	ng	0.00
35) Perylene-d12	23.714	264	171710	0.400	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.383	112	74998	0.801	ng	0.00
5) Phenol-d6	6.960	99	94246	0.837	ng	0.00
8) Nitrobenzene-d5	8.937	82	77486	0.660	ng	0.00
11) 2-Methylnaphthalene-d10	12.167	152	199979	0.835	ng	0.00
14) 2,4,6-Tribromophenol	15.918	330	27499	0.701	ng	0.00
15) 2-Fluorobiphenyl	13.051	172	266683	0.744	ng	0.00
27) Fluoranthene-d10	19.207	212	413917	0.843	ng	0.00
31) Terphenyl-d14	19.817	244	337101	0.838	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	3.355	88	9834m	0.915	ng	
3) n-Nitrosodimethylamine	3.705	42	19903	0.737	ng	# 1
6) bis(2-Chloroethyl)ether	7.228	93	77555	0.769	ng	99
9) Naphthalene	10.622	128	323300	0.776	ng	100
10) Hexachlorobutadiene	10.926	225	63160	0.809	ng	# 100
12) 2-Methylnaphthalene	12.238	142	219694	0.802	ng	99
16) Acenaphthylene	14.142	152	325627	0.831	ng	100
17) Acenaphthene	14.484	154	202954	0.775	ng	99
18) Fluorene	15.474	166	257666	0.805	ng	100
20) 4,6-Dinitro-2-methylph...	15.550	198	10394	1.090	ng	# 92
21) 4-Bromophenyl-phenylether	16.373	248	85124	0.821	ng	96
22) Hexachlorobenzene	16.482	284	83187	0.730	ng	99
23) Atrazine	16.640	200	75951	0.967	ng	99
24) Pentachlorophenol	16.823	266	28874	0.712	ng	99
25) Phenanthrene	17.212	178	394450	0.746	ng	100
26) Anthracene	17.297	178	382033	0.823	ng	100
28) Fluoranthene	19.237	202	451598	0.767	ng	100
30) Pyrene	19.604	202	465305	0.775	ng	100
32) Benzo(a)anthracene	21.355	228	466101	0.800	ng	99
33) Chrysene	21.408	228	436963	0.752	ng	99
34) Bis(2-ethylhexyl)phtha...	21.302	149	257709	0.825	ng	100
36) Indeno(1,2,3-cd)pyrene	26.113	276	501589	0.764	ng	98
37) Benzo(b)fluoranthene	23.005	252	470151	0.787	ng	99
38) Benzo(k)fluoranthene	23.053	252	456275	0.746	ng	# 93
39) Benzo(a)pyrene	23.611	252	417288	0.777	ng	99
40) Dibenzo(a,h)anthracene	26.137	278	420041	0.782	ng	# 94
41) Benzo(g,h,i)perylene	26.846	276	424944	0.775	ng	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN072921\
Data File : BN015714.D
Acq On : 29 Jul 2021 19:01
Operator : CG/JU
Sample : SSTDIC0.8
Misc :
ALS Vial : 5 Sample Multiplier: 1


Instrument :
BNA_N
ClientSampleId :
SSTDIC0.8

Manual Integrations
APPROVED

mohammad
7/30/2021 12:01:24 PM


Quant Time: Jul 30 02:14:39 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN072921.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jul 29 19:08:51 2021
Response via : Initial Calibration





#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 7.790 min Scan# 511
 Delta R.T. -0.000 min
 Lab File: BN015714.D
 Acq: 29 Jul 2021 19:01




Instrument :
 BNA_N
 ClientSampleId :
 SSTDICC0.8




Tgt Ion:152 Resp: 35391
 Ion Ratio Lower Upper
 152 100
 150 156.1 124.8 187.2
 115 61.1 49.3 73.9

Manual Integrations
 APPROVED



mohammad
 7/30/2021 12:01:24 PM




#2
 1,4-Dioxane
 Concen: 0.915 ng m
 RT: 3.355 min Scan# 30
 Delta R.T. 0.000 min
 Lab File: BN015714.D
 Acq: 29 Jul 2021 19:01



Tgt Ion: 88 Resp: 9834
 Ion Ratio Lower Upper
 88 100
 43 25.2 0.0 0.0#
 58 75.5 0.0 0.0#





#3
n-Nitrosodimethylamine
Concen: 0.737 ng
RT: 3.705 min Scan# 68
Delta R.T. -0.018 min
Lab File: BN015714.D
Acq: 29 Jul 2021 19:01





Tgt Ion: 42 Resp: 19903

Ion	Ratio	Lower	Upper
42	100		
74	149.1	34.8	52.2#
44	8.7	2.6	4.0#

Instrument :
BNA_N
ClientSampleId :
SSTDIC0.8

Manual Integrations
APPROVED




mohammad
7/30/2021 12:01:24 PM




#4
2-Fluorophenol
Concen: 0.801 ng
RT: 5.383 min Scan# 250
Delta R.T. 0.000 min
Lab File: BN015714.D
Acq: 29 Jul 2021 19:01

Tgt Ion: 112 Resp: 74998

Ion	Ratio	Lower	Upper
112	100		
64	55.5	44.6	67.0
63	28.7	23.1	34.7









#5
Phenol-d6
Concen: 0.837 ng
RT: 6.960 min Scan# 421
Delta R.T. 0.000 min
Lab File: BN015714.D
Acq: 29 Jul 2021 19:01

Tgt Ion:	99	Resp:	94246
Ion	Ratio	Lower	Upper
99	100		
42	17.1	13.8	20.6
71	30.0	24.4	36.6

Instrument :
BNA_N
ClientSampleId :
SSTDIC0.8




Manual Integrations
APPROVED


mohammad
7/30/2021 12:01:24 PM



#6
bis(2-Chloroethyl)ether
Concen: 0.769 ng
RT: 7.228 min Scan# 450
Delta R.T. 0.000 min
Lab File: BN015714.D
Acq: 29 Jul 2021 19:01


Tgt Ion:	93	Resp:	77555
Ion	Ratio	Lower	Upper
93	100		
63	75.9	61.4	92.2
95	33.1	27.0	40.4





#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.571 min Scan# 746
Delta R.T. 0.000 min
Lab File: BN015714.D
Acq: 29 Jul 2021 19:01




Instrument :
BNA_N
ClientSampled :
SSTDIC0.8



Tgt Ion:	136	Resp:	156624
Ion	Ratio	Lower	Upper
136	100		
137	11.2	9.0	13.4
54	9.1	7.4	11.2
68	7.4	6.0	9.0




Manual Integrations
APPROVED


mohammad
7/30/2021 12:01:24 PM



#8
Nitrobenzene-d5
Concen: 0.660 ng
RT: 8.937 min Scan# 617
Delta R.T. 0.000 min
Lab File: BN015714.D
Acq: 29 Jul 2021 19:01

Tgt Ion:	82	Resp:	77486
Ion	Ratio	Lower	Upper
82	100		
128	40.5	31.8	47.8
54	51.1	42.1	63.1









#9
Naphthalene
Concen: 0.776 ng
RT: 10.622 min Scan# 750
Delta R.T. 0.000 min
Lab File: BN015714.D
Acq: 29 Jul 2021 19:01

Tgt Ion:128 Resp: 323300
Ion Ratio Lower Upper
128 100
129 11.1 9.0 13.6
127 13.1 10.6 15.8

Instrument :
BNA_N
ClientSampleId :
SSTDIC0.8




Manual Integrations
APPROVED


mohammad
7/30/2021 12:01:24 PM



#10
Hexachlorobutadiene
Concen: 0.809 ng
RT: 10.926 min Scan# 774
Delta R.T. 0.000 min
Lab File: BN015714.D
Acq: 29 Jul 2021 19:01

Tgt Ion:225 Resp: 63160
Ion Ratio Lower Upper
225 100
223 0.0 0.0 0.0
227 63.9 51.0 76.4









#11
2-Methylnaphthalene-d10
Concen: 0.835 ng
RT: 12.167 min Scan# 968
Delta R.T. 0.000 min
Lab File: BN015714.D
Acq: 29 Jul 2021 19:01

Tgt Ion:152 Resp: 199979
Ion Ratio Lower Upper
152 100
151 20.1 16.0 24.0

Instrument :
BNA_N
ClientSampleId :
SSTDIC0.8




Manual Integrations
APPROVED


mohammad
7/30/2021 12:01:24 PM




#12
2-Methylnaphthalene
Concen: 0.802 ng
RT: 12.238 min Scan# 984
Delta R.T. -0.004 min
Lab File: BN015714.D
Acq: 29 Jul 2021 19:01

Tgt Ion:142 Resp: 219694
Ion Ratio Lower Upper
142 100
141 88.5 69.9 104.9
115 33.7 26.8 40.2









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.421 min Scan# 1195
Delta R.T. 0.000 min
Lab File: BN015714.D
Acq: 29 Jul 2021 19:01





Tgt Ion:164 Resp: 90690
Ion Ratio Lower Upper
164 100
162 100.2 80.1 120.1
160 44.0 35.2 52.8



#14
2,4,6-Tribromophenol
Concen: 0.701 ng
RT: 15.918 min Scan# 1313
Delta R.T. 0.000 min
Lab File: BN015714.D
Acq: 29 Jul 2021 19:01




Tgt Ion:330 Resp: 27499
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 35.5 29.1 43.7



Instrument :
BNA_N
ClientSampleId :
SSTDIC0.8

Manual Integrations
APPROVED

mohammad
7/30/2021 12:01:24 PM







#15
2-Fluorobiphenyl
Concen: 0.744 ng
RT: 13.051 min Scan# 1087
Delta R.T. 0.000 min
Lab File: BN015714.D
Acq: 29 Jul 2021 19:01

Tgt Ion:172 Resp: 266683
Ion Ratio Lower Upper
172 100
171 33.5 27.0 40.4
170 21.7 17.6 26.4

Instrument :
BNA_N
ClientSampleId :
SSTDICC0.8




Manual Integrations
APPROVED


mohammad
7/30/2021 12:01:24 PM



#16
Acenaphthylene
Concen: 0.831 ng
RT: 14.142 min Scan# 1173
Delta R.T. 0.000 min
Lab File: BN015714.D
Acq: 29 Jul 2021 19:01

Tgt Ion:152 Resp: 325627
Ion Ratio Lower Upper
152 100
151 19.5 15.7 23.5
153 13.1 10.4 15.6





#17
Acenaphthene
Concen: 0.775 ng
RT: 14.484 min Scan# 1200
Delta R.T. 0.000 min
Lab File: BN015714.D
Acq: 29 Jul 2021 19:01





Instrument :
BNA_N
ClientSampleId :
SSTDIC0.8

Tgt Ion:154 Resp: 202954

Ion	Ratio	Lower	Upper
154	100		
153	110.7	89.6	134.4
152	52.7	42.6	63.8

Manual Integrations
APPROVED




mohammad
7/30/2021 12:01:24 PM




#18
Fluorene
Concen: 0.805 ng
RT: 15.474 min Scan# 1278
Delta R.T. 0.000 min
Lab File: BN015714.D
Acq: 29 Jul 2021 19:01

Tgt Ion:166 Resp: 257666


Ion	Ratio	Lower	Upper
166	100		
165	97.3	78.0	117.0
167	13.5	10.8	16.2





#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.164 min Scan# 1415
Delta R.T. -0.012 min
Lab File: BN015714.D
Acq: 29 Jul 2021 19:01




Instrument :
BNA_N
ClientSampleId :
SSTDIC0.8




Tgt Ion:188 Resp: 179078
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 12.5 5.0 7.4#

Manual Integrations
APPROVED



mohammad
7/30/2021 12:01:24 PM




#20
4,6-Dinitro-2-methylphenol
Concen: 1.090 ng
RT: 15.550 min Scan# 1284
Delta R.T. 0.000 min
Lab File: BN015714.D
Acq: 29 Jul 2021 19:01




Tgt Ion:198 Resp: 10394
Ion Ratio Lower Upper
198 100
182 9.3 10.1 15.1#
77 0.0 0.0 0.0





#21
4-Bromophenyl-phenylether
Concen: 0.821 ng
RT: 16.373 min Scan# 1350
Delta R.T. 0.000 min
Lab File: BN015714.D
Acq: 29 Jul 2021 19:01




Instrument :
BNA_N
ClientSampleId :
SSTDIC0.8




Tgt Ion:248 Resp: 85124
Ion Ratio Lower Upper
248 100
250 105.6 82.2 123.4
141 30.0 26.9 40.3

Manual Integrations
APPROVED



mohammad
7/30/2021 12:01:24 PM




#22
Hexachlorobenzene
Concen: 0.730 ng
RT: 16.482 min Scan# 1359
Delta R.T. 0.000 min
Lab File: BN015714.D
Acq: 29 Jul 2021 19:01




Tgt Ion:284 Resp: 83187
Ion Ratio Lower Upper
284 100
142 35.5 28.6 43.0
249 30.7 24.9 37.3





#23
Atrazine
Concen: 0.967 ng
RT: 16.640 min Scan# 1372
Delta R.T. 0.000 min
Lab File: BN015714.D
Acq: 29 Jul 2021 19:01




Instrument :
BNA_N
ClientSampleId :
SSTDIC0.8




Tgt Ion:200 Resp: 75951
Ion Ratio Lower Upper
200 100
173 23.1 19.6 29.4
215 49.5 39.1 58.7

Manual Integrations
APPROVED



mohammad
7/30/2021 12:01:24 PM




#24
Pentachlorophenol
Concen: 0.712 ng
RT: 16.823 min Scan# 1387
Delta R.T. 0.000 min
Lab File: BN015714.D
Acq: 29 Jul 2021 19:01



Tgt Ion:266 Resp: 28874
Ion Ratio Lower Upper
266 100
264 62.9 50.1 75.1
268 63.6 51.4 77.2









#25
Phenanthrene
Concen: 0.746 ng
RT: 17.212 min Scan# 1419
Delta R.T. 0.000 min
Lab File: BN015714.D
Acq: 29 Jul 2021 19:01

Tgt Ion:178 Resp: 394450
Ion Ratio Lower Upper
178 100
176 18.8 15.2 22.8
179 15.5 12.3 18.5

Instrument :
BNA_N
ClientSampleId :
SSTDIC0.8




Manual Integrations
APPROVED


mohammad
7/30/2021 12:01:24 PM



#26
Anthracene
Concen: 0.823 ng
RT: 17.297 min Scan# 1426
Delta R.T. 0.000 min
Lab File: BN015714.D
Acq: 29 Jul 2021 19:01


Tgt Ion:178 Resp: 382033
Ion Ratio Lower Upper
178 100
176 18.2 14.6 22.0
179 15.4 12.2 18.4





#27
Fluoranthene-d10
Concen: 0.843 ng
RT: 19.207 min Scan# 1725
Delta R.T. -0.005 min
Lab File: BN015714.D
Acq: 29 Jul 2021 19:01




Instrument :
BNA_N
ClientSampleId :
SSTDIC0.8




Tgt Ion:212 Resp: 413917
Ion Ratio Lower Upper
212 100
106 12.0 9.6 14.4
104 6.6 5.4 8.0

Manual Integrations
APPROVED



mohammad
7/30/2021 12:01:24 PM




#28
Fluoranthene
Concen: 0.767 ng
RT: 19.237 min Scan# 1731
Delta R.T. -0.005 min
Lab File: BN015714.D
Acq: 29 Jul 2021 19:01



Tgt Ion:202 Resp: 451598
Ion Ratio Lower Upper
202 100
101 10.4 8.3 12.5
203 17.4 13.9 20.9









#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.376 min Scan# 2015
Delta R.T. 0.000 min
Lab File: BN015714.D
Acq: 29 Jul 2021 19:01

Tgt Ion:240 Resp: 172165
Ion Ratio Lower Upper
240 100
120 5.9 5.4 8.0
236 25.5 20.3 30.5

Instrument :
BNA_N
ClientSampleId :
SSTDIC0.8




Manual Integrations
APPROVED


mohammad
7/30/2021 12:01:24 PM



#30
Pyrene
Concen: 0.775 ng
RT: 19.604 min Scan# 1805
Delta R.T. 0.000 min
Lab File: BN015714.D
Acq: 29 Jul 2021 19:01


Tgt Ion:202 Resp: 465305
Ion Ratio Lower Upper
202 100
200 20.6 16.5 24.7
203 17.6 14.1 21.1





#31
Terphenyl-d14
Concen: 0.838 ng
RT: 19.817 min Scan# 1848
Delta R.T. 0.000 min
Lab File: BN015714.D
Acq: 29 Jul 2021 19:01




Instrument :
BNA_N
ClientSampleId :
SSTDIC0.8




Tgt Ion:244 Resp: 337101
Ion Ratio Lower Upper
244 100
212 7.1 5.8 8.8
122 9.8 8.4 12.6

Manual Integrations
APPROVED



mohammad
7/30/2021 12:01:24 PM




#32
Benzo(a)anthracene
Concen: 0.800 ng
RT: 21.355 min Scan# 2013
Delta R.T. 0.000 min
Lab File: BN015714.D
Acq: 29 Jul 2021 19:01




Tgt Ion:228 Resp: 466101
Ion Ratio Lower Upper
228 100
226 26.9 22.2 33.2
229 19.5 15.8 23.6





#33
Chrysene
Concen: 0.752 ng
RT: 21.408 min Scan# 2018
Delta R.T. 0.000 min
Lab File: BN015714.D
Acq: 29 Jul 2021 19:01




Instrument :
BNA_N
ClientSampleId :
SSTDIC0.8




Tgt Ion:228 Resp: 436963
Ion Ratio Lower Upper
228 100
226 29.5 24.1 36.1
229 19.9 15.4 23.0

Manual Integrations
APPROVED



mohammad
7/30/2021 12:01:24 PM




#34
Bis(2-ethylhexyl)phthalate
Concen: 0.825 ng
RT: 21.302 min Scan# 2008
Delta R.T. 0.000 min
Lab File: BN015714.D
Acq: 29 Jul 2021 19:01




Tgt Ion:149 Resp: 257709
Ion Ratio Lower Upper
149 100
167 27.9 22.5 33.7
279 4.2 3.5 5.3





#35
Perylene-d12
Concen: 0.400 ng
RT: 23.714 min Scan# 2494
Delta R.T. -0.003 min
Lab File: BN015714.D
Acq: 29 Jul 2021 19:01

Instrument :
BNA_N
ClientSampleId :
SSTDIC0.8






Tgt Ion:264 Resp: 171710


Ion	Ratio	Lower	Upper
264	100		
260	24.5	19.7	29.5
265	27.0	21.1	31.7

Manual Integrations
APPROVED

mohammad
7/30/2021 12:01:24 PM






#36
Indeno(1,2,3-cd)pyrene
Concen: 0.764 ng
RT: 26.113 min Scan# 3195
Delta R.T. -0.007 min
Lab File: BN015714.D
Acq: 29 Jul 2021 19:01



Tgt Ion:276 Resp: 501589

Ion	Ratio	Lower	Upper
276	100		
138	23.7	19.8	29.6
277	25.0	19.5	29.3









#37
Benzo(b)fluoranthene
Concen: 0.787 ng
RT: 23.005 min Scan# 2287
Delta R.T. -0.003 min
Lab File: BN015714.D
Acq: 29 Jul 2021 19:01

Tgt Ion:252 Resp: 470151
Ion Ratio Lower Upper
252 100
253 22.5 18.2 27.4
125 9.5 7.8 11.8

Instrument :
BNA_N
ClientSampleId :
SSTDIC0.8




Manual Integrations
APPROVED


mohammad
7/30/2021 12:01:24 PM




#38
Benzo(k)fluoranthene
Concen: 0.746 ng
RT: 23.053 min Scan# 2301
Delta R.T. 0.000 min
Lab File: BN015714.D
Acq: 29 Jul 2021 19:01

Tgt Ion:252 Resp: 456275
Ion Ratio Lower Upper
252 100
253 22.3 18.7 28.1
125 10.2 12.6 18.8#









#39
Benzo(a)pyrene
Concen: 0.777 ng
RT: 23.611 min Scan# 2464
Delta R.T. -0.003 min
Lab File: BN015714.D
Acq: 29 Jul 2021 19:01





Tgt Ion:252 Resp: 417288
Ion Ratio Lower Upper
252 100
253 22.3 18.3 27.5
125 10.4 8.7 13.1



#40
Dibenzo(a,h)anthracene
Concen: 0.782 ng
RT: 26.137 min Scan# 3202
Delta R.T. -0.007 min
Lab File: BN015714.D
Acq: 29 Jul 2021 19:01




Tgt Ion:278 Resp: 420041
Ion Ratio Lower Upper
278 100
139 16.6 17.4 26.0#
279 23.7 19.3 28.9



Instrument :
BNA_N
ClientSampleId :
SSTDIC0.8


Manual Integrations
APPROVED

mohammad
7/30/2021 12:01:24 PM



#41
Benzo(g,h,i)perylene
Concen: 0.775 ng
RT: 26.846 min Scan# 3409
Delta R.T. -0.007 min
Lab File: BN015714.D
Acq: 29 Jul 2021 19:01

Tgt Ion:	276	Resp:	424944
Ion Ratio	Lower	Upper	
276	100		
277	23.9	19.0	28.6
138	20.3	16.4	24.6



Instrument :
BNA_N
ClientSampleId :
SSTDICC0.8

Manual Integrations
APPROVED

mohammad
7/30/2021 12:01:24 PM