

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN073020\
 Data File : BN011310.D
 Acq On : 30 Jul 2020 22:17
 Operator : CG/JU
 Sample : L3388-17
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 C0AE4

Manual Integrations
 APPROVED

Sohil
 7/31/2020 12:14:26 PM

Quant Time: Jul 31 03:26:24 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\SOM-EPA-SIM-BN073020.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jul 31 02:58:38 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.47	152	1683	0.40	ng/ul	0.00
2) Naphthalene-d8	10.21	136	7290	0.40	ng/ul	0.00
6) Acenaphthene-d10	14.10	164	4303	0.40	ng/ul	0.00
10) Phenanthrene-d10	16.86	188	10503m	0.40	ng/ul	0.00
16) Chrysene-d12	21.07	240	9821	0.40	ng/ul	0.00
20) Perylene-d12	23.19	264	9933	0.40	ng/ul	-0.01
System Monitoring Compounds						
4) 2-Methylnaphthalene-d10	11.81	152	5363	0.29	ng/ul	0.00
14) Fluoranthene-d10	18.89	212	13604	0.27	ng/ul	0.00
Target Compounds						
19) Chrysene	21.10	228	1045	0.024	ng/ul#	81
21) Benzo(b)fluoranthene	22.57	252	2547m	0.061	ng/ul	
23) Benzo(a)pyrene	23.10	252	772	0.021	ng/ul#	3
24) Indeno(1,2,3-cd)pyrene	25.27	276	822	0.022	ng/ul#	77
26) Benzo(g,h,i)perylene	25.90	276	808	0.024	ng/ul#	56

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN073020\
Data File : BN011310.D
Acq On : 30 Jul 2020 22:17
Operator : CG/JU
Sample : L3388-17
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
C0AE4

Manual Integrations
APPROVED

Sohil
7/31/2020 12:14:26 PM

Quant Time: Jul 31 03:26:24 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\SOM-EPA-SIM-BN073020.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jul 31 02:58:38 2020
Response via : Initial Calibration

