

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN081219\
 Data File : BN007095.D
 Acq On : 12 Aug 2019 13:30
 Operator : HP/JU
 Sample : PB122098BL
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 PB122098BL

Quant Time: Aug 13 04:14:26 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN081019.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Aug 10 21:44:50 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.43	152	7522	0.40	ng	0.00
6) Naphthalene-d8	10.19	136	27321	0.40	ng	0.00
12) Acenaphthene-d10	14.08	164	14551	0.40	ng	0.00
18) Phenanthrene-d10	16.82	188	35909	0.40	ng	0.00
26) Chrysene-d12	21.05	240	30908	0.40	ng	-0.01
32) Perylene-d12	23.16	264	28571	0.40	ng	-0.01

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 2-Fluorophenol	5.06	112	5387	0.30	ng	0.00
4) Phenol-d6	6.61	99	6957	0.31	ng	0.00
7) Nitrobenzene-d5	8.56	82	5726	0.26	ng	0.00
10) 2-Methylnaphthalene-d10	11.79	152	15317	0.30	ng	0.00
13) 2,4,6-Tribromophenol	15.57	330	936	0.12	ng	0.00
14) 2-Fluorobiphenyl	12.71	172	4611	0.22	ng	0.00
24) Fluoranthene-d10	18.87	212	36461	0.29	ng	0.00
28) Terphenyl-d14	19.49	244	28770	0.34	ng	-0.01


Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN081219\
Data File : BN007095.D
Acq On : 12 Aug 2019 13:30
Operator : HP/JU
Sample : PB122098BL
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
PB122098BL

Quant Time: Aug 13 04:14:26 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN081019.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Aug 10 21:44:50 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.43 min Scan# 547
Delta R.T. -0.00 min
Lab File: BN007095.D
Acq: 12 Aug 2019 13:30

Instrument :
BNA_N
ClientSampleId :
PB122098BL

Tot Ion:152 Resp: 7522
Ion Ratio Lower Upper
152 100
150 147.1 121.7 182.5
115 54.7 46.2 69.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#3


2-Fluorophenol
Concen: 0.298 ng
RT: 5.06 min Scan# 252
Delta R.T. -0.00 min
Lab File: BN007095.D
Acq: 12 Aug 2019 13:30

Tgt Ion:112 Resp: 5387
Ion Ratio Lower Upper
112 100
64 53.8 42.6 63.8
63 28.0 22.2 33.2



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BNC
Ion 63.00 (62.70 to 63.70): BNC





#4

Phenol-d6

Concen: 0.311 ng

RT: 6.61 min Scan# 445

Delta R.T. -0.00 min

Lab File: BN007095.D

Acq: 12 Aug 2019 13:30

Instrument :

BNA_N

ClientSampleId :

PB122098BL


Tot Ion: 99 Resp: 6957

Ion Ratio Lower Upper

99 100

42 17.7 15.8 23.6




71 34.7 27.0 40.4



Abundance Ion 99.00 (98.70 to 99.70): BN007110.D (-439) (-)

Ion 42.00 (41.70 to 42.70): BN007110.D (-439) (-)

Ion 71.00 (70.70 to 71.70): BN007110.D (-439) (-)



#6

Naphthalene-d8

Concen: 0.400 ng

RT: 10.19 min Scan# 813

Delta R.T. -0.00 min

Lab File: BN007095.D

Acq: 12 Aug 2019 13:30

Tgt Ion: 136 Resp: 27321


Ion Ratio Lower Upper

136 100

137 11.2 9.4 14.0

54 6.0 6.6 9.8#

68 5.4 6.0 9.0#





Abundance Ion 136.00 (135.70 to 136.70): BN007110.D (-806) (-)

Ion 137.00 (136.70 to 137.70): BN007110.D (-806) (-)

Ion 54.00 (53.70 to 54.70): BN007110.D (-806) (-)

Ion 68.00 (67.70 to 68.70): BN007110.D (-806) (-)





#7

Nitrobenzene-d5

Concen: 0.260 ng

RT: 8.56 min Scan# 685

Delta R.T. -0.00 min

Lab File: BN007095.D

Acq: 12 Aug 2019 13:30

Instrument :

BNA_N

ClientSampleId :

PB122098BL


Tot Ion: 82 Resp: 5726

Ion Ratio Lower Upper

82 100

128 48.1 34.6 51.8




54 43.4 36.2 54.4



Abundance Ion 82.00 (81.70 to 82.70): BN007095.D (-679) (-)

Ion 128.00 (127.70 to 128.70): BN007095.D (-679) (-)

Ion 54.00 (53.70 to 54.70): BN007095.D (-679) (-)



#10

2-Methylnaphthalene-d10

Concen: 0.301 ng

RT: 11.79 min Scan# 981

Delta R.T. -0.00 min

Lab File: BN007095.D


Acq: 12 Aug 2019 13:30

Tgt Ion: 152 Resp: 15317

Ion Ratio Lower Upper



152 100


151 19.4 15.5 23.3



Abundance Ion 152.00 (151.70 to 152.70): BN007095.D (-937) (-)

Ion 151.00 (150.70 to 151.70): BN007095.D (-937) (-)





#12

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.08 min Scan# 1310

Delta R.T. -0.00 min

Lab File: BN007095.D

Acq: 12 Aug 2019 13:30

Instrument :

BNA_N

ClientSampleId :

PB122098BL


Tot Ion:164 Resp: 14551

Ion Ratio Lower Upper

164 100

162 101.0 82.2 123.4




160 47.5 38.3 57.5



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#13

2,4,6-Tribromophenol

Concen: 0.119 ng

RT: 15.57 min Scan# 1444

Delta R.T. -0.00 min

Lab File: BN007095.D

Acq: 12 Aug 2019 13:30


Tgt Ion:330 Resp: 936

Ion Ratio Lower Upper

330 100

332 0.0 0.0 0.0



141 39.6 33.6 50.4




Abundance Ion 330.00 (329.70 to 330.70): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E





#14

2-Fluorobiphenyl

Concen: 0.218 ng

RT: 12.71 min Scan# 1187

Delta R.T. -0.00 min

Lab File: BN007095.D

Acq: 12 Aug 2019 13:30

Instrument :

BNA_N

ClientSampleId :

PB122098BL


Tot Ion:172 Resp: 4611

Ion Ratio Lower Upper

172 100

171 31.8 26.3 39.5




170 19.9 17.0 25.4



Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E



#18

Phenanthrene-d10

Concen: 0.400 ng

RT: 16.82 min Scan# 1560

Delta R.T. -0.00 min

Lab File: BN007095.D

Acq: 12 Aug 2019 13:30


Tgt Ion:188 Resp: 35909

Ion Ratio Lower Upper

188 100

94 0.0 0.0 0.0



80 7.4 7.8 11.6#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BNC

Ion 80.00 (79.70 to 80.70): BNC





#24

Fluoranthene-d10

Concen: 0.286 ng

RT: 18.87 min Scan# 1844

Delta R.T. -0.01 min

Lab File: BN007095.D

Acq: 12 Aug 2019 13:30

Instrument :

BNA_N

ClientSampleId :

PB122098BL


Tot Ion:212 Resp: 36461

Ion Ratio Lower Upper

212 100

106 10.2 8.2 12.2




104 5.5 4.5 6.7



Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E



#26

Chrysene-d12

Concen: 0.400 ng

RT: 21.05 min Scan# 2171

Delta R.T. -0.01 min

Lab File: BN007095.D

Acq: 12 Aug 2019 13:30


Tgt Ion:240 Resp: 30908

Ion Ratio Lower Upper

240 100

120 5.9 4.0 6.0



236 27.0 21.3 31.9




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#28

Terphenyl-d14

Concen: 0.342 ng

RT: 19.49 min Scan# 1969

Delta R.T. -0.01 min

Lab File: BN007095.D

Acq: 12 Aug 2019 13:30

Instrument :

BNA_N

ClientSampleId :

PB122098BL


Tot Ion:244 Resp: 28770

Ion Ratio Lower Upper




244 100

212 8.1 6.2 9.2

122 10.4 7.4 11.2



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#32

Perylene-d12

Concen: 0.400 ng

RT: 23.16 min Scan# 2519

Delta R.T. -0.01 min

Lab File: BN007095.D

Acq: 12 Aug 2019 13:30


Tgt Ion:264 Resp: 28571

Ion Ratio Lower Upper

264 100

260 24.7 19.8 29.8

265 36.0 26.2 39.4



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

