

Quantitation Report (QT Reviewed)


Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN081718\
 Data File : BN002380.D
 Acq On : 17 Aug 2018 16:03
 Operator : JU/SJ
 Sample : J4424-10
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 A3YS4

Manual Integrations
 APPROVED

Sohil
 8/20/2018 4:14:05 PM

Quant Time: Aug 20 04:24:02 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN081318MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Aug 18 04:58:06 2018
 Response via : Initial Calibration



Quantitation Report (Qedit)


Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN081718\
Data File : BN002380.D
Acq On : 17 Aug 2018 16:03
Operator : JU/SJ
Sample : J4424-10
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampled :
A3YS4

Manual Integrations
APPROVED

Sohil
8/20/2018 4:14:05 PM

Quant Time: Aug 20 04:19:30 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN081318MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat Aug 18 04:58:06 2018
Response via : Initial Calibration



(51) 4-Nitrophenol-d4 (S)

14.522min (-0.000) 29.23ng/ul

response 198895

Ion	Exp%	Act%
143.00	100	100
113.00	75.10	70.97
41.00	28.80	43.85#
42.00	19.10	29.56#

Quantitation Report (Qedit)


Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN081718\
 Data File : BN002380.D
 Acq On : 17 Aug 2018 16:03
 Operator : JU/SJ
 Sample : J4424-10
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampled :
 A3YS4

Manual Integrations
 APPROVED

Sohil
 8/20/2018 4:14:05 PM

Quant Time: Aug 20 04:19:30 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN081318MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Aug 18 04:58:06 2018
 Response via : Initial Calibration



(51) 4-Nitrophenol-d4 (S)

14.522min (-0.000) 30.32ng/ul m

5/18/20/18

response 206368

Ion	Exp%	Act%
143.00	100	100
113.00	75.10	70.97
41.00	28.80	43.85#
42.00	19.10	29.56#

Quantitation Report (QT Reviewed)

Instrument :
BNA_N
ClientSampleId :
A3YS4

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN081718\
Data File : BN002380.D
Acq On : 17 Aug 2018 16:03
Operator : JU/SJ
Sample : J4424-10
Misc :
ALS Vial : 13 Sample Multiplier: 1

Manual Integrations
APPROVED

Sohil
8/20/2018 4:14:05 PM

Quant Time: Aug 20 04:24:02 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN081318MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat Aug 18 04:58:06 2018
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.68	152	142520	20.00	ng/ul	0.00
18) Naphthalene-d8	10.45	136	691045	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.31	164	434306	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.06	188	1018189	20.00	ng/ul	0.00
77) Chrysene-d12	21.26	240	1134235	20.00	ng/ul	0.00
85) Perylene-d12	23.47	264	1240077	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.24	96	21285	7.05	ng/uL	0.00
5) Phenol-d5	6.85	99	470275	35.99	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.02	67	328144	39.98	ng/ul	0.00
9) 2-Chlorophenol-d4	7.21	132	378356	38.01	ng/ul	0.00
13) 4-Methylphenol-d8	8.38	113	426382	40.81	ng/ul	0.00
19) Nitrobenzene-d5	8.82	128	221334	40.24	ng/ul	0.00
22) 2-Nitrophenol-d4	9.54	143	243068	42.02	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.08	165	408731	38.45	ng/ul	0.00
29) 4-Chloroaniline-d4	10.59	131	629079	54.75	ng/ul	0.00
43) Dimethylphthalate-d6	13.72	166	1545998	42.94	ng/ul	0.00
46) Acenaphthylene-d8	14.00	160	1929223	43.68	ng/ul	0.00
51) 4-Nitrophenol-d4	14.52	143	206368m	30.32	ng/ul	0.00
57) Fluorene-d10	15.30	176	1319657	42.28	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.43	200	185118	28.56	ng/ul	0.00
70) Anthracene-d10	17.16	188	2110859	43.40	ng/ul	0.00
78) Pyrene-d10	19.46	212	2364521	43.57	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.34	264	2621209	40.42	ng/ul	0.00

SI 8/20/18

Target Compounds

				Ovalue	
6) Phenol	6.88	94	23921	1.797 ng/ul#	87
44) Dimethylphthalate	13.77	163	213023	6.033 ng/ul	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed